R3850-L3-U

CPHA COMMISSION ON PROFESSIONAL AND HOSPITAL ACTIVITIES

DX LENGTH OF STAY BY DIAGNOSIS



UNITED STATES

NORTH CENTRAL REGION

1984

Length of Stay by Diagnosis, North Central Region, 1984

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1985

LENGTH OF STAY

Copyright 1985 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1984
. . . by Diagnosis, United States, North Central Region, 1984
. . . by Diagnosis, United States, Northeastern Region, 1984
. . . by Diagnosis, United States, Southern Region, 1984
. . . by Diagnosis, United States, Western Region, 1984
. . . by Diagnosis, Canada, 1984

. . . by Operation, United States, 1984
. . . by Operation, United States, North Central Region, 1984
. . . by Operation, United States, Northeastern Region, 1984
. . . by Operation, United States, Southern Region, 1984
. . . by Operation, United States, Western Region, 1984
. . . by Operation, Canada, 1984

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1984
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1984

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1984 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1984 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1984 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research Services
Wilma J. Allen, Senior Contract Manager
Carol A. Prevost, Research Associate
Jean C. Haar, Research Clerk

CONTENTS

Preface . . . iii

Discussion of the Data . . . 1

- Source of the Data . . . 1
- Data Quality . . . 2
- Coverage . . . 3
- Organization of Length of Stay Tables . . . 5
  - Definition of Multiple Diagnosis Patients . . . 5
  - Definition of Operated Patients . . . 5
- Explanation of Statistics . . . 6
- Defining the Extended Stay Case . . . 7

Length of Stay Tables . . . 17

- Summary of All Patients . . . 18
- Summary of All Patients Except Newborn . . . 19
- Diagnosis Groups 1-398 . . . 20

Appendix: *ICD-9-CM* Codes for Selected Diagnosis Groups . . . 219

Index to Length of Stay Tables . . . 223

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer, PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, nonfederal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Alabama Hospital Association, Colorado Hospital Association, Illinois Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Oregon Hospital Association, Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.



** Includes Alaska and Hawaii

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S.
January-December 1984

	Short-Term Nonfederal Hospitals			Short-Term Nonfederal Hospital Beds		
Hospital Class (1)	U.S. Total[2] (2)	Number in Books (3)	Percent in Books (4)	U.S. Total[2] (5)	Number in Books (6)	Percent in Books (7)
Bed Size						
6-24 beds	334	65	19.5	6,186	1,283	20.7
25-49	1,156	271	23.4	42,594	10,371	24.3
50-99	1,294	414	32.0	93,091	29,756	32.0
100-199	1,233	388	31.5	175,270	55,535	31.7
200-299	693	221	31.9	168,434	54,709	32.5
300-399	417	141	33.8	141,646	47,929	33.8
400-499	270	91	33.7	119,835	40,323	33.6
500+	314	79	25.2	218,303	51,582	23.6
Total	5,711	1,670	29.2	965,359	291,488	30.2
Region and Census Division						
Northeast	819	332	40.5	206,566	68,649	33.2
New England	242	112	46.3	48,660	19,162	39.4
Middle Atlantic	577	220	38.1	157,906	49,487	31.3
North Central	1,689	594	35.2	277,174	105,715	38.1
East North Central	892	358	40.1	187,719	77,606	41.3
West North Central	797	236	29.6	89,455	28,109	31.4
South	2,141	402	18.8	338,768	67,644	20.0
South Atlantic	811	210	25.9	159,089	38,464	24.2
East South Central	496	100	20.2	72,022	14,961	20.8
West South Central	834	92	11.0	107,657	14,219	13.2
West	1,062	342	32.2	142,851	49,480	34.6
Mountain	367	148	40.3	39,415	20,416	51.8
Pacific	695	194	27.9	103,436	29,064	28.1
Total	5,711	1,670	29.2	965,359	291,488	30.2

The Pediatric book was compiled from the data of 1,662 hospitals. The Geriatric book was compiled from the data of 1,650 hospitals.

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1983 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each diagnosis group, patients are further stratified by single or multiple diagnoses, operation status, and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight in grams as a means of stratifying patients.

Patient data were assigned *ICD-9-CM List A* groups on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Diagnosis information for all patient data included in this book was coded using *ICD-9-CM.*

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[2])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

Definition of Operated Patients

Operated patients are patients who had at least one UHDDS[3] Class 1 procedure. Patients with only Class 2-4 procedures are considered nonoperated.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] Additional information regarding classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Explanation of Statistics

The *List A* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in that *List A* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N - 1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, whether the patient had single or multiple diagnoses, whether the patient had an operation, and the patient's age. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than one based on the diagnosis.

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups*[1]) that contains the admission diagnosis in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4.

b. Diagnoses can also be found in the Alphabetic Index at the back of the length of stay books.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM.*[1] That code can then be located in *List A* or in the heading of the length of stay table.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses two or more operations with widely different lengths of stay could be performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate length of stay table.

Step 5. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 47-year-old patient is admitted to a hospital for elective surgery. The admitting diagnosis is cholelithiasis and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 2, Diseases: Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways:

a. Cholelithiasis is listed as a diagnosis in *Concurrent Review Screening.* The length of stay table is number 215.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Cervix, cervical			
chronic erosion and ulceration	2		252
stricture of os	2		252
Chest pain	3		335
Criteria for admission			
1. Suspicion of life threatening disease, e.g.			
a. acute myocardial infarction			
b. dissecting aortic aneurysm			
c. acute pericarditis			
2. Respiratory distress--cyanosis, severe dyspnea (> 30 resp/min)			
3.			
4.			
Choking sensation	4		340
Cholangitis, acute			
with calculus	1		217
without mention of calculus	1		218
Cholecystitis			
acute			
with calculus	1		215
without mention of calculus	1		216
chronic or unspecified			
with calculus	2		215
without mention of calculus	2		216
Choledocholithiasis	2		217
Cholelithiasis	**2**		**215**
Cholesteatoma, ear	2		134

b. The Alphabetic Index at the back of the length of stay book shows that cholelithiasis is included in diagnosis group 215.



DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

c. Cholelithiasis can be found in Volume 2 of *ICD-9-CM* on page 124.



Cholangitis **INDEX TO DISEASES**

- **Cholangitis** (acute) (ascending) (catarrhal) (chronic) (infective) (malignant) (primary) (recurrent) (sclerosing) (secondary) (stenosing) (suppurative) 576.1
  - chronic nonsuppurative destructive 571.6
  - nonsuppurative destructive (chronic) 571.6
- **Cholecystdocholithiasis** — *see* Choledocholithiasis
- **Cholecystitis** (chronic) 575.1

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with
    - calculus, stones in
      - bile duct (common) (hepatic) 574.4
      - gallbladder 574.1
    - choledocholithiasis 574.4
    - cholelithiasis 574.1
  - acute 575.0
    - with
      - calculus, stones in
        - bile duct (common) (hepatic) 574.3
        - gallbladder 574.0
      - choledocholithiasis 574.3
      - cholelithiasis 574.0
  - emphysematous (acute) *(see also* Cholecystitis, acute) 575.0
  - gangrenous *(see also* Cholecystitis, acute) 575.0
  - paratyphoidal, current *(see also* Fever, paratyphoid) 002.9
  - suppurative *(see also* cholecystitis, acute) 575.0
  - typhoidal 002.0
- **Choledochitis** (suppurative) 576.1
- **Choledocholith** — *see* Choledocholithiasis
- **Choledocholithiasis** 574.5

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with cholecystitis (chronic) 574.4
    - acute 574.3
- **Cholelithiasis** (impacted) (multiple) 574.2

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with cholecystitis (chronic) 574.1
    - acute 574.0
- **Cholemia** *(see also* Jaundice) 782.4
  - familial 277.4
  - Gilbert's (familial nonhemolytic) 277.4
- **Cholemic gallstone** — *see* Cholelithiasis
- **Choleperitoneum, choleperitonitis** *(see also* Disease, gallbladder) 567.8
- **Cholera** (algid) (Asiatic) (asphyctic) (epidemic) (gravis) (Indian) (malignant) (morbus) (pestilential) (spasmodic) 001.9
  - antimonial 985.4
  - carrier (suspected) of V02.0
  - classical 001.0
  - contact V01.0
  - due to
    - Vibrio
      - cholerae (Inaba, Ogawa, Hikojima serotypes) 001.0
        - El Tor 001.1
  - El Tor 001.1
  - exposure to V01.0
  - vaccination, prophylactic (against) V03.0
- **Cholerine** *(see also* Cholera) 001.9
- **Cholestasis** *(see also* Disease, gallbladder) 575.8
- **Cholesteatoma** (ear) 385.30
  - attic (primary) 385.31
  - diffuse 385.35
  - external ear (canal) 380.21
  - marginal (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
    - secondary (with middle ear involvement) 385.33
  - mastoid cavity 385.30
  - middle ear 385.30
    - secondary 385.32
      - with involvement of mastoid cavity 385.33
  - postmastoidectomy cavity (recurrent) 383.32
  - primary 385.31
  - recurrent, postmastoidectomy cavity 383.32
  - secondary (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
- **Cholesteatosis** (middle ear) *(see also* Cholesteatoma) 385.30
  - diffuse 385.35

Step 2. Find the table for group 215 in the length of stay book.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	156	4.7	10	1	2	4	6	9	11	15
20-34	1472	4.4	10	1	1	4	6	8	10	16
35-49	1964	5.2	14	1	2	4	7	9	12	17
50-64	3826	5.8	15	2	2	5	7	10	13	19
65+	7503	7.6	32	2	3	6	10	14	17	28
B. *Operated*										
0-19 YRS	671	9.6	30	5	5	8	11	15	17	32
20-34	9073	9.2	24	5	5	8	11	14	17	27
35-49	11544	9.9	27	5	6	8	12	16	19	30
50-64	17699	11.4	41	5	6	10	13	18	23	35
65+	18538	15.1	82	6	7	13	18	25	32	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6693	4.1	9	1	1	3	5	8	9	14
B. *Operated*	50291	8.3	14	5	5	7	9	12	15	21
2. MULTIPLE DX										
A. *Not Operated*	14921	6.5	24	2	2	5	8	12	15	25
B. *Operated*	57525	11.9	54	5	6	10	14	20	25	41
1. SINGLE DX	56984	7.8	15	3	4	7	9	12	14	21
2. MULTIPLE DX	72446	10.8	53	3	5	9	13	19	24	39
A. NOT OPERATED	21614	5.7	21	1	2	5	7	11	14	22
B. OPERATED	107816	10.2	36	5	6	8	12	17	21	34
TOTAL 0-19 YRS	2325	7.5	19	2	3	7	9	12	14	22
20-34	27293	7.6	16	3	4	7	9	12	14	21
35-49	28151	8.3	21	3	4	7	10	13	16	24
50-64	36761	9.4	31	3	5	8	11	16	19	30
65+	34900	12.1	68	3	5	10	15	21	27	44
GRAND TOTAL	**129430**	**9.5**	**38**	**3**	**4**	**8**	**11**	**16**	**20**	**33**

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top ten lines of the table (1. Single Dx).



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 4. Since surgery is scheduled, use the second five lines of the table (Section 1.B.).



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 5. The patient is 47-years-old and therefore falls in the age group 35-49.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 6. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the seventh day after admission to be the day that this patient comes up for extended stay review.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

The patient was admitted on 3 November; therefore, the seventh day will fall on 10 November. Prior to or on 10 November, the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	282971	3.3	15	1	1	3	4	5	6	16
20-34	180790	3.8	22	<1	1	3	4	6	10	28
35-49	61731	5.5	40	1	1	4	6	11	18	31
50-64	42444	5.9	40	1	1	4	7	12	17	31
65+	35234	6.2	38	1	2	5	8	12	16	32
B. *Operated*										
0-19 YRS	94685	2.9	10	<1	1	2	3	5	8	16
20-34	186563	3.5	8	1	1	3	4	6	8	14
35-49	82419	4.5	16	1	1	3	6	9	11	19
50-64	73386	5.1	21	1	1	4	7	11	13	22
65+	67145	5.4	28	1	1	3	7	12	16	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	269400	4.7	37	1	2	3	5	8	12	36
20-34	163320	5.9	48	1	1	4	6	12	21	34
35-49	157444	6.6	44	1	2	5	8	13	19	32
50-64	243100	6.9	39	1	2	5	9	13	18	32
65+	498316	7.9	40	2	2	6	10	15	19	32
B. *Operated*										
0-19 YRS	84278	5.5	72	1	1	3	6	11	19	52
20-34	219247	5.4	34	1	2	4	6	9	14	31
35-49	157564	7.2	52	1	2	6	8	14	19	39
50-64	207874	8.8	77	1	2	6	11	18	24	47
65+	315479	10.8	96	2	2	8	14	22	29	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	603170	4.0	24	1	1	3	4	7	11	27
B. *Operated*	504198	4.0	15	1	1	3	5	8	11	19
2. MULTIPLE DX										
A. *Not Operated*	1331580	6.7	42	1	2	5	8	13	18	33
B. *Operated*	984442	8.1	74	1	2	6	10	17	24	45
1. SINGLE DX	1107368	4.0	20	1	1	3	5	8	11	23
2. MULTIPLE DX	2316022	7.3	56	1	2	5	9	15	21	39
A. NOT OPERATED	1934750	5.9	38	1	2	4	7	12	16	31
B. OPERATED	1488640	6.7	58	1	1	4	8	15	20	39
TOTAL 0-19 YRS	731334	4.0	30	1	1	3	4	7	10	30
20-34	749920	4.7	29	1	1	3	5	8	13	29
35-49	459158	6.3	42	1	1	5	8	12	18	33
50-64	566804	7.3	52	1	2	5	9	15	20	37
65+	916174	8.6	61	2	2	7	11	17	23	40
GRAND TOTAL	**3423390**	**6.2**	**47**	**1**	**1**	**4**	**7**	**13**	**18**	**35**

594 Hospitals, North Central Region, January-December 1984

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	124665	3.7	31	1	1	3	4	6	9	30
20-34	180790	3.8	22	<1	1	3	4	6	10	28
35-49	61731	5.5	40	1	1	4	6	11	18	31
50-64	42444	5.9	40	1	1	4	7	12	17	31
65+	35234	6.2	38	1	2	5	8	12	16	32
B. *Operated*										
0-19 YRS	94599	2.9	10	<1	1	2	3	5	8	16
20-34	186563	3.5	8	1	1	3	4	6	8	14
35-49	82419	4.5	16	1	1	3	6	9	11	19
50-64	73386	5.1	21	1	1	4	7	11	13	22
65+	67145	5.4	28	1	1	3	7	12	16	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	162409	4.9	47	1	1	3	5	8	13	42
20-34	163320	5.9	48	1	1	4	6	12	21	34
35-49	157444	6.6	44	1	2	5	8	13	19	32
50-64	243100	6.9	39	1	2	5	9	13	18	32
65+	498316	7.9	40	2	2	6	10	15	19	32
B. *Operated*										
0-19 YRS	80836	4.9	47	1	1	3	5	10	15	38
20-34	219247	5.4	34	1	2	4	6	9	14	31
35-49	157564	7.2	52	1	2	6	8	14	19	39
50-64	207874	8.8	77	1	2	6	11	18	24	47
65+	315479	10.8	96	2	2	8	14	22	29	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	444864	4.4	31	1	1	3	5	8	13	29
B. *Operated*	504112	4.0	15	1	1	3	5	8	11	19
2. MULTIPLE DX										
A. *Not Operated*	1224589	6.9	43	1	2	5	8	14	19	33
B. *Operated*	981000	8.1	72	1	2	6	10	17	24	44
1. SINGLE DX	948976	4.2	22	1	1	3	5	8	12	24
2. MULTIPLE DX	2205589	7.4	57	1	2	5	9	15	21	39
A. NOT OPERATED	1669453	6.2	41	1	1	4	8	13	18	32
B. OPERATED	1485112	6.7	56	1	1	4	8	15	20	39
TOTAL 0-19 YRS	462509	4.2	36	1	1	3	4	7	11	34
20-34	749920	4.7	29	1	1	3	5	8	13	29
35-49	459158	6.3	42	1	1	5	8	12	18	33
50-64	566804	7.3	52	1	2	5	9	15	20	37
65+	916174	8.6	61	2	2	7	11	17	23	40
GRAND TOTAL	**3154565**	**6.5**	**48**	**1**	**1**	**4**	**8**	**14**	**19**	**35**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2501	3.1	4	1	1	3	4	5	7	10
20-34	985	3.0	4	1	1	3	4	5	7	10
35-49	400	3.5	6	1	1	3	4	6	8	10
50-64	229	3.6	4	1	1	3	5	7	7	10
65+	137	4.0	7	1	1	3	5	8	10	11
B. *Operated*										
0-19 YRS	43	4.5	8	1	2	4	6	8	10	17
20-34	66	5.9	10	2	3	5	7	10	13	15
35-49	34	6.3	19	2	3	6	7	10	13	26
50-64	18	6.9	25	1	2	6	9	11	18	23
65+	7	14.6	207	5	5	6	27	37	38	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4814	3.6	6	1	1	3	4	6	8	12
20-34	1690	3.6	6	1	1	3	4	7	8	12
35-49	982	4.2	8	1	2	4	5	8	9	14
50-64	1016	4.7	10	1	2	4	6	8	10	17
65+	1814	5.7	21	2	2	5	7	10	14	24
B. *Operated*										
0-19 YRS	108	8.6	77	2	3	6	10	20	27	48
20-34	118	8.6	135	2	3	6	9	14	25	92
35-49	94	10.4	254	2	3	6	11	17	74	99+
50-64	112	9.1	39	3	4	7	10	19	26	55
65+	153	12.0	108	3	4	9	15	23	32	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4252	3.2	4	1	1	3	4	6	7	10
B. *Operated*	168	6.1	23	2	3	5	7	10	13	32
2. MULTIPLE DX										
A. *Not Operated*	10316	4.1	10	1	2	3	5	7	9	15
B. *Operated*	585	9.9	119	2	3	7	11	20	28	94
1. SINGLE DX	4420	3.3	5	1	1	3	4	6	7	11
2. MULTIPLE DX	10901	4.4	17	1	2	3	5	8	10	20
A. NOT OPERATED	14568	3.8	8	1	1	3	5	7	9	15
B. OPERATED	753	9.0	100	2	3	6	10	18	27	92
TOTAL 0-19 YRS	7466	3.5	7	1	1	3	4	6	7	12
20-34	2859	3.7	12	1	1	3	4	7	8	13
35-49	1510	4.5	25	1	1	4	5	8	10	18
50-64	1375	4.9	13	1	2	4	6	9	11	22
65+	2111	6.1	30	2	2	5	7	11	15	29
GRAND TOTAL	**15321**	**4.1**	**14**	**1**	**1**	**3**	**5**	**7**	**10**	**18**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	8.3	34	1	2	7	11	18	21	22
20-34	33	11.3	83	2	3	11	16	26	32	35
35-49	33	9.9	40	2	3	10	13	16	24	29
50-64	20	13.8	184	3	4	9	15	34	49	54
65+	26	11.8	79	2	3	9	18	25	28	33
B. *Operated*										
0-19 YRS	5	7.6	32	1	1	6	11	16	16	16
20-34	13	7.9	31	<1	1	6	11	17	19	19
35-49	16	12.0	118	3	3	9	15	42	81	99+
50-64	26	9.0	22	2	2	9	14	15	16	18
65+	11	12.5	42	4	6	11	17	22	26	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	8.9	48	2	3	5	15	19	22	25
20-34	47	14.3	118	3	5	12	16	26	33	58
35-49	58	11.3	83	3	3	9	15	23	28	52
50-64	79	13.7	139	3	4	11	18	24	42	90
65+	144	14.2	102	3	4	12	18	25	30	58
B. *Operated*										
0-19 YRS	7	10.3	50	2	3	8	17	21	21	21
20-34	38	14.6	44	5	6	15	18	27	30	99+
35-49	50	16.9	167	4	6	12	23	37	47	53
50-64	78	14.7	139	4	5	12	18	26	39	67
65+	163	18.9	184	4	5	15	25	35	43	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	136	10.9	78	2	3	9	14	22	28	46
B. *Operated*	71	9.9	50	2	3	9	14	18	25	88
2. MULTIPLE DX										
A. *Not Operated*	347	13.3	108	3	4	11	17	24	30	65
B. *Operated*	336	17.0	156	4	6	14	22	33	42	85
1. SINGLE DX	207	10.6	68	2	3	9	14	21	27	49
2. MULTIPLE DX	683	15.1	135	3	5	12	19	29	38	70
A. NOT OPERATED	483	12.6	101	3	3	11	16	24	29	58
B. OPERATED	407	15.7	144	3	5	13	20	31	41	85
TOTAL 0-19 YRS	55	8.7	39	1	2	7	12	19	21	25
20-34	131	13.0	82	2	3	12	16	25	29	66
35-49	157	12.9	111	3	3	10	15	28	37	54
50-64	203	13.5	130	3	4	11	17	24	38	69
65+	344	16.2	143	3	5	14	21	31	38	74
GRAND TOTAL	**890**	**14.1**	**123**	**3**	**4**	**12**	**18**	**27**	**35**	**67**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	5.3	20	<1	<1	5	9	10	10	10
20-34	2	6.0	32	2	2	6	10	10	10	10
35-49	1	13.0		13	13	13	13	13	13	13
50-64	1	6.0		6	6	6	6	6	6	6
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	6	5.0	4	3	3	4	7	8	8	8
20-34	7	5.0	21	2	2	4	5	13	15	15
35-49	8	14.4	220	2	3	7	21	39	46	46
50-64	4	11.0	179	3	3	5	18	31	31	31
65+	5	7.4	52	3	3	4	10	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	7.1	63	2	2	3	12	20	22	22
20-34	11	7.7	28	2	2	5	12	16	17	17
35-49	5	9.6	13	4	4	10	11	14	14	14
50-64	16	11.3	134	2	3	7	14	31	40	44
65+	19	12.3	85	2	2	11	17	28	32	33
B. *Operated*										
0-19 YRS	7	13.7	315	2	2	8	12	45	53	53
20-34	9	15.0	131	<1	1	13	22	31	36	36
35-49	19	15.8	191	3	4	14	18	33	50	59
50-64	31	16.8	197	3	5	16	22	24	44	75
65+	31	21.4	244	1	6	19	31	44	56	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	6.0	21	<1	<1	5	10	12	13	13
B. *Operated*	30	8.7	100	2	2	4	7	21	31	46
2. MULTIPLE DX										
A. *Not Operated*	59	10.2	78	2	2	8	14	21	32	43
B. *Operated*	97	17.7	212	2	4	14	22	38	50	67
1. SINGLE DX	38	8.1	84	1	2	5	8	21	27	46
2. MULTIPLE DX	156	14.9	174	2	3	11	20	32	44	59
A. NOT OPERATED	67	9.7	73	2	2	7	13	19	31	42
B. OPERATED	127	15.6	199	2	3	11	21	35	45	63
TOTAL 0-19 YRS	24	8.3	117	1	2	5	9	17	31	53
20-34	29	9.2	70	2	2	5	13	21	25	36
35-49	33	14.5	162	3	4	10	17	28	45	59
50-64	52	14.5	175	3	3	9	21	27	43	74
65+	56	16.7	196	1	2	12	23	38	44	58
GRAND TOTAL	**194**	**13.6**	**163**	**2**	**2**	**9**	**19**	**31**	**43**	**59**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	296	2.8	2	1	1	3	3	5	5	7
20-34	110	3.0	2	1	2	3	4	5	5	7
35-49	30	2.9	2	1	2	3	3	4	6	7
50-64	4	5.0	1	4	4	5	6	6	6	6
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	26	1.7		1	1	2	2	2	3	3
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	2	8.0	98	1	1	8	15	15	15	15
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	850	3.1	5	1	1	3	4	5	6	11
20-34	266	3.3	3	1	2	3	4	5	6	9
35-49	105	4.1	5	2	2	3	5	7	8	13
50-64	63	4.6	4	2	3	4	6	7	9	11
65+	38	5.9	25	1	3	5	7	13	16	27
B. *Operated*										
0-19 YRS	39	2.3	2	1	1	2	2	5	6	7
20-34	12	4.7	7	1	2	4	6	9	9	9
35-49	5	13.0	87	3	3	14	21	23	23	23
50-64	4	5.8	2	5	5	5	7	8	8	8
65+	5	10.8	35	6	6	9	13	21	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	441	2.9	2	1	1	3	4	5	5	7
B. *Operated*	30	2.2	6	1	1	2	2	3	3	15
2. MULTIPLE DX										
A. *Not Operated*	1322	3.4	5	1	1	3	4	6	7	12
B. *Operated*	65	4.4	22	1	1	3	5	9	16	23
1. SINGLE DX	471	2.8	2	1	1	3	4	5	5	7
2. MULTIPLE DX	1387	3.4	6	1	1	3	4	6	7	13
A. NOT OPERATED	1763	3.3	5	1	1	3	4	5	7	10
B. OPERATED	95	3.7	18	1	1	2	4	8	13	22
TOTAL 0-19 YRS	1211	3.0	4	1	1	3	4	5	6	10
20-34	390	3.2	3	1	2	3	4	5	6	9
35-49	142	4.2	10	2	2	3	5	7	9	21
50-64	71	4.7	4	2	3	4	6	7	9	11
65+	44	6.4	27	2	3	5	8	13	17	27
GRAND TOTAL	**1858**	**3.3**	**5**	**1**	**1**	**3**	**4**	**5**	**7**	**12**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	414	4.8	11	1	2	4	6	10	11	15
20-34	30	5.9	29	2	2	4	7	10	20	27
35-49	12	9.2	88	1	2	5	13	24	29	30
50-64	39	7.4	31	2	3	5	10	12	21	28
65+	71	8.2	28	3	3	7	11	14	16	32
B. *Operated*										
0-19 YRS	9	8.9	39	2	2	8	11	19	22	22
20-34	3	8.7	34	2	2	11	12	13	13	13
35-49										
50-64	1	10.0		10	10	10	10	10	10	10
65+	6	17.3	121	5	6	13	26	34	35	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	831	6.3	24	2	2	5	8	12	14	19
20-34	335	9.8	50	3	3	8	13	18	25	33
35-49	389	10.4	61	3	4	8	12	19	27	41
50-64	965	11.0	48	4	5	9	14	19	23	41
65+	4183	11.5	48	4	5	10	14	20	24	38
B. *Operated*										
0-19 YRS	64	14.0	135	4	5	11	17	24	32	98
20-34	110	17.3	175	3	5	14	24	40	48	99+
35-49	167	17.5	142	5	6	14	22	31	41	69
50-64	334	20.6	214	5	8	16	25	44	53	73
65+	1063	19.9	167	6	8	17	25	38	47	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	566	5.6	18	2	2	4	7	11	13	25
B. *Operated*	19	11.6	71	2	3	10	13	24	31	35
2. MULTIPLE DX										
A. *Not Operated*	6703	10.6	49	3	4	9	13	18	23	37
B. *Operated*	1738	19.4	175	6	7	16	24	38	48	77
1. SINGLE DX	585	5.8	21	2	2	4	7	11	13	27
2. MULTIPLE DX	8441	12.4	87	3	4	10	15	23	30	51
A. NOT OPERATED	7269	10.2	48	3	4	9	13	18	23	36
B. OPERATED	1757	19.3	174	5	7	16	24	38	47	77
TOTAL 0-19 YRS	1318	6.2	29	2	2	5	8	12	14	24
20-34	478	11.3	89	3	3	8	14	23	32	52
35-49	568	12.5	95	3	4	10	15	25	31	48
50-64	1339	13.3	107	4	5	10	16	25	35	60
65+	5323	13.1	83	4	5	11	16	23	31	50
GRAND TOTAL	**9026**	**12.0**	**86**	**3**	**4**	**10**	**15**	**22**	**30**	**50**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	238	6.9	20	1	2	6	10	12	14	22
20-34	59	5.7	10	2	3	5	7	10	13	15
35-49	41	5.9	18	2	2	5	7	11	14	23
50-64	41	5.7	10	2	3	5	6	9	11	19
65+	14	5.4	2	3	3	5	7	7	8	8
B. *Operated*										
0-19 YRS	13	8.6	29	<1	1	8	13	16	17	17
20-34	5	8.2	16	3	3	10	11	12	12	12
35-49	11	9.2	57	2	3	8	10	21	27	28
50-64	4	8.3	17	3	3	9	11	12	12	12
65+	6	6.0	11	2	2	5	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	301	7.0	34	2	2	6	10	12	15	29
20-34	137	6.7	34	2	2	5	8	11	15	30
35-49	99	7.3	29	2	3	6	10	14	18	30
50-64	162	8.3	27	3	3	7	10	15	19	26
65+	365	10.3	80	3	4	8	12	19	26	42
B. *Operated*										
0-19 YRS	39	15.1	103	5	5	12	20	35	36	38
20-34	33	15.1	196	4	4	11	18	41	52	57
35-49	38	19.1	282	4	5	15	22	49	70	99+
50-64	69	16.7	198	4	5	13	23	33	46	98
65+	129	19.7	227	5	7	14	28	39	55	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	393	6.4	17	2	2	5	9	12	13	21
B. *Operated*	39	8.3	30	2	2	8	11	15	17	28
2. MULTIPLE DX										
A. *Not Operated*	1064	8.3	50	2	3	7	10	15	20	34
B. *Operated*	308	17.9	210	4	5	13	23	37	50	85
1. SINGLE DX	432	6.6	18	2	2	6	9	12	14	22
2. MULTIPLE DX	1372	10.5	102	2	3	8	12	21	31	57
A. NOT OPERATED	1457	7.8	42	2	3	6	10	14	17	32
B. OPERATED	347	16.8	198	4	5	12	21	36	47	81
TOTAL 0-19 YRS	591	7.6	36	2	2	6	11	13	16	34
20-34	234	7.7	59	2	3	6	9	13	18	53
35-49	189	9.5	102	2	3	6	11	19	28	71
50-64	276	10.0	82	3	3	7	11	22	28	47
65+	514	12.5	132	3	4	9	15	26	35	64
GRAND TOTAL	**1804**	**9.5**	**84**	**2**	**3**	**7**	**11**	**18**	**27**	**53**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	639	3.7	6	1	2	3	4	6	8	13
20-34	345	3.9	5	1	2	3	5	6	8	12
35-49	73	5.6	10	2	2	5	7	9	12	17
50-64	21	5.7	11	1	2	6	8	10	12	14
65+	4	7.8	14	3	3	8	10	12	12	12
B. *Operated*										
0-19 YRS	9	6.8	18	3	3	5	8	14	17	17
20-34	5	5.6	5	2	2	6	7	8	8	8
35-49	4	19.8	170	7	7	20	31	31	31	31
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	316	4.5	9	1	2	4	6	8	10	15
20-34	205	4.6	7	1	2	4	6	8	10	12
35-49	67	5.8	9	2	3	5	7	10	12	15
50-64	35	7.2	26	2	2	6	9	13	17	25
65+	21	11.6	39	3	4	11	15	19	24	27
B. *Operated*										
0-19 YRS	8	13.8	175	4	4	8	18	37	43	43
20-34	10	6.7	6	3	3	6	9	10	10	10
35-49	4	16.5	310	2	2	11	27	42	42	42
50-64	6	8.2	19	3	3	7	11	15	15	15
65+	3	31.7	358	10	10	40	44	45	45	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1082	4.0	6	1	2	3	5	7	9	14
B. *Operated*	18	9.3	73	2	3	6	9	27	31	31
2. MULTIPLE DX										
A. *Not Operated*	644	5.1	12	1	2	4	6	9	11	18
B. *Operated*	31	12.5	155	3	3	8	12	41	43	45
1. SINGLE DX	1100	4.1	8	1	2	3	5	7	9	14
2. MULTIPLE DX	675	5.4	21	1	2	4	7	10	12	23
A. NOT OPERATED	1726	4.4	9	1	2	4	5	8	10	15
B. OPERATED	49	11.3	125	3	3	7	11	31	42	45
TOTAL 0-19 YRS	972	4.1	9	1	2	3	5	7	9	15
20-34	565	4.2	6	1	2	4	5	8	9	12
35-49	148	6.4	27	2	2	5	7	10	14	31
50-64	62	6.8	20	2	2	6	8	13	15	24
65+	28	13.2	102	3	4	10	15	25	40	45
GRAND TOTAL	**1775**	**4.6**	**13**	**1**	**2**	**4**	**5**	**8**	**10**	**17**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	396	3.1	4	1	1	3	4	5	7	10
20-34	116	4.9	7	2	2	4	6	8	11	14
35-49	38	4.2	6	1	2	3	6	7	9	11
50-64	95	4.9	8	2	2	4	7	9	11	14
65+	167	6.5	39	2	2	5	8	11	14	35
B. *Operated*										
0-19 YRS	5	8.2	123	2	2	4	10	28	28	28
20-34	8	4.3	8	2	2	3	6	8	9	9
35-49	3	22.7	352	1	1	33	34	34	34	34
50-64	10	5.8	12	2	2	5	8	11	11	11
65+	13	4.6	10	1	2	3	7	9	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	983	3.7	6	1	2	3	5	6	8	12
20-34	231	5.7	27	2	2	5	7	9	11	23
35-49	137	6.5	18	1	2	6	8	12	15	21
50-64	422	6.9	21	2	3	6	9	12	16	23
65+	1305	8.1	31	2	3	7	10	15	18	30
B. *Operated*										
0-19 YRS	18	9.3	54	2	2	7	14	16	25	30
20-34	19	11.7	119	2	4	8	13	28	41	44
35-49	20	17.8	565	3	3	9	20	84	93	99+
50-64	53	13.2	104	2	3	12	17	27	35	51
65+	113	13.7	140	2	4	10	16	29	45	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	812	4.3	14	1	2	3	5	8	10	16
B. *Operated*	39	6.7	62	1	2	4	7	11	31	34
2. MULTIPLE DX										
A. *Not Operated*	3078	6.3	24	2	2	5	8	12	15	26
B. *Operated*	223	13.4	161	2	3	10	16	29	44	83
1. SINGLE DX	851	4.4	16	1	2	3	6	8	11	18
2. MULTIPLE DX	3301	6.7	37	2	2	5	8	13	17	31
A. NOT OPERATED	3890	5.9	23	1	2	5	7	11	14	24
B. OPERATED	262	12.4	151	2	3	9	15	28	38	79
TOTAL 0-19 YRS	1402	3.6	7	1	1	3	4	6	8	13
20-34	374	5.7	27	2	2	5	7	10	12	29
35-49	198	7.4	88	1	2	6	8	14	19	85
50-64	580	7.1	31	2	2	6	9	13	17	30
65+	1598	8.3	42	2	3	7	10	15	20	35
GRAND TOTAL	**4152**	**6.3**	**33**	**1**	**2**	**5**	**8**	**12**	**16**	**30**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	174	5.8	27	2	2	5	7	10	12	22
20-34	403	6.7	21	2	3	6	8	12	15	25
35-49	144	7.6	32	3	3	6	9	13	17	22
50-64	61	8.5	21	2	3	8	11	15	17	23
65+	15	7.8	32	2	3	5	10	17	21	22
B. *Operated*										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	15	4.1	10	1	1	3	7	8	10	10
35-49	9	11.2	52	1	3	10	19	21	21	21
50-64	10	7.2	73	1	1	3	11	20	28	28
65+	2	16.0	72	10	10	16	22	22	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	107	5.6	18	2	2	5	6	9	14	26
20-34	339	7.2	22	2	3	6	9	13	16	23
35-49	172	8.8	30	3	4	7	10	16	21	30
50-64	139	9.4	30	3	4	8	12	17	19	32
65+	116	9.0	35	2	3	8	12	16	21	28
B. *Operated*										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	39	10.5	36	2	3	10	14	18	21	30
35-49	23	14.0	145	1	2	10	22	31	42	43
50-64	39	12.8	79	2	4	11	16	25	33	38
65+	29	12.2	45	3	4	12	19	24	25	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	797	6.8	25	2	3	6	8	12	15	24
B. *Operated*	38	7.2	47	1	1	5	10	20	22	28
2. MULTIPLE DX										
A. *Not Operated*	873	7.9	27	2	3	7	10	15	18	28
B. *Operated*	131	12.2	70	2	3	11	16	23	28	53
1. SINGLE DX	835	6.9	26	2	3	6	8	12	16	24
2. MULTIPLE DX	1004	8.5	35	2	3	7	11	16	21	31
A. NOT OPERATED	1670	7.4	26	2	3	6	9	13	17	26
B. OPERATED	169	11.1	69	1	2	10	15	23	28	43
TOTAL 0-19 YRS	284	5.8	24	2	2	5	7	10	12	21
20-34	796	7.1	22	2	3	6	9	13	16	24
35-49	348	8.7	41	3	3	7	10	16	21	34
50-64	249	9.6	39	3	3	8	12	17	21	32
65+	162	9.6	38	2	3	9	13	19	23	29
GRAND TOTAL	**1839**	**7.7**	**31**	**2**	**3**	**6**	**10**	**14**	**19**	**28**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	720	4.2	9	1	2	4	5	7	9	12
20-34	211	4.1	5	2	2	4	5	7	8	11
35-49	30	5.0	14	1	1	4	7	11	13	15
50-64	5	5.8	9	3	3	5	9	9	9	9
65+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
0-19 YRS	7	5.1	18	1	1	4	7	12	13	13
20-34	6	5.0	7	1	1	5	6	9	9	9
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1175	4.3	6	1	2	4	5	7	9	12
20-34	342	4.9	10	2	2	4	6	8	10	15
35-49	67	5.6	7	2	3	5	7	9	11	13
50-64	22	7.6	27	2	2	6	10	16	19	20
65+	7	8.6	12	2	3	10	11	12	12	12
B. *Operated*										
0-19 YRS	33	6.2	23	2	2	5	8	11	15	25
20-34	16	7.1	26	3	3	5	8	17	17	17
35-49	7	9.9	33	5	5	9	11	20	22	22
50-64	3	12.3	4	10	10	13	14	14	14	14
65+	2	16.5	61	11	11	16	22	22	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	967	4.2	8	1	2	4	5	7	9	13
B. *Operated*	13	5.1	12	1	1	5	7	10	12	13
2. MULTIPLE DX										
A. *Not Operated*	1613	4.6	7	2	2	4	6	8	10	13
B. *Operated*	61	7.5	29	2	2	5	10	15	19	25
1. SINGLE DX	980	4.2	8	1	2	4	5	7	9	13
2. MULTIPLE DX	1674	4.7	8	2	2	4	6	8	10	15
A. NOT OPERATED	2580	4.4	7	2	2	4	5	8	9	13
B. OPERATED	74	7.1	27	1	2	5	9	14	17	24
TOTAL 0-19 YRS	1935	4.3	7	1	2	4	5	7	9	12
20-34	575	4.7	9	2	2	4	6	8	10	16
35-49	104	5.7	12	2	2	5	8	10	12	18
50-64	30	7.8	24	2	2	6	10	14	19	20
65+	10	10.1	26	2	4	10	11	17	22	22
GRAND TOTAL	**2654**	**4.5**	**8**	**2**	**2**	**4**	**6**	**8**	**10**	**14**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	18.5	920	3	3	4	34	64	64	64
20-34	6	2.2	4	<1	<1	1	3	6	6	6
35-49	2	4.5	5	3	3	4	6	6	6	6
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	156	1.7	1	<1	<1	1	2	3	4	7
20-34	314	2.0	2	<1	1	2	2	4	5	8
35-49	128	2.9	8	<1	1	2	3	5	8	15
50-64	36	2.7	2	1	1	3	4	4	5	5
65+	7	2.7	3	1	1	2	4	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3	16	<1	<1	<1	6	8	8	8
20-34	7	3.4	16	<1	<1	2	4	11	12	12
35-49	2	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+										
B. *Operated*										
0-19 YRS	52	2.7	3	<1	1	2	4	5	6	9
20-34	172	3.3	40	<1	1	2	4	6	7	16
35-49	104	2.8	4	<1	1	2	4	5	6	11
50-64	50	3.7	9	<1	1	3	4	8	9	16
65+	20	7.5	29	2	3	6	9	14	20	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	7.5	291	<1	<1	3	4	18	55	64
B. *Operated*	641	2.2	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	12	3.0	13	<1	<1	<1	4	9	12	12
B. *Operated*	398	3.4	22	<1	1	2	4	6	9	16
1. SINGLE DX	654	2.3	9	<1	<1	2	3	4	5	9
2. MULTIPLE DX	410	3.4	22	<1	1	2	4	6	9	16
A. NOT OPERATED	25	5.4	157	<1	<1	2	4	8	25	64
B. OPERATED	1039	2.6	11	<1	1	2	3	5	7	12
TOTAL 0-19 YRS	215	2.3	20	<1	<1	2	3	4	5	9
20-34	499	2.5	16	<1	1	2	3	4	6	11
35-49	236	2.9	6	<1	1	2	3	5	8	12
50-64	87	3.3	6	1	1	3	4	6	8	14
65+	27	6.3	27	1	2	5	8	12	18	24
GRAND TOTAL	**1064**	**2.7**	**14**	**<1**	**1**	**2**	**3**	**5**	**7**	**12**

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1671	2.8	3	1	1	2	3	5	6	8
20-34	394	3.5	5	1	1	3	4	6	8	12
35-49	154	3.8	12	1	1	3	5	6	8	12
50-64	96	4.2	13	1	2	3	5	7	9	23
65+	54	4.4	11	1	1	4	5	8	11	17
B. *Operated*										
0-19 YRS	45	3.9	25	<1	1	3	4	6	9	34
20-34	20	4.5	9	1	2	3	6	8	11	13
35-49	13	5.1	22	1	1	3	7	13	13	13
50-64	9	12.3	337	3	3	7	8	41	61	61
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2773	3.2	4	1	1	3	4	5	7	11
20-34	875	3.9	8	1	1	3	5	7	9	15
35-49	527	4.3	9	1	2	3	5	8	10	16
50-64	524	4.8	20	1	2	4	6	8	10	20
65+	885	5.5	18	2	2	4	7	10	13	19
B. *Operated*										
0-19 YRS	99	6.2	42	1	1	4	7	13	21	37
20-34	68	10.0	162	2	2	6	12	22	33	98
35-49	40	16.2	404	2	3	9	16	43	70	86
50-64	54	13.1	250	2	3	8	15	35	62	99
65+	51	11.8	82	2	3	9	16	25	32	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2369	3.1	4	1	1	3	4	5	6	10
B. *Operated*	88	5.1	55	1	1	3	5	8	13	51
2. MULTIPLE DX										
A. *Not Operated*	5584	3.9	10	1	1	3	5	7	9	15
B. *Operated*	312	10.4	166	2	2	6	13	22	34	87
1. SINGLE DX	2457	3.1	6	1	1	3	4	5	7	11
2. MULTIPLE DX	5896	4.3	20	1	1	3	5	8	10	20
A. NOT OPERATED	7953	3.7	8	1	1	3	4	6	8	15
B. OPERATED	400	9.3	147	1	2	5	10	20	32	84
TOTAL 0-19 YRS	4588	3.1	5	1	1	3	4	5	6	11
20-34	1357	4.1	17	1	1	3	5	7	10	18
35-49	734	4.8	38	1	2	3	5	8	12	25
50-64	683	5.4	47	1	2	4	6	9	13	38
65+	991	5.8	23	2	2	4	7	11	14	27
GRAND TOTAL	**8353**	**3.9**	**16**	**1**	**1**	**3**	**5**	**7**	**9**	**18**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	4.0	4	1	2	3	5	7	8	10
20-34	18	3.2	2	1	1	3	4	6	6	6
35-49	8	4.6	19	1	1	3	5	12	15	15
50-64	6	3.5	1	2	2	3	4	5	5	5
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	4.8	9	1	2	4	7	8	10	14
20-34	21	4.9	14	<1	1	4	6	11	14	15
35-49	14	6.9	62	2	2	5	8	13	28	32
50-64	8	7.9	7	5	5	7	10	12	12	12
65+	2	6.0	2	5	5	6	7	7	7	7
B. *Operated*										
0-19 YRS	2	27.5	841	7	7	27	48	48	48	48
20-34	3	3.7	6	1	1	4	5	6	6	6
35-49										
50-64										
65+	2	6.5	25	3	3	6	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	73	3.8	5	1	2	3	4	6	8	14
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	71	5.6	21	1	2	5	7	11	13	28
B. *Operated*	7	11.3	271	1	1	6	9	40	48	48
1. SINGLE DX	73	3.8	5	1	2	3	4	6	8	14
2. MULTIPLE DX	78	6.1	43	1	2	5	7	11	14	44
A. NOT OPERATED	144	4.7	13	1	2	4	6	8	11	16
B. OPERATED	7	11.3	271	1	1	6	9	40	48	48
TOTAL 0-19 YRS	69	5.0	34	1	2	4	6	8	9	42
20-34	42	4.1	9	1	1	3	5	7	11	15
35-49	22	6.1	46	1	2	4	7	12	22	32
50-64	14	6.0	9	2	3	5	7	12	12	12
65+	4	6.3	9	3	3	6	8	10	10	10
GRAND TOTAL	**151**	**5.0**	**26**	**1**	**2**	**4**	**6**	**8**	**12**	**32**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	129	5.3	8	2	3	5	7	10	11	13
20-34	192	5.1	11	2	2	4	6	9	12	16
35-49	28	5.5	9	2	2	5	8	10	11	13
50-64	12	7.6	27	1	2	7	11	14	17	18
65+	13	9.2	258	1	1	3	10	26	54	60
B. *Operated*										
0-19 YRS	17	2.9	6	<1	1	2	4	6	9	10
20-34	57	3.1	9	<1	1	2	4	7	9	17
35-49	16	3.6	5	2	2	3	4	6	9	10
50-64	5	2.6	4	<1	<1	2	3	6	6	6
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	112	5.1	10	2	2	4	7	9	10	16
20-34	165	5.1	8	1	2	5	6	8	10	17
35-49	36	7.6	33	1	2	6	11	18	20	21
50-64	16	7.6	51	2	2	5	10	19	25	27
65+	49	9.8	62	1	2	8	14	18	22	40
B. *Operated*										
0-19 YRS	15	5.6	20	2	2	4	7	8	17	20
20-34	55	5.5	18	1	1	5	8	11	13	23
35-49	30	7.3	120	1	1	4	7	11	27	59
50-64	16	10.9	95	1	2	7	17	26	31	33
65+	26	11.5	85	2	2	8	17	27	30	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	374	5.4	18	2	2	4	6	10	12	18
B. *Operated*	96	3.1	7	<1	1	2	4	6	9	14
2. MULTIPLE DX										
A. *Not Operated*	378	6.1	22	1	2	5	7	11	15	22
B. *Operated*	142	7.6	65	1	2	5	9	18	25	35
1. SINGLE DX	470	4.9	17	1	2	4	6	10	11	17
2. MULTIPLE DX	520	6.5	34	1	2	5	8	12	18	30
A. NOT OPERATED	752	5.8	20	2	2	5	7	11	13	21
B. OPERATED	238	5.8	46	1	1	4	7	11	21	31
TOTAL 0-19 YRS	273	5.1	9	2	2	4	7	9	11	15
20-34	469	4.9	11	1	2	4	6	9	11	17
35-49	110	6.4	47	1	2	4	8	12	18	40
50-64	49	8.2	58	1	2	5	11	20	26	33
65+	89	10.1	95	1	1	7	14	21	30	52
GRAND TOTAL	**990**	**5.8**	**27**	**1**	**2**	**4**	**7**	**11**	**14**	**26**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	4.3	19	1	1	3	4	11	13	20
20-34	16	6.9	11	2	3	7	8	12	14	15
35-49	14	8.8	39	3	3	7	13	18	22	23
50-64	7	5.3	8	2	2	4	7	10	10	10
65+	12	9.1	53	3	3	7	11	18	27	29
B. *Operated*										
0-19 YRS	6	6.3	19	1	1	5	11	12	12	12
20-34	19	9.3	56	2	2	8	12	21	27	29
35-49	17	8.9	71	1	2	6	9	22	29	33
50-64	22	9.7	104	1	2	6	12	22	34	44
65+	15	6.6	14	<1	2	7	10	11	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	99	4.3	9	1	1	4	6	9	11	14
20-34	60	4.9	8	2	2	4	6	9	11	14
35-49	50	6.4	25	2	2	5	9	12	13	31
50-64	81	9.5	111	1	2	7	10	18	37	56
65+	165	10.6	122	2	3	8	12	21	32	66
B. *Operated*										
0-19 YRS	9	15.7	291	2	3	9	21	44	57	57
20-34	49	10.7	167	1	2	6	11	27	41	65
35-49	75	11.9	125	2	2	9	15	25	29	63
50-64	89	15.2	284	1	2	9	20	40	55	92
65+	110	17.5	259	2	4	12	24	43	51	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	83	6.3	28	1	2	[illegible]	9	13	16	27
B. *Operated*	79	8.6	61	1	2	6	11	18	27	41
2. MULTIPLE DX										
A. *Not Operated*	455	7.8	77	1	2	6	9	14	22	56
B. *Operated*	332	14.6	227	2	3	9	19	35	50	82
1. SINGLE DX	162	7.4	45	1	2	6	10	14	21	33
2. MULTIPLE DX	787	10.7	151	1	2	7	12	24	38	69
A. NOT OPERATED	538	7.6	70	1	2	6	9	13	21	47
B. OPERATED	411	13.4	201	2	2	9	16	31	46	79
TOTAL 0-19 YRS	148	5.1	34	1	1	4	6	11	13	25
20-34	144	7.6	74	2	2	5	9	14	26	53
35-49	156	9.5	84	2	2	7	12	21	26	54
50-64	199	11.9	192	1	2	7	13	29	45	79
65+	302	12.9	176	2	3	9	15	29	43	72
GRAND TOTAL	**949**	**10.1**	**134**	**1**	**2**	**7**	**11**	**22**	**33**	**66**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	3.4	4	1	1	3	4	5	8	9
20-34	7	4.6	4	2	2	5	6	8	8	8
35-49	3	3.7		3	3	4	4	4	4	4
50-64	2	5.0	18	2	2	5	8	8	8	8
65+										
B. *Operated*										
0-19 YRS	9	6.2	29	2	2	5	6	15	20	20
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	20.0		20	20	20	20	20	20	20
50-64	2	10.5	181	1	1	10	20	20	20	20
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	3.9	4	1	2	4	5	7	7	8
20-34	11	4.3	2	3	3	4	5	6	8	8
35-49	6	7.7	29	3	3	5	11	16	17	17
50-64	7	5.1	3	3	3	5	6	8	8	8
65+	5	10.6	37	5	5	8	16	19	19	19
B. *Operated*										
0-19 YRS	12	5.5	30	1	2	4	5	12	21	22
20-34	11	11.4	152	1	3	8	9	35	40	40
35-49	7	13.7	72	5	5	8	22	24	24	24
50-64	5	13.4	159	5	5	8	19	35	35	35
65+	2	29.5	221	19	19	29	40	40	40	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	3.8	4	1	2	3	5	8	8	9
B. *Operated*	13	7.8	51	1	2	5	10	20	20	20
2. MULTIPLE DX										
A. *Not Operated*	54	5.2	13	2	2	4	6	8	14	19
B. *Operated*	37	11.2	119	2	3	7	15	30	38	40
1. SINGLE DX	39	5.2	22	1	2	4	5	9	20	20
2. MULTIPLE DX	91	7.6	64	2	2	5	8	19	24	40
A. NOT OPERATED	80	4.7	10	2	2	4	6	8	10	18
B. OPERATED	50	10.3	102	1	3	6	14	23	35	40
TOTAL 0-19 YRS	60	4.4	13	1	2	4	5	7	9	22
20-34	30	6.9	66	2	3	5	8	9	31	40
35-49	17	10.2	58	3	3	7	18	23	24	24
50-64	16	8.4	72	1	2	6	8	19	30	35
65+	7	16.0	147	5	5	15	19	36	40	40
GRAND TOTAL	**130**	**6.9**	**52**	**2**	**2**	**5**	**7**	**18**	**22**	**40**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	31	4.7	6	1	2	4	6	9	9	11
20-34	38	3.9	11	1	1	3	5	8	9	19
35-49	27	6.2	10	2	3	6	8	10	12	16
50-64	16	6.9	45	2	2	5	9	11	24	29
65+	6	3.2	5	1	1	3	4	7	7	7
B. Operated										
0-19 YRS	4	3.8	3	2	2	3	5	6	6	6
20-34	137	4.9	14	1	1	4	7	11	12	16
35-49	105	4.7	10	1	2	4	7	9	11	13
50-64	34	5.5	45	1	1	3	7	12	20	34
65+	12	6.1	36	1	1	4	9	17	18	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	106	7.2	18	1	2	7	10	12	15	21
20-34	101	4.9	9	1	1	4	6	9	12	14
35-49	127	7.1	22	2	3	6	8	12	17	26
50-64	85	8.8	53	3	3	7	10	15	20	44
65+	95	8.9	23	3	3	8	12	15	18	23
B. Operated										
0-19 YRS	9	12.1	52	4	4	9	18	22	23	23
20-34	184	8.9	55	2	2	7	12	18	23	35
35-49	161	10.1	81	2	2	8	12	18	31	48
50-64	94	10.6	99	1	2	9	15	18	28	59
65+	41	11.9	129	2	3	9	14	23	29	67
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	118	5.0	15	1	2	4	7	9	11	22
B. Operated	292	4.9	17	1	1	4	7	10	12	18
2. MULTIPLE DX										
A. Not Operated	514	7.3	26	2	3	6	9	13	16	26
B. Operated	489	9.9	78	2	2	8	13	19	27	47
1. SINGLE DX	410	4.9	16	1	2	4	7	10	12	19
2. MULTIPLE DX	1003	8.6	53	2	2	7	11	16	21	35
A. NOT OPERATED	632	6.9	25	1	2	6	9	12	15	26
B. OPERATED	781	8.0	61	1	2	6	10	16	22	36
TOTAL 0-19 YRS	150	6.9	20	1	2	6	9	12	16	21
20-34	460	6.4	33	1	2	4	9	14	17	30
35-49	420	7.6	45	2	2	6	9	15	19	35
50-64	229	8.9	73	1	2	7	12	16	25	51
65+	154	9.3	55	2	3	8	12	17	21	30
GRAND TOTAL	**1413**	**7.5**	**45**	**1**	**2**	**6**	**10**	**15**	**18**	**33**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64	1	12.0		12	12	12	12	12	12	12
65+										
B. Operated										
0-19 YRS	1	26.0		26	26	26	26	26	26	26
20-34	2	31.5	1513	4	4	31	59	59	59	59
35-49	2	2.0		2	2	2	2	2	2	2
50-64	2	4.0	18	1	1	4	7	7	7	7
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	11.3	234	2	2	3	22	29	29	29
20-34	3	7.0	63	<1	<1	4	13	16	16	16
35-49	7	7.1	58	<1	<1	6	8	20	23	23
50-64	7	7.9	45	1	2	7	8	19	22	22
65+	7	8.6	12	4	4	8	12	13	13	13
B. Operated										
0-19 YRS										
20-34										
35-49	7	14.0	195	1	1	12	21	36	40	40
50-64	11	7.2	32	2	3	6	7	15	22	23
65+	5	3.2	15	1	1	1	5	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	6.3	26	2	2	5	10	12	12	12
B. Operated	7	14.4	462	1	1	4	21	52	59	59
2. MULTIPLE DX										
A. Not Operated	27	8.1	51	<1	1	7	9	21	24	29
B. Operated	23	8.4	87	1	1	6	10	22	29	40
1. SINGLE DX	10	12.0	329	1	1	4	12	42	59	59
2. MULTIPLE DX	50	8.3	66	1	1	6	10	22	23	40
A. NOT OPERATED	30	8.0	48	<1	1	6	9	19	23	29
B. OPERATED	30	9.8	169	1	1	6	10	24	40	59
TOTAL 0-19 YRS	4	15.0	210	2	2	14	27	29	29	29
20-34	5	16.8	590	<1	<1	4	27	59	59	59
35-49	18	8.8	111	<1	1	5	12	23	33	40
50-64	21	7.3	33	1	2	6	8	16	22	23
65+	12	6.3	20	1	1	6	9	13	13	13
GRAND TOTAL	**60**	**8.9**	**107**	**1**	**1**	**6**	**10**	**22**	**27**	**57**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	5.6	27	1	1	4	9	14	14	14
20-34										
35-49	14	5.7	15	<1	2	5	7	11	14	15
50-64	40	4.6	11	<1	1	4	7	8	10	16
65+	34	3.5	3	1	2	3	5	6	7	7
B. *Operated*										
0-19 YRS	10	7.6	60	1	1	4	15	20	24	24
20-34	20	3.8	8	1	1	3	4	7	10	13
35-49	78	5.3	40	1	1	3	5	11	16	39
50-64	233	5.4	28	1	1	4	6	12	17	28
65+	228	4.9	25	1	1	3	6	10	14	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	14.8	438	2	2	5	26	46	46	46
20-34	6	4.3	9	1	1	4	7	8	8	8
35-49	70	6.8	38	1	1	5	9	14	18	29
50-64	216	7.6	48	1	2	6	9	15	20	39
65+	208	9.1	90	1	2	6	11	19	26	51
B. *Operated*										
0-19 YRS	13	7.5	29	1	2	7	10	17	18	18
20-34	28	6.5	43	1	1	4	8	16	21	29
35-49	184	11.8	136	1	2	9	16	25	30	68
50-64	688	11.9	132	2	2	9	17	28	34	83
65+	835	12.0	154	1	2	8	16	25	37	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	93	4.4	10	1	1	4	6	8	11	16
B. *Operated*	569	5.2	29	1	1	3	6	12	16	27
2. MULTIPLE DX										
A. *Not Operated*	504	8.1	67	1	2	6	10	16	24	45
B. *Operated*	1748	11.8	141	1	2	8	16	26	34	63
1. SINGLE DX	662	5.1	26	1	1	3	6	11	15	26
2. MULTIPLE DX	2252	11.0	127	1	2	8	15	24	33	60
A. NOT OPERATED	597	7.5	60	1	2	6	9	15	21	44
B. OPERATED	2317	10.2	122	1	2	7	14	23	31	59
TOTAL 0-19 YRS	32	8.2	82	1	1	5	10	17	23	46
20-34	54	5.3	27	1	1	4	7	11	17	29
35-49	346	9.1	98	1	2	6	12	21	27	57
50-64	1177	9.6	100	1	2	6	13	21	30	56
65+	1305	10.1	125	1	2	6	13	22	31	58
GRAND TOTAL	**2914**	**9.6**	**110**	**1**	**2**	**6**	**13**	**21**	**30**	**57**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	5	5.0	12	3	3	4	6	11	11	11
50-64	19	4.5	8	<1	1	4	6	9	11	11
65+	27	8.5	62	2	2	5	10	23	28	29
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49	14	9.3	36	2	3	9	10	17	23	25
50-64	73	12.2	107	2	2	9	18	27	31	43
65+	43	9.5	72	1	1	7	14	21	25	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	6.0	8	4	4	6	8	8	8	8
35-49	26	6.5	23	1	1	6	9	15	16	17
50-64	133	6.6	37	1	2	5	8	13	18	35
65+	176	7.5	29	2	2	7	9	14	17	31
B. *Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49	48	16.6	160	2	3	13	23	38	45	46
50-64	260	17.9	215	4	5	15	22	37	48	79
65+	389	16.0	217	2	3	12	21	32	44	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	6.7	40	1	2	4	7	14	24	29
B. *Operated*	131	10.9	89	1	2	8	16	24	30	42
2. MULTIPLE DX										
A. *Not Operated*	337	7.1	32	1	2	6	9	14	17	34
B. *Operated*	698	16.8	212	2	4	13	22	35	46	79
1. SINGLE DX	182	9.8	78	1	2	7	14	23	28	41
2. MULTIPLE DX	1035	13.6	174	2	3	10	18	28	40	73
A. NOT OPERATED	388	7.0	33	1	2	6	9	14	18	32
B. OPERATED	829	15.9	197	2	3	12	21	32	44	79
TOTAL 0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	6.0	4	4	4	6	7	8	8	8
35-49	93	12.1	117	1	2	9	16	25	39	46
50-64	485	13.5	168	2	3	9	18	28	40	71
65+	635	12.9	164	2	2	9	17	26	37	65
GRAND TOTAL	**1217**	**13.0**	**162**	**2**	**2**	**9**	**17**	**27**	**39**	**67**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	3.7	9	1	1	3	6	7	7	7
50-64	12	4.7	27	<1	<1	3	5	13	18	19
65+	23	7.5	90	2	2	5	8	13	28	48
B. *Operated*										
0-19 YRS										
20-34	2	11.5	41	7	7	11	16	16	16	16
35-49	11	10.1	51	2	2	10	13	20	26	27
50-64	53	10.9	48	2	3	10	14	18	25	34
65+	57	13.1	120	2	3	10	16	24	35	61
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	8.0	32	2	2	7	11	17	17	17
35-49	30	5.8	16	2	2	4	8	11	12	18
50-64	128	8.0	87	1	2	5	9	15	29	53
65+	307	8.6	45	2	2	6	11	17	22	31
B. *Operated*										
0-19 YRS										
20-34	30	17.9	258	3	4	15	23	29	57	79
35-49	92	18.4	147	4	7	16	23	36	42	58
50-64	353	17.9	143	4	6	15	22	33	42	66
65+	911	19.2	165	5	7	17	24	34	45	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	6.3	65	<1	1	4	7	11	18	48
B. *Operated*	123	11.9	81	2	3	10	15	21	31	46
2. MULTIPLE DX										
A. *Not Operated*	470	8.2	55	2	2	6	10	17	22	35
B. *Operated*	1386	18.8	160	4	7	16	23	33	44	68
1. SINGLE DX	161	10.5	83	1	2	9	14	19	28	47
2. MULTIPLE DX	1856	16.1	154	3	4	13	21	30	39	66
A. NOT OPERATED	508	8.1	55	2	2	6	10	17	21	39
B. OPERATED	1509	18.2	157	4	6	16	23	33	43	67
TOTAL 0-19 YRS										
20-34	37	16.2	226	3	4	13	20	28	47	79
35-49	136	14.6	138	2	3	12	20	28	40	56
50-64	546	14.6	138	2	3	12	19	30	37	62
65+	1298	16.2	155	3	4	14	21	30	39	67
GRAND TOTAL	**2017**	**15.7**	**151**	**2**	**4**	**13**	**21**	**30**	**39**	**66**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	3	12.7	60	4	4	15	18	19	19	19
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS										
20-34										
35-49	3	11.3	52	3	3	15	16	16	16	16
50-64	7	21.7	300	6	7	15	27	51	57	57
65+	5	18.4	246	7	7	11	26	45	45	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	8.0	2	7	7	8	9	9	9	9
35-49	5	6.8	15	2	2	7	10	11	11	11
50-64	15	6.7	20	1	3	5	9	14	16	17
65+	42	8.4	42	2	2	6	12	18	24	26
B. *Operated*										
0-19 YRS										
20-34	7	15.6	115	7	7	11	21	33	36	36
35-49	27	19.4	422	5	7	12	20	49	68	96
50-64	67	18.8	252	6	7	15	20	38	54	89
65+	108	21.6	175	8	10	19	25	39	57	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	11.3	48	4	4	11	17	19	19	19
B. *Operated*	15	18.5	222	4	6	15	21	45	54	57
2. MULTIPLE DX										
A. *Not Operated*	64	7.9	33	2	3	6	11	15	20	26
B. *Operated*	209	20.2	228	7	8	16	23	38	57	94
1. SINGLE DX	19	17.0	190	3	5	15	20	39	52	57
2. MULTIPLE DX	273	17.3	210	3	5	14	21	32	52	88
A. NOT OPERATED	68	8.1	34	2	3	6	11	16	20	26
B. OPERATED	224	20.1	227	7	8	16	23	39	57	93
TOTAL 0-19 YRS										
20-34	9	13.9	98	7	7	9	19	30	36	36
35-49	35	16.9	350	2	4	12	16	31	60	96
50-64	92	16.9	229	4	5	14	19	30	52	84
65+	156	17.9	173	3	4	15	23	35	48	70
GRAND TOTAL	**292**	**17.3**	**208**	**3**	**5**	**14**	**21**	**32**	**52**	**84**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34										
35-49	3	3.0	1	2	2	3	4	4	4	4
50-64	29	4.1	6	2	2	4	5	7	9	11
65+	49	5.0	15	1	1	4	7	10	12	18
B. *Operated*										
0-19 YRS	3	5.3	16	3	3	3	8	10	10	10
20-34	6	10.7	10	8	8	10	14	15	15	15
35-49	82	10.4	18	4	6	10	12	16	18	26
50-64	332	10.9	17	4	7	11	13	16	19	25
65+	510	12.3	30	5	7	11	15	19	21	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	8	3	3	5	7	7	7	7
20-34	12	6.3	13	1	1	6	8	12	13	13
35-49	63	8.2	56	1	2	6	11	15	29	33
50-64	257	7.4	55	1	2	5	8	15	23	42
65+	828	8.6	60	2	2	6	10	18	23	38
B. *Operated*										
0-19 YRS	7	15.6	133	4	5	12	20	35	38	38
20-34	51	13.3	51	5	6	12	17	22	27	40
35-49	319	14.0	82	6	7	12	16	21	29	58
50-64	1765	14.3	57	6	8	13	17	23	29	45
65+	5170	16.7	85	7	9	14	20	27	34	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	82	4.6	11	1	2	4	6	9	11	17
B. *Operated*	933	11.6	25	4	7	11	14	18	20	27
2. MULTIPLE DX										
A. *Not Operated*	1162	8.3	59	1	2	6	10	17	23	38
B. *Operated*	7312	16.0	79	7	8	14	19	26	32	50
1. SINGLE DX	1015	11.1	28	2	5	11	13	17	20	27
2. MULTIPLE DX	8474	14.9	83	4	6	13	18	25	31	49
A. NOT OPERATED	1244	8.0	56	1	2	6	10	17	22	38
B. OPERATED	8245	15.5	75	7	8	13	19	25	31	48
TOTAL 0-19 YRS	13	10.8	99	3	3	7	13	25	36	38
20-34	69	11.8	48	3	5	10	15	22	23	38
35-49	467	12.5	72	3	5	11	15	20	27	47
50-64	2383	13.0	57	3	5	12	16	21	27	42
65+	6557	15.3	86	4	6	13	19	26	32	49
GRAND TOTAL	**9489**	**14.5**	**79**	**3**	**6**	**13**	**18**	**25**	**31**	**48**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	8.3	68	1	1	6	13	20	20	20
20-34	1	4.0		4	4	4	4	4	4	4
35-49	10	3.2	3	1	1	3	4	6	7	7
50-64	28	5.1	31	1	1	4	6	8	11	31
65+	31	6.2	24	1	2	4	7	15	16	21
B. *Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	12	11.7	70	1	2	11	15	23	31	32
35-49	70	10.3	24	2	3	11	14	16	18	22
50-64	261	11.1	25	3	4	11	14	17	20	25
65+	369	10.8	47	2	2	11	15	19	22	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	14.0	129	6	6	9	22	27	27	27
20-34	7	9.0	36	4	4	6	12	19	20	20
35-49	37	8.4	51	1	2	5	13	18	22	34
50-64	179	7.9	60	1	2	5	9	16	24	42
65+	471	8.5	58	2	2	7	10	16	21	39
B. *Operated*										
0-19 YRS	3	11.7	6	9	9	12	13	14	14	14
20-34	33	15.1	126	3	5	12	16	35	36	46
35-49	178	13.7	72	3	6	12	16	22	31	43
50-64	885	15.4	82	4	6	13	19	26	32	46
65+	2376	16.8	108	3	6	15	21	29	37	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	74	5.4	26	1	1	4	6	11	16	29
B. *Operated*	713	10.9	37	2	3	11	14	18	21	28
2. MULTIPLE DX										
A. *Not Operated*	697	8.4	58	2	2	6	10	16	22	39
B. *Operated*	3475	16.3	100	3	6	14	20	28	35	53
1. SINGLE DX	787	10.4	38	2	2	10	14	17	21	28
2. MULTIPLE DX	4172	14.9	102	3	4	13	19	27	34	51
A. NOT OPERATED	771	8.1	56	2	2	6	10	16	21	38
B. OPERATED	4188	15.3	93	3	5	14	19	27	34	51
TOTAL 0-19 YRS	11	11.2	54	1	3	9	14	23	27	27
20-34	53	13.3	103	3	4	11	15	33	35	46
35-49	295	11.9	62	2	3	11	15	19	27	41
50-64	1353	13.4	76	2	4	12	17	24	30	44
65+	3247	14.8	104	2	4	13	19	27	34	53
GRAND TOTAL	**4959**	**14.2**	**94**	**2**	**4**	**12**	**18**	**26**	**32**	**49**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	4.6	8	1	1	4	6	9	9	9
20-34	5	2.6	3	1	1	3	4	5	5	5
35-49	7	5.9	18	<1	<1	5	7	13	14	14
50-64	13	8.2	46	2	2	8	10	17	25	27
65+	16	6.0	23	1	2	5	8	10	18	21
B. *Operated*										
0-19 YRS	13	12.5	70	2	3	12	20	24	26	26
20-34	14	14.1	135	5	6	9	15	33	44	47
35-49	25	10.3	46	2	2	10	14	18	24	29
50-64	46	12.5	95	1	2	11	14	25	37	44
65+	53	10.0	36	2	3	10	13	19	21	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	4.3	20	<1	1	3	5	11	15	17
20-34	19	7.2	40	1	1	5	10	16	22	26
35-49	32	7.7	93	2	2	4	9	22	31	43
50-64	105	7.5	33	1	2	6	9	15	19	30
65+	236	8.7	43	1	2	7	12	18	23	32
B. *Operated*										
0-19 YRS	17	23.6	329	4	6	17	37	54	56	56
20-34	21	13.2	166	2	3	9	16	33	46	52
35-49	73	15.1	122	2	4	13	19	28	39	55
50-64	244	17.1	141	4	5	15	23	31	45	99+
65+	576	18.7	161	5	7	16	23	32	42	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	6.1	26	1	1	5	8	12	16	27
B. *Operated*	151	11.4	68	2	3	10	14	22	27	44
2. MULTIPLE DX										
A. *Not Operated*	410	8.1	44	1	2	6	11	16	22	33
B. *Operated*	931	18.0	158	4	6	15	22	32	45	73
1. SINGLE DX	197	10.2	63	1	2	8	13	21	26	41
2. MULTIPLE DX	1341	15.0	144	2	3	12	20	29	38	69
A. NOT OPERATED	456	7.9	42	1	2	6	10	16	22	32
B. OPERATED	1082	17.1	150	3	5	14	22	31	42	72
TOTAL 0-19 YRS	53	12.5	194	1	1	8	17	31	49	56
20-34	59	10.6	115	1	2	8	13	24	36	52
35-49	137	12.0	107	2	2	10	17	24	32	50
50-64	408	13.9	123	2	3	11	19	27	37	70
65+	881	15.3	142	2	4	13	20	28	36	65
GRAND TOTAL	**1538**	**14.4**	**136**	**2**	**3**	**12**	**19**	**27**	**36**	**58**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	14.0	18	11	11	14	17	17	17	17
35-49	5	10.4	147	1	1	8	15	31	31	31
50-64	24	6.5	57	1	2	5	7	10	21	39
65+	37	6.1	24	2	2	5	7	12	19	22
B. *Operated*										
0-19 YRS										
20-34										
35-49	8	13.9	236	1	1	11	18	39	47	47
50-64	36	11.9	82	1	2	9	15	25	31	35
65+	46	14.2	85	2	3	12	20	25	29	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	46	7.3	37	1	1	6	9	16	19	29
50-64	230	7.2	50	2	2	6	8	14	18	43
65+	494	8.8	54	2	2	7	11	18	23	36
B. *Operated*										
0-19 YRS	2	35.0	162	26	26	35	44	44	44	44
20-34	9	26.1	476	8	8	22	27	61	81	81
35-49	77	17.5	111	4	6	14	25	32	38	49
50-64	402	18.6	150	4	7	16	24	35	44	65
65+	893	19.1	139	4	8	16	25	35	41	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	68	6.8	44	1	2	5	8	13	20	38
B. *Operated*	90	13.3	95	2	2	12	18	25	32	47
2. MULTIPLE DX										
A. *Not Operated*	771	8.2	52	2	2	6	10	17	22	36
B. *Operated*	1383	19.0	143	4	7	16	25	35	42	60
1. SINGLE DX	158	10.5	83	1	2	8	14	22	28	46
2. MULTIPLE DX	2154	15.1	137	2	3	12	20	30	37	56
A. NOT OPERATED	839	8.1	52	2	2	6	10	17	22	37
B. OPERATED	1473	18.6	142	4	7	16	24	35	42	60
TOTAL 0-19 YRS	2	35.0	162	26	26	35	44	44	44	44
20-34	12	22.2	406	3	6	18	24	45	76	81
35-49	136	13.6	114	1	2	11	18	30	35	48
50-64	692	14.1	140	2	3	11	19	29	38	56
65+	1470	15.2	131	2	4	13	20	30	37	55
GRAND TOTAL	**2312**	**14.8**	**135**	**2**	**3**	**12**	**20**	**30**	**37**	**55**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	7.0		7	7	7	7	7	7	7
35-49	52	3.4	11	1	1	2	4	9	12	14
50-64	184	5.5	28	1	1	4	7	12	18	25
65+	156	5.5	29	1	1	4	7	10	14	24
B. *Operated*										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	14	10.1	49	<1	2	9	12	22	25	26
35-49	144	9.4	32	1	2	9	13	17	20	25
50-64	581	9.1	37	2	2	8	12	17	21	29
65+	521	9.0	47	1	2	8	12	17	22	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	8.6	44	1	2	7	10	20	22	22
20-34	22	7.4	127	<1	1	4	8	14	32	54
35-49	491	7.1	44	1	2	5	9	15	20	35
50-64	2289	7.7	53	1	2	5	10	17	22	37
65+	2954	9.0	59	2	2	7	11	18	24	40
B. *Operated*										
0-19 YRS	10	8.5	52	2	2	4	16	19	20	20
20-34	28	13.4	191	1	2	9	15	29	38	67
35-49	620	12.4	89	2	3	10	16	23	28	44
50-64	3715	13.2	100	3	4	11	17	24	31	50
65+	4994	13.3	89	3	4	11	17	25	31	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	393	5.2	26	1	1	4	7	11	16	23
B. *Operated*	1262	9.1	41	1	2	8	12	17	21	28
2. MULTIPLE DX										
A. *Not Operated*	5763	8.3	56	1	2	6	11	17	23	39
B. *Operated*	9367	13.2	94	3	4	11	17	24	31	49
1. SINGLE DX	1655	8.2	40	1	2	7	11	16	20	28
2. MULTIPLE DX	15130	11.3	85	2	3	9	15	22	28	45
A. NOT OPERATED	6156	8.1	55	1	2	6	10	17	22	39
B. OPERATED	10629	12.7	89	2	3	11	16	24	30	47
TOTAL 0-19 YRS	19	8.1	43	1	2	6	11	19	21	22
20-34	65	10.6	140	1	1	8	12	26	31	65
35-49	1307	9.7	70	1	2	8	13	19	24	38
50-64	6769	10.7	84	2	2	9	14	22	27	45
65+	8625	11.4	80	2	3	9	15	22	28	43
GRAND TOTAL	**16785**	**11.0**	**81**	**2**	**3**	**9**	**15**	**22**	**28**	**44**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49	6	4.7	5	2	2	4	6	8	8	8
50-64	18	4.1	9	<1	1	4	5	6	11	14
65+	19	3.8	18	1	1	2	4	6	14	20
B. *Operated*										
0-19 YRS	9	7.8	63	1	1	5	10	21	25	25
20-34	22	6.7	31	<1	1	6	8	16	19	22
35-49	52	9.7	51	1	2	10	15	21	22	25
50-64	250	7.5	67	1	1	4	12	16	21	33
65+	214	6.2	54	1	1	3	9	15	20	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	5.0	5	1	2	5	6	8	8	8
20-34	14	7.1	24	1	3	5	10	16	17	17
35-49	35	7.2	29	2	2	6	11	17	17	18
50-64	108	7.5	37	1	2	6	10	16	20	28
65+	129	7.7	63	1	2	5	9	16	21	46
B. *Operated*										
0-19 YRS	13	15.2	291	1	2	8	24	34	57	63
20-34	21	8.5	64	1	2	7	10	15	28	38
35-49	93	13.5	143	1	2	11	19	26	28	69
50-64	469	12.8	125	1	2	11	18	27	37	68
65+	498	13.5	168	1	2	11	18	30	39	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	4.0	12	1	1	3	5	6	10	20
B. *Operated*	547	7.2	60	1	1	3	11	16	21	36
2. MULTIPLE DX										
A. *Not Operated*	294	7.5	46	1	2	6	10	16	19	37
B. *Operated*	1094	13.1	147	1	2	11	18	28	38	75
1. SINGLE DX	591	7.0	57	1	1	3	11	16	21	35
2. MULTIPLE DX	1388	11.9	131	1	2	9	17	26	35	67
A. NOT OPERATED	338	7.0	43	1	2	5	9	16	18	35
B. OPERATED	1641	11.2	126	1	1	9	16	25	32	55
TOTAL 0-19 YRS	31	10.0	157	1	2	5	13	25	26	63
20-34	57	7.5	41	1	2	6	9	16	18	37
35-49	186	11.0	98	1	2	9	17	22	26	36
50-64	845	10.4	102	1	1	8	14	23	29	49
65+	860	10.6	132	1	1	7	15	26	35	55
GRAND TOTAL	**1979**	**10.5**	**114**	**1**	**1**	**8**	**15**	**23**	**30**	**54**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	4.0	4	1	2	4	5	7	8	8
20-34	6	3.8	2	2	2	4	5	6	6	6
35-49	3	4.0	9	1	1	4	6	7	7	7
50-64	16	6.0	38	2	2	4	7	8	22	28
65+	12	3.5	5	<1	1	3	5	7	7	7
B. *Operated*										
0-19 YRS	67	7.4	70	2	2	5	9	14	19	56
20-34	56	7.1	74	2	2	5	9	12	16	58
35-49	56	7.8	44	1	1	7	10	15	24	30
50-64	72	6.9	30	2	2	5	9	14	17	26
65+	88	6.8	50	1	1	4	9	16	20	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	69	4.1	13	1	1	3	5	11	13	14
20-34	32	5.6	30	1	1	4	8	13	16	24
35-49	29	6.6	50	2	2	4	8	11	29	31
50-64	78	6.0	24	1	1	5	8	12	17	21
65+	100	6.8	35	1	1	5	10	13	15	34
B. *Operated*										
0-19 YRS	39	14.2	167	2	4	10	17	25	45	64
20-34	49	10.3	61	2	3	8	15	19	30	35
35-49	62	11.5	156	1	2	7	17	24	32	68
50-64	139	14.4	171	2	3	9	19	37	48	99+
65+	234	11.9	98	2	2	9	16	24	34	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	63	4.4	13	1	2	4	6	7	8	25
B. *Operated*	339	7.2	52	1	2	5	9	15	20	31
2. MULTIPLE DX										
A. *Not Operated*	308	5.8	29	1	1	4	8	12	15	26
B. *Operated*	523	12.6	127	2	2	9	17	27	39	62
1. SINGLE DX	402	6.7	47	1	2	5	9	14	18	29
2. MULTIPLE DX	831	10.1	101	1	2	7	13	22	31	55
A. NOT OPERATED	371	5.6	26	1	1	4	7	12	14	27
B. OPERATED	862	10.4	104	2	2	7	14	22	31	59
TOTAL 0-19 YRS	201	7.2	74	1	2	5	9	14	20	60
20-34	143	7.7	60	1	2	5	10	16	20	37
35-49	150	9.0	94	1	2	6	10	22	29	53
50-64	305	10.0	109	1	2	7	12	24	36	56
65+	434	9.5	78	1	2	7	13	20	26	43
GRAND TOTAL	**1233**	**9.0**	**86**	**1**	**2**	**6**	**12**	**20**	**28**	**51**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	8.2	151	<1	<1	2	11	30	32	32
35-49	13	3.8	20	<1	1	2	6	8	15	17
50-64	6	3.0	5	1	1	2	4	7	7	7
65+	3	4.0	1	3	3	4	5	5	5	5
B. *Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	68	4.7	10	1	1	4	7	9	10	14
35-49	135	4.5	11	1	1	3	7	9	11	16
50-64	140	5.7	17	1	2	5	8	11	15	19
65+	83	5.4	13	2	2	5	7	10	12	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	18	6.8	33	1	1	5	9	17	18	18
35-49	36	6.8	36	<1	1	6	9	15	22	25
50-64	42	5.7	31	1	1	4	7	13	16	30
65+	41	8.1	25	1	2	7	11	14	16	25
B. *Operated*										
0-19 YRS	5	4.0	7	1	1	3	6	8	8	8
20-34	47	6.6	36	1	2	5	9	12	17	36
35-49	88	6.9	37	1	2	5	9	14	20	31
50-64	166	8.3	39	1	2	7	11	17	20	29
65+	192	9.2	63	2	2	7	11	18	25	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	4.6	42	<1	1	2	5	10	18	32
B. *Operated*	428	5.1	13	1	1	4	7	9	12	18
2. MULTIPLE DX										
A. *Not Operated*	137	6.9	31	1	1	5	9	15	17	26
B. *Operated*	498	8.2	48	1	2	7	10	17	21	37
1. SINGLE DX	456	5.1	15	1	1	4	7	9	12	18
2. MULTIPLE DX	635	7.9	45	1	2	6	10	16	20	33
A. NOT OPERATED	165	6.5	33	1	1	5	9	15	17	29
B. OPERATED	926	6.8	34	1	2	5	9	13	18	30
TOTAL 0-19 YRS	7	3.6	5	1	1	3	5	7	8	8
20-34	139	5.7	28	1	1	5	8	11	15	32
35-49	272	5.5	24	1	1	4	7	11	15	27
50-64	354	6.9	30	1	2	5	9	14	17	28
65+	319	8.0	47	2	2	6	10	16	21	39
GRAND TOTAL	**1091**	**6.7**	**34**	**1**	**2**	**5**	**9**	**13**	**18**	**30**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34										
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+	3	7.7	6	5	5	8	9	10	10	10
B. *Operated*										
0-19 YRS	11	3.2	5	1	1	3	4	6	8	8
20-34	28	3.0	7	<1	<1	2	4	5	11	11
35-49	57	2.5	4	<1	1	2	3	4	6	13
50-64	169	2.8	5	1	1	2	3	5	8	11
65+	337	3.2	7	1	1	2	4	6	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	8	3.0	1	2	2	3	4	4	4	4
35-49	6	9.8	17	6	6	8	15	15	15	15
50-64	14	8.1	266	<1	1	3	6	16	53	64
65+	48	7.1	53	<1	1	5	10	16	19	39
B. *Operated*										
0-19 YRS	6	10.0	166	2	2	5	8	33	36	36
20-34	15	9.9	77	1	2	7	12	26	30	32
35-49	56	7.9	342	1	1	3	5	11	38	97
50-64	231	5.3	47	1	1	3	6	12	18	39
65+	797	5.1	27	1	1	3	7	11	14	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	7.6	18	2	2	8	11	13	13	13
B. *Operated*	602	3.0	6	1	1	2	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	77	7.1	82	<1	1	4	9	15	18	57
B. *Operated*	1105	5.4	49	1	1	3	7	12	15	34
1. SINGLE DX	607	3.0	6	1	1	2	4	6	9	13
2. MULTIPLE DX	1182	5.5	51	1	1	3	7	12	15	36
A. NOT OPERATED	82	7.1	78	<1	1	4	9	15	18	56
B. OPERATED	1707	4.5	35	1	1	3	5	10	13	28
TOTAL 0-19 YRS	19	5.9	62	1	1	4	5	11	26	36
20-34	51	5.0	35	<1	1	3	5	11	15	32
35-49	119	5.4	170	1	1	2	4	9	14	97
50-64	415	4.4	39	1	1	3	5	9	13	34
65+	1185	4.7	24	1	1	3	6	10	13	24
GRAND TOTAL	**1789**	**4.7**	**38**	**1**	**1**	**3**	**5**	**10**	**13**	**31**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	3.4	3	2	2	3	4	6	6	6
35-49	18	4.1	17	<1	1	2	5	10	15	17
50-64	31	5.3	16	1	1	4	7	12	14	16
65+	38	3.9	7	1	1	3	4	8	11	12
B. *Operated*										
0-19 YRS	2	5.5	1	5	5	5	6	6	6	6
20-34	174	5.6	9	1	2	6	7	9	10	16
35-49	925	5.7	7	1	2	6	7	8	10	13
50-64	1394	6.2	8	2	3	6	8	9	11	15
65+	1207	6.7	10	2	3	6	8	10	12	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	16	7.4	54	<1	1	5	9	22	25	26
35-49	168	7.8	75	1	1	5	10	15	25	42
50-64	419	7.8	55	1	1	5	10	17	22	41
65+	455	8.4	64	1	2	7	11	17	22	37
B. *Operated*										
0-19 YRS	7	14.4	76	5	6	12	20	28	30	30
20-34	161	7.1	17	3	3	6	8	11	14	25
35-49	1347	7.3	18	2	3	7	9	12	14	23
50-64	2519	8.6	38	3	4	7	10	14	18	35
65+	3904	9.0	33	3	4	8	11	15	18	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	92	4.4	12	1	1	3	6	10	12	17
B. *Operated*	3702	6.2	9	2	3	6	8	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	1060	8.0	62	1	2	6	10	17	23	40
B. *Operated*	7938	8.6	32	3	4	8	10	14	18	32
1. SINGLE DX	3794	6.2	9	2	3	6	8	9	11	16
2. MULTIPLE DX	8998	8.5	36	2	3	7	10	14	18	33
A. NOT OPERATED	1152	7.7	59	1	1	6	10	16	22	40
B. OPERATED	11640	7.8	26	2	3	7	9	13	16	28
TOTAL 0-19 YRS	11	11.1	67	4	4	8	15	25	30	30
20-34	356	6.4	15	2	2	6	8	10	12	24
35-49	2458	6.7	18	2	3	6	8	11	13	23
50-64	4363	7.7	31	2	3	7	9	12	16	30
65+	5604	8.4	31	2	3	8	10	14	18	30
GRAND TOTAL	**12792**	**7.8**	**29**	**2**	**3**	**7**	**9**	**13**	**17**	**29**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	19	3.5	1	1	2	3	4	5	6	6
35-49	51	4.3	17	2	2	4	4	5	6	26
50-64	73	3.9	7	2	2	4	4	5	8	20
65+	42	4.4	4	2	3	4	5	5	7	15
B. *Operated*										
0-19 YRS										
20-34	158	5.3	14	1	1	4	8	11	12	17
35-49	186	5.5	15	1	1	4	7	12	14	17
50-64	127	4.8	9	1	2	4	6	9	11	15
65+	83	3.7	8	1	1	3	5	7	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	26	6.5	62	<1	1	4	8	13	19	40
35-49	118	5.8	30	1	1	4	6	11	18	31
50-64	141	6.2	35	1	1	4	8	12	19	31
65+	138	7.9	112	2	2	5	8	16	20	60
B. *Operated*										
0-19 YRS	5	7.0	12	3	3	8	9	11	11	11
20-34	150	7.3	31	1	2	6	9	12	17	33
35-49	276	9.5	64	2	3	7	12	18	26	42
50-64	253	9.6	60	2	2	8	13	19	27	52
65+	276	9.5	72	2	3	7	11	20	26	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	185	4.1	9	2	2	4	4	5	7	23
B. *Operated*	554	5.0	13	1	1	4	7	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	423	6.7	61	1	1	5	8	13	19	37
B. *Operated*	960	9.2	60	2	3	7	11	18	25	45
1. SINGLE DX	739	4.8	12	1	2	4	6	10	12	17
2. MULTIPLE DX	1383	8.4	62	1	2	6	10	16	24	43
A. NOT OPERATED	608	5.9	47	1	2	4	6	11	16	33
B. OPERATED	1514	7.7	47	1	2	6	10	15	21	37
TOTAL 0-19 YRS	5	7.0	12	3	3	8	9	11	11	11
20-34	353	6.1	25	1	1	5	8	11	13	27
35-49	631	7.2	44	1	2	5	9	14	20	36
50-64	594	7.1	42	1	2	5	9	15	21	35
65+	539	7.8	72	1	2	5	9	16	22	47
GRAND TOTAL	**2122**	**7.1**	**48**	**1**	**2**	**5**	**9**	**14**	**20**	**36**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	13	3.2	1	1	2	3	4	4	5	5
50-64	57	3.7	1	2	2	4	4	5	5	5
65+	80	3.8	3	1	2	4	5	6	7	11
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	17	6.1	13	1	1	6	7	12	13	13
35-49	72	5.8	7	1	2	6	7	9	10	14
50-64	334	6.2	10	1	2	6	8	9	11	16
65+	287	6.1	13	1	2	6	8	10	12	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	32	1	1	5	9	9	9	9
20-34	8	4.5	11	1	1	3	7	9	10	10
35-49	17	3.3	5	1	1	3	4	6	9	10
50-64	107	5.4	91	1	1	4	6	9	12	56
65+	215	6.3	41	1	2	4	8	13	19	34
B. *Operated*										
0-19 YRS	3	9.0	7	7	7	8	11	12	12	12
20-34	20	12.2	258	4	5	8	9	23	53	76
35-49	213	7.7	19	2	3	7	9	13	16	26
50-64	962	8.3	25	2	3	7	9	13	16	30
65+	1394	9.3	41	2	3	8	11	16	21	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	152	3.7	2	1	2	4	4	5	6	7
B. *Operated*	711	6.1	11	1	2	6	8	10	12	16
2. MULTIPLE DX										
A. *Not Operated*	349	5.8	54	1	1	4	7	12	17	32
B. *Operated*	2592	8.8	35	2	3	8	10	15	19	33
1. SINGLE DX	863	5.7	10	1	2	6	7	9	11	16
2. MULTIPLE DX	2941	8.5	38	2	2	7	10	15	19	33
A. NOT OPERATED	501	5.2	39	1	1	4	5	10	14	29
B. OPERATED	3303	8.2	31	2	2	7	10	14	18	31
TOTAL 0-19 YRS	6	7.8	14	1	2	8	10	12	12	12
20-34	47	8.3	125	1	2	6	8	12	17	76
35-49	315	6.9	16	1	2	7	8	11	14	21
50-64	1460	7.4	27	1	2	7	9	12	15	27
65+	1976	8.3	38	2	2	7	10	15	19	33
GRAND TOTAL	**3804**	**7.8**	**33**	**1**	**2**	**7**	**9**	**13**	**17**	**31**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	6	2.7	2	1	1	2	4	5	5	5
35-49	24	2.3	2	1	1	2	2	4	6	6
50-64	96	2.9	13	1	1	2	3	4	11	23
65+	41	3.2	11	<1	1	2	3	6	11	17
B. *Operated*										
0-19 YRS	6	6.7	7	3	3	7	9	9	9	9
20-34	46	6.4	5	3	4	6	8	9	11	12
35-49	48	8.6	16	4	5	8	11	14	18	20
50-64	116	8.6	17	3	4	8	11	14	16	21
65+	54	10.6	53	3	5	9	11	20	30	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	7.7	112	2	2	4	6	27	29	29
20-34	23	4.0	16	1	1	2	5	11	13	14
35-49	83	3.3	10	1	1	2	4	6	11	17
50-64	332	4.3	30	1	1	2	4	10	14	31
65+	354	6.0	48	1	1	4	7	13	18	42
B. *Operated*										
0-19 YRS	14	9.7	34	2	3	8	13	19	20	20
20-34	73	8.7	22	3	4	7	10	16	19	25
35-49	182	10.4	33	5	5	9	12	16	22	36
50-64	516	13.7	96	5	6	11	16	24	33	56
65+	578	16.6	119	6	8	14	20	29	40	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	168	2.9	11	1	1	2	3	4	8	19
B. *Operated*	270	8.6	23	3	4	8	10	14	18	30
2. MULTIPLE DX										
A. *Not Operated*	798	4.9	37	1	1	3	6	12	15	35
B. *Operated*	1363	14.2	99	5	6	12	17	26	32	59
1. SINGLE DX	438	6.4	26	1	1	6	9	12	16	25
2. MULTIPLE DX	2161	10.8	96	1	2	9	14	22	29	53
A. NOT OPERATED	966	4.6	33	1	1	2	5	11	15	29
B. OPERATED	1633	13.3	91	4	6	11	16	24	31	54
TOTAL 0-19 YRS	27	8.3	44	1	2	7	10	19	21	29
20-34	148	7.0	19	1	2	6	9	12	16	20
35-49	337	7.8	34	1	2	7	10	15	18	32
50-64	1060	9.2	80	1	2	7	12	19	25	44
65+	1027	12.1	115	1	2	10	16	25	32	55
GRAND TOTAL	**2599**	**10.0**	**87**	**1**	**2**	**8**	**13**	**20**	**27**	**50**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	7	2.3	1	1	1	2	3	3	3	3
50-64	4	3.5	3	1	1	4	5	5	5	5
65+	4	8.5	122	2	2	3	14	25	25	25
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	3	2.3	2	1	1	2	3	4	4	4
35-49	18	5.9	24	1	2	4	7	14	15	16
50-64	23	7.5	73	1	1	3	11	17	26	38
65+	62	8.6	41	2	3	7	11	18	24	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34										
35-49	6	5.3	24	<1	<1	3	11	12	12	12
50-64	22	4.3	12	1	1	3	5	9	13	15
65+	60	9.6	205	1	2	5	10	16	27	80
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	15	8.3	51	2	3	5	11	17	26	29
35-49	32	12.6	132	2	2	9	17	32	34	49
50-64	55	12.8	83	3	4	10	17	26	37	97
65+	207	13.1	120	2	3	10	18	28	34	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	4.0	31	1	1	3	4	5	18	25
B. *Operated*	107	7.7	44	1	2	6	11	16	20	35
2. MULTIPLE DX										
A. *Not Operated*	89	7.9	148	1	2	5	9	14	21	80
B. *Operated*	310	12.7	111	2	3	9	17	27	34	51
1. SINGLE DX	124	7.2	44	1	2	5	10	15	21	34
2. MULTIPLE DX	399	11.6	123	2	3	8	15	26	33	61
A. NOT OPERATED	106	7.3	131	1	1	4	8	14	22	80
B. OPERATED	417	11.4	99	2	2	9	15	25	32	48
TOTAL 0-19 YRS	3	7.0	7	5	5	6	9	10	10	10
20-34	20	6.8	45	1	1	4	10	14	23	29
35-49	63	8.8	90	1	2	5	13	20	32	47
50-64	104	9.5	76	1	2	7	12	24	27	69
65+	333	11.6	123	2	3	8	15	25	32	56
GRAND TOTAL	**523**	**10.6**	**108**	**2**	**2**	**7**	**14**	**24**	**31**	**50**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34										
35-49										
50-64	12	4.8	9	<1	1	4	7	9	9	9
65+	58	6.3	36	1	1	5	9	13	15	36
B. *Operated*										
0-19 YRS										
20-34										
35-49	15	7.7	25	1	2	6	11	16	17	18
50-64	498	6.8	25	1	2	6	9	14	17	23
65+	1140	6.0	15	1	2	5	8	11	13	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	7.7	4	6	6	7	9	10	10	10
20-34										
35-49	8	5.9	17	1	1	5	9	12	13	13
50-64	201	7.5	55	1	2	5	9	16	22	40
65+	1122	8.2	48	2	2	6	10	16	22	35
B. *Operated*										
0-19 YRS	5	8.0	18	4	4	6	12	13	13	13
20-34	2	7.5	85	1	1	7	14	14	14	14
35-49	29	10.2	109	2	2	8	10	21	30	54
50-64	1127	8.9	49	2	2	7	12	17	22	32
65+	6152	9.2	45	2	3	7	12	17	22	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	71	6.1	31	1	1	5	9	12	14	33
B. *Operated*	1653	6.3	18	1	2	5	8	12	15	21
2. MULTIPLE DX										
A. *Not Operated*	1334	8.0	49	1	2	6	10	16	22	35
B. *Operated*	7315	9.1	46	2	3	7	12	17	22	34
1. SINGLE DX	1724	6.3	19	1	2	5	8	12	15	21
2. MULTIPLE DX	8649	9.0	47	2	3	7	11	17	22	35
A. NOT OPERATED	1405	7.9	48	1	2	6	10	16	21	36
B. OPERATED	8968	8.6	42	2	2	7	11	16	21	32
TOTAL 0-19 YRS	9	8.1	10	4	4	7	11	13	13	13
20-34	2	7.5	85	1	1	7	14	14	14	14
35-49	52	8.8	72	2	2	8	10	17	23	53
50-64	1838	8.1	44	1	2	7	10	16	20	31
65+	8472	8.6	43	2	3	7	11	16	21	34
GRAND TOTAL	**10373**	**8.5**	**43**	**2**	**2**	**7**	**11**	**16**	**21**	**33**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.8		2	2	3	3	3	3	3
20-34	14	5.8	6	2	3	5	8	9	10	10
35-49	2	4.5	1	4	4	4	5	5	5	5
50-64	2	2.0	2	<1	<1	1	3	3	3	3
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	17	4.0	8	1	1	4	5	7	10	12
20-34	204	4.2	12	1	1	3	5	9	12	15
35-49	78	4.0	9	1	1	3	5	8	9	16
50-64	19	6.3	56	1	2	4	6	13	26	34
65+	15	5.3	12	1	1	5	8	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	4.6	1	3	3	5	5	5	5	5
20-34	62	5.7	22	1	2	5	7	9	14	30
35-49	8	5.8	14	1	1	5	9	10	11	11
50-64	4	11.8	356	1	1	3	22	40	40	40
65+	2	11.0	98	4	4	11	18	18	18	18
B. *Operated*										
0-19 YRS	10	8.9	36	2	2	8	13	17	18	18
20-34	121	8.4	98	1	2	6	10	16	25	59
35-49	42	6.5	34	1	2	5	8	16	21	23
50-64	40	5.5	15	1	1	5	7	11	14	18
65+	66	7.7	32	2	2	6	11	16	19	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	4.7	6	1	2	4	6	8	9	10
B. *Operated*	333	4.3	13	1	1	3	5	9	12	16
2. MULTIPLE DX										
A. *Not Operated*	81	6.1	35	1	1	5	7	10	16	37
B. *Operated*	279	7.6	59	1	2	5	10	15	20	47
1. SINGLE DX	356	4.4	13	1	1	3	5	9	11	16
2. MULTIPLE DX	360	7.2	54	1	2	5	9	15	19	39
A. NOT OPERATED	104	5.8	29	1	2	5	7	9	14	35
B. OPERATED	612	5.8	37	1	1	4	7	12	16	27
TOTAL 0-19 YRS	36	5.3	18	1	2	4	6	12	16	18
20-34	401	5.8	42	1	1	4	7	12	15	30
35-49	130	4.9	18	1	1	4	6	9	15	23
50-64	65	6.0	44	1	1	4	6	12	16	39
65+	84	7.3	29	2	2	5	10	15	18	26
GRAND TOTAL	**716**	**5.8**	**36**	**1**	**1**	**4**	**7**	**12**	**15**	**28**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	5.0		5	5	5	5	5	5	5
50-64	9	4.6	25	<1	<1	3	5	13	16	16
65+	30	3.2	11	<1	<1	2	4	8	12	13
B. *Operated*										
0-19 YRS	3	4.7	30	<1	<1	2	9	11	11	11
20-34	28	3.1	12	1	1	2	4	5	9	19
35-49	155	3.5	17	1	1	2	4	7	11	23
50-64	663	4.1	15	1	1	3	5	8	12	19
65+	1356	4.5	20	1	1	3	5	9	13	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34										
35-49	8	8.0	17	2	2	8	11	13	14	14
50-64	83	5.3	40	1	1	4	6	10	20	32
65+	336	7.7	54	1	2	5	10	16	21	39
B. *Operated*										
0-19 YRS	4	9.5	74	3	3	6	15	22	22	22
20-34	21	7.6	102	<1	1	4	8	18	35	42
35-49	154	6.4	47	1	1	4	9	13	21	38
50-64	1086	8.0	69	1	2	5	10	17	24	42
65+	4143	7.9	61	1	2	5	10	17	23	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	3.6	14	<1	<1	2	4	9	12	16
B. *Operated*	2205	4.3	18	1	1	3	5	8	12	21
2. MULTIPLE DX										
A. *Not Operated*	428	7.3	51	1	2	5	9	15	20	38
B. *Operated*	5408	7.9	62	1	2	5	10	17	23	39
1. SINGLE DX	2245	4.3	18	1	1	3	5	8	12	21
2. MULTIPLE DX	5836	7.9	62	1	2	5	10	17	23	39
A. NOT OPERATED	468	7.0	49	1	1	5	9	15	20	37
B. OPERATED	7613	6.9	52	1	2	4	8	15	21	36
TOTAL 0-19 YRS	8	7.1	47	<1	1	5	9	19	22	22
20-34	49	5.0	54	<1	1	2	5	9	20	42
35-49	318	5.0	33	1	1	3	6	12	16	32
50-64	1841	6.5	52	1	1	4	7	15	20	38
65+	5865	7.1	53	1	2	5	9	16	21	36
GRAND TOTAL	**8081**	**6.9**	**52**	**1**	**2**	**4**	**8**	**15**	**21**	**36**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	1.5	1	1	1	1	2	4	4	4
20-34										
35-49	5	3.8	6	1	1	4	5	7	7	7
50-64	10	3.4	8	<1	<1	2	5	8	9	9
65+	13	5.1	5	2	2	5	7	8	9	9
B. *Operated*										
0-19 YRS	23	10.5	32	4	5	9	13	21	23	26
20-34	6	12.3	24	8	8	10	18	19	19	19
35-49	64	9.4	23	2	4	9	12	15	19	25
50-64	148	8.8	21	1	2	9	11	15	16	20
65+	132	9.9	37	1	2	9	12	17	19	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	4.8	24	<1	<1	3	11	12	13	13
20-34	1	5.0		5	5	5	5	5	5	5
35-49	41	7.8	45	1	2	5	10	19	21	32
50-64	145	8.7	52	2	3	6	11	18	24	37
65+	216	8.6	35	2	3	7	12	16	21	26
B. *Operated*										
0-19 YRS	28	12.8	121	2	4	9	12	28	43	48
20-34	12	14.4	35	5	8	14	18	23	26	26
35-49	117	13.3	84	3	6	11	17	22	29	61
50-64	496	12.9	71	2	4	11	16	23	28	52
65+	876	14.5	92	3	5	13	18	25	33	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	3.3	6	1	1	2	5	7	8	9
B. *Operated*	373	9.4	28	1	2	9	12	16	19	26
2. MULTIPLE DX										
A. *Not Operated*	413	8.5	42	1	2	7	11	17	22	31
B. *Operated*	1529	13.9	85	3	5	12	17	24	31	56
1. SINGLE DX	416	8.8	29	1	2	9	11	15	19	25
2. MULTIPLE DX	1942	12.7	81	2	4	11	16	23	29	50
A. NOT OPERATED	456	8.0	41	1	2	6	11	17	21	30
B. OPERATED	1902	13.0	77	2	5	11	16	23	29	50
TOTAL 0-19 YRS	76	8.8	75	1	1	8	11	18	25	47
20-34	19	13.3	33	5	6	12	17	21	24	26
35-49	227	11.0	64	2	3	10	14	19	22	40
50-64	799	11.3	62	2	3	10	14	20	25	45
65+	1237	12.9	82	2	4	11	16	23	29	50
GRAND TOTAL	**2358**	**12.0**	**74**	**2**	**3**	**10**	**15**	**22**	**27**	**48**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	6.3	110	1	1	2	4	25	30	30
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	15	2.9	3	1	1	2	4	5	6	6
20-34	2	5.5	5	4	4	5	7	7	7	7
35-49	10	2.5	2	1	1	2	3	4	5	5
50-64	10	4.1	29	1	1	2	4	12	19	19
65+	33	3.2	3	1	1	3	4	6	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	1	3.0		3	3	3	3	3	3	3
35-49	5	5.8	9	2	2	5	8	10	10	10
50-64	6	3.5	2	2	2	4	4	5	5	5
65+	12	5.1	10	1	2	4	6	11	11	11
B. *Operated*										
0-19 YRS	6	16.2	602	2	2	5	17	60	65	65
20-34	2	7.5	13	5	5	7	10	10	10	10
35-49	3	2.7		2	2	3	3	3	3	3
50-64	12	7.4	76	1	1	3	12	22	25	25
65+	37	5.8	67	2	2	3	5	11	28	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	6.3	110	1	1	2	4	25	30	30
B. *Operated*	70	3.2	7	1	1	3	4	6	7	17
2. MULTIPLE DX										
A. *Not Operated*	27	4.3	8	1	1	4	5	9	11	11
B. *Operated*	60	7.1	117	2	2	3	6	18	31	62
1. SINGLE DX	77	3.5	15	1	1	3	4	6	8	27
2. MULTIPLE DX	87	6.2	84	1	2	3	6	11	22	55
A. NOT OPERATED	34	4.7	27	1	1	3	5	10	11	30
B. OPERATED	130	5.0	61	1	1	3	4	8	19	44
TOTAL 0-19 YRS	31	6.0	152	1	1	2	4	11	29	65
20-34	5	5.8	8	3	3	5	8	10	10	10
35-49	18	3.4	5	1	1	3	5	6	9	10
50-64	28	5.4	44	1	1	3	4	19	21	25
65+	82	4.7	34	1	2	3	5	8	11	38
GRAND TOTAL	**164**	**5.0**	**54**	**1**	**1**	**3**	**5**	**8**	**18**	**39**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	4.1	8	<1	1	3	6	9	9	10
20-34	17	4.6	15	<1	1	4	6	8	14	17
35-49	30	5.6	24	1	1	4	7	13	18	19
50-64	51	7.3	32	2	2	6	9	14	19	26
65+	37	10.1	84	2	3	7	14	22	23	49
B. *Operated*										
0-19 YRS	59	10.1	41	1	3	9	13	17	21	38
20-34	77	11.3	104	2	2	10	14	19	24	68
35-49	101	11.7	107	2	3	10	13	20	26	70
50-64	110	14.9	115	4	5	13	17	25	41	62
65+	57	15.1	90	4	6	15	18	24	31	61
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	6.2	36	1	2	4	8	15	22	25
20-34	72	6.2	37	1	2	4	8	12	17	33
35-49	125	9.3	117	1	2	6	11	22	33	71
50-64	202	12.1	153	2	2	8	16	24	34	66
65+	236	11.1	114	2	3	8	13	24	36	55
B. *Operated*										
0-19 YRS	120	16.6	221	2	4	13	22	33	54	99+
20-34	82	15.7	219	2	3	12	17	30	51	80
35-49	125	18.4	295	2	3	14	23	42	55	81
50-64	188	20.6	292	3	6	16	25	47	60	97
65+	214	24.2	220	6	8	20	31	49	55	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	174	6.6	39	1	2	5	8	14	19	26
B *Operated*	404	12.7	99	2	4	11	16	21	27	63
2. MULTIPLE DX										
A. *Not Operated*	694	10.2	115	2	2	7	12	22	30	60
B. *Operated*	729	20.1	260	3	5	16	25	44	56	87
1. SINGLE DX	578	10.9	89	2	2	9	14	20	25	57
2. MULTIPLE DX	1423	15.2	214	2	3	11	20	33	50	78
A. NOT OPERATED	868	9.4	102	1	2	6	11	21	28	55
B. OPERATED	1133	17.5	215	3	5	14	21	35	53	78
TOTAL 0-19 YRS	277	11.2	137	1	2	8	15	24	32	85
20-34	248	10.8	132	1	2	8	14	20	29	77
35-49	381	12.6	183	2	2	9	15	27	40	75
50-64	551	15.1	200	2	3	11	19	29	48	78
65+	544	16.6	190	3	3	13	22	37	50	61
GRAND TOTAL	**2001**	**14.0**	**181**	**2**	**2**	**10**	**18**	**29**	**44**	**76**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	19.0	450	4	4	19	34	34	34	34
35-49										
50-64	2	2.5	1	2	2	2	3	3	3	3
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	7	12.1	58	2	3	11	17	24	25	25
20-34	15	11.6	113	1	2	9	15	27	37	40
35-49	5	6.8	94	1	1	3	9	24	24	24
50-64	9	12.7	70	2	4	12	14	26	32	32
65+	7	17.6	206	3	4	15	18	42	48	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	4.8	20	<1	1	3	6	10	16	19
20-34	3	2.3	5	1	1	1	4	5	5	5
35-49	6	9.5	38	2	2	9	14	18	18	18
50-64	10	11.9	124	1	1	8	25	28	30	30
65+	13	14.5	117	4	6	12	17	30	41	44
B. *Operated*										
0-19 YRS	14	15.6	166	3	4	11	28	33	42	45
20-34	12	16.8	107	2	3	15	27	31	33	33
35-49	9	30.0	840	7	7	20	38	78	99	99+
50-64	17	18.0	299	1	4	13	20	49	60	64
65+	20	19.6	136	6	9	17	29	42	72	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	9.2	193	2	2	3	11	34	34	34
B. *Operated*	43	12.3	106	1	2	11	16	25	35	48
2. MULTIPLE DX										
A. *Not Operated*	49	9.2	82	1	1	6	13	23	26	44
B. *Operated*	72	19.3	264	3	4	15	28	39	52	99+
1. SINGLE DX	48	12.0	112	2	2	10	16	26	35	48
2. MULTIPLE DX	121	15.2	213	1	2	12	20	32	46	99
A. NOT OPERATED	54	9.2	89	1	1	6	13	25	29	44
B. OPERATED	115	16.7	215	2	3	13	21	35	48	99
TOTAL 0-19 YRS	38	10.2	102	1	2	7	12	27	31	45
20-34	32	13.2	124	1	2	10	18	31	34	40
35-49	20	18.1	507	1	2	13	22	41	73	99
50-64	38	14.3	191	1	2	12	20	31	45	64
65+	41	17.2	141	3	6	14	21	40	48	99+
GRAND TOTAL	**169**	**14.3**	**186**	**1**	**2**	**11**	**19**	**31**	**44**	**92**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	2.4	3	<1	<1	2	4	5	6	6
20-34	20	2.9	4	<1	<1	2	4	6	7	8
35-49	16	2.2	2	<1	1	2	3	4	5	5
50-64	12	2.9	5	1	1	2	4	7	8	8
65+	4	2.8	2	1	1	3	4	4	4	4
B. *Operated*										
0-19 YRS	10	9.2	98	1	1	6	8	27	32	32
20-34	118	4.7	8	2	2	4	5	7	10	19
35-49	107	4.2	4	2	2	4	5	6	7	13
50-64	71	5.5	11	2	3	4	6	10	13	17
65+	36	6.7	18	2	3	5	9	13	15	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	5.8	30	1	1	4	7	15	19	20
20-34	40	3.8	6	1	1	3	5	8	9	11
35-49	47	4.9	18	1	2	3	6	12	14	17
50-64	51	5.1	60	1	1	3	5	10	12	54
65+	46	8.7	51	2	2	7	12	17	21	38
B. *Operated*										
0-19 YRS	40	9.0	58	3	3	6	11	21	28	32
20-34	134	5.7	36	2	2	4	7	10	11	31
35-49	129	7.2	31	2	3	5	9	14	18	32
50-64	134	7.7	45	2	3	5	9	16	25	33
65+	143	9.8	87	3	3	6	12	24	28	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	63	2.6	3	<1	1	2	4	5	6	8
B. *Operated*	342	5.0	12	2	2	4	5	8	12	19
2. MULTIPLE DX										
A. *Not Operated*	223	5.7	36	1	1	4	7	13	17	29
B. *Operated*	580	7.7	53	2	3	5	9	15	24	38
1. SINGLE DX	405	4.6	11	1	2	4	5	8	11	18
2. MULTIPLE DX	803	7.2	49	2	2	5	9	14	20	37
A. NOT OPERATED	286	5.0	31	1	1	3	6	11	15	24
B. OPERATED	922	6.7	39	2	3	5	8	13	18	34
TOTAL 0-19 YRS	100	7.1	48	1	1	5	8	16	24	32
20-34	312	4.9	20	1	2	4	6	9	11	20
35-49	299	5.5	20	2	2	4	6	11	14	23
50-64	268	6.4	38	1	2	4	7	13	17	32
65+	229	9.0	69	2	3	6	11	18	26	52
GRAND TOTAL	**1208**	**6.3**	**38**	**1**	**2**	**4**	**7**	**13**	**17**	**33**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	3.8	4	<1	1	4	5	7	7	8
20-34	8	2.5	3	<1	<1	2	4	5	5	5
35-49	25	5.9	22	1	1	5	7	12	17	19
50-64	94	5.1	18	1	1	4	7	12	13	21
65+	83	7.0	52	1	1	5	9	12	15	45
B. *Operated*										
0-19 YRS	13	4.9	12	1	1	4	7	9	13	14
20-34	22	5.6	28	<1	1	5	6	13	18	23
35-49	59	7.8	58	<1	1	6	11	19	21	43
50-64	145	7.9	48	1	1	6	11	16	21	33
65+	182	7.1	54	1	1	5	10	16	18	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	75	5.3	32	1	1	4	6	12	17	31
20-34	300	6.0	27	1	1	5	7	12	16	29
35-49	1128	7.9	55	1	2	6	10	16	22	36
50-64	3787	8.6	63	1	2	6	11	18	24	39
65+	6386	9.2	60	2	2	7	12	18	24	39
B. *Operated*										
0-19 YRS	87	10.7	143	2	2	8	12	18	40	68
20-34	331	10.7	128	2	2	8	13	22	32	73
35-49	1266	11.4	105	2	2	9	15	23	31	55
50-64	3840	13.0	122	2	3	10	17	26	35	54
65+	5567	13.5	124	2	3	10	18	28	35	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	230	5.7	30	1	1	4	7	11	14	28
B. *Operated*	421	7.3	50	1	1	5	10	16	20	41
2. MULTIPLE DX										
A. *Not Operated*	11676	8.8	60	2	2	7	11	18	24	38
B. *Operated*	11091	13.0	122	2	3	10	17	27	35	55
1. SINGLE DX	651	6.7	43	1	1	5	9	14	18	40
2. MULTIPLE DX	22767	10.8	95	2	2	8	14	23	30	49
A. NOT OPERATED	11906	8.7	60	2	2	6	11	18	23	38
B. OPERATED	11512	12.8	121	2	3	10	17	26	35	55
TOTAL 0-19 YRS	195	7.5	85	1	1	5	9	14	22	52
20-34	661	8.3	83	1	2	6	10	17	24	50
35-49	2478	9.7	83	1	2	7	12	20	26	46
50-64	7866	10.7	96	2	2	8	14	23	30	50
65+	12218	11.1	94	2	3	8	14	23	30	49
GRAND TOTAL	**23418**	**10.7**	**94**	**2**	**2**	**8**	**14**	**22**	**30**	**49**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	3.4	18	<1	1	2	4	12	15	15
20-34	38	2.9	4	1	1	2	4	5	8	9
35-49	14	4.1	7	1	1	3	7	7	9	9
50-64	4	5.0	38	1	1	3	9	14	14	14
65+	4	3.8	2	2	2	4	5	5	5	5
B. *Operated*										
0-19 YRS	96	6.3	20	1	2	5	9	14	15	17
20-34	268	6.3	26	1	1	6	8	11	15	28
35-49	100	7.0	25	1	2	6	9	13	16	27
50-64	48	7.1	41	2	2	6	10	14	16	39
65+	19	8.9	57	1	2	7	15	20	24	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	5.0	24	1	1	3	6	13	15	18
20-34	153	5.0	22	1	1	3	7	11	14	27
35-49	53	5.5	18	1	2	4	6	10	13	25
50-64	53	7.0	47	1	1	5	9	18	21	28
65+	47	7.8	36	1	2	7	10	15	20	30
B. *Operated*										
0-19 YRS	60	11.1	173	1	1	8	14	18	28	88
20-34	172	10.0	115	1	2	8	12	21	28	68
35-49	94	10.5	69	1	2	9	12	23	29	40
50-64	81	13.3	131	1	3	10	18	27	35	62
65+	91	15.7	166	3	4	12	20	30	37	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	78	3.4	9	1	1	2	4	7	9	15
B. *Operated*	531	6.6	27	1	2	6	9	13	16	27
2. MULTIPLE DX										
A. *Not Operated*	337	5.8	28	1	1	4	8	13	16	27
B. *Operated*	498	11.8	129	1	2	9	15	24	33	61
1. SINGLE DX	609	6.2	26	1	1	5	8	13	15	26
2. MULTIPLE DX	835	9.4	97	1	1	7	12	20	27	44
A. NOT OPERATED	415	5.3	26	1	1	4	7	12	15	26
B. OPERATED	1029	9.1	83	1	2	7	11	18	26	41
TOTAL 0-19 YRS	205	7.3	71	1	1	5	10	15	17	36
20-34	631	6.8	52	1	1	5	8	13	20	35
35-49	261	7.8	43	1	2	6	10	15	21	33
50-64	186	9.7	91	1	1	7	13	21	27	48
65+	161	12.3	126	2	3	9	16	26	33	54
GRAND TOTAL	**1444**	**8.0**	**69**	**1**	**1**	**6**	**10**	**17**	**22**	**38**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	125	3.8	21	<1	<1	3	4	7	8	28
20-34	14	4.0	36	<1	<1	2	5	10	20	23
35-49	3	12.0	13	8	8	13	14	15	15	15
50-64	14	4.4	27	1	1	3	4	10	18	20
65+	27	5.2	22	1	2	3	7	12	14	22
B. *Operated*										
0-19 YRS	98	9.2	102	1	1	7	13	20	28	58
20-34	15	14.6	200	<1	2	10	23	40	43	44
35-49	13	10.4	125	2	3	5	15	29	36	38
50-64	26	5.2	15	1	1	4	7	13	14	14
65+	31	6.6	44	1	1	4	8	17	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	224	6.1	35	1	2	4	8	14	17	30
20-34	29	7.2	118	<1	<1	3	7	23	35	45
35-49	19	7.2	29	2	3	5	10	16	19	20
50-64	134	8.0	106	1	1	6	10	15	24	49
65+	380	8.1	64	1	2	6	10	16	20	36
B. *Operated*										
0-19 YRS	93	13.7	118	1	2	12	21	30	39	74
20-34	30	23.0	394	1	3	16	35	58	60	63
35-49	28	15.2	156	3	4	12	20	36	40	50
50-64	112	14.5	188	2	3	10	20	34	40	71
65+	254	11.3	97	2	3	8	15	25	32	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	183	4.2	23	<1	1	3	5	8	12	24
B. *Operated*	183	8.7	93	1	1	5	12	21	28	52
2. MULTIPLE DX										
A. *Not Operated*	786	7.5	65	1	2	5	9	15	19	36
B. *Operated*	517	13.3	147	2	3	9	18	30	39	63
1. SINGLE DX	366	6.5	63	<1	1	4	7	15	22	42
2. MULTIPLE DX	1303	9.8	105	1	2	6	12	22	31	53
A. NOT OPERATED	969	6.8	58	1	1	5	8	15	19	35
B. OPERATED	700	12.1	137	1	2	8	16	28	37	60
TOTAL 0-19 YRS	540	7.4	69	1	1	4	9	18	26	41
20-34	88	13.4	266	<1	<1	6	21	39	48	62
35-49	63	11.6	113	2	3	7	15	26	38	49
50-64	286	10.1	138	1	2	6	13	24	34	60
65+	692	9.1	77	2	2	7	11	19	25	43
GRAND TOTAL	**1669**	**9.1**	**98**	**1**	**2**	**6**	**11**	**20**	**29**	**51**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	4.5	27	<1	<1	3	6	10	15	25
20-34	29	7.0	97	<1	<1	3	6	29	31	33
35-49	19	5.1	9	1	1	5	6	10	12	13
50-64	27	5.3	30	<1	1	3	7	14	17	23
65+	39	6.5	60	<1	1	3	8	17	27	32
B. *Operated*										
0-19 YRS	24	13.5	327	<1	<1	6	13	46	50	60
20-34	41	15.8	262	1	2	8	26	38	44	75
35-49	36	14.3	331	2	2	5	22	41	62	67
50-64	45	12.7	176	2	3	7	14	38	44	46
65+	47	8.4	100	1	2	6	10	15	27	58
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	72	4.8	22	<1	<1	4	7	11	15	23
20-34	67	8.7	136	1	1	4	10	22	40	58
35-49	71	7.6	140	1	1	4	8	19	28	75
50-64	199	7.4	64	1	1	5	10	18	24	44
65+	384	7.1	56	1	1	5	9	16	21	37
B. *Operated*										
0-19 YRS	54	26.4	454	1	4	22	38	51	81	91
20-34	92	27.1	444	3	4	26	39	59	68	86
35-49	121	25.8	383	3	4	24	38	56	61	76
50-64	212	23.4	340	3	5	20	35	49	58	94
65+	343	18.7	259	3	4	13	27	43	54	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	143	5.8	48	<1	1	4	7	13	24	32
B. *Operated*	193	12.7	225	1	2	7	14	38	46	67
2. MULTIPLE DX										
A. *Not Operated*	793	7.1	69	1	1	5	9	16	23	43
B. *Operated*	822	22.4	341	3	4	16	35	49	60	87
1. SINGLE DX	336	9.8	161	<1	1	5	11	28	41	61
2. MULTIPLE DX	1615	14.9	266	1	2	8	21	39	51	75
A. NOT OPERATED	936	6.9	66	1	1	4	9	16	23	41
B. OPERATED	1015	20.6	333	2	3	14	33	47	58	83
TOTAL 0-19 YRS	179	12.4	284	<1	<1	5	14	37	46	87
20-34	229	17.2	349	1	1	8	28	43	58	76
35-49	247	17.3	350	1	2	8	28	47	58	74
50-64	483	14.8	253	1	1	8	22	40	49	80
65+	813	12.0	176	1	2	7	15	31	41	65
GRAND TOTAL	**1951**	**14.0**	**251**	**1**	**2**	**7**	**20**	**38**	**49**	**72**

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	3.1	5	<1	<1	2	4	7	8	9
20-34	15	4.0	23	<1	1	3	4	7	17	20
35-49	60	4.0	13	1	1	3	5	8	12	18
50-64	122	4.5	15	1	1	3	6	10	13	18
65+	122	6.7	36	1	1	5	9	14	20	28
B. *Operated*										
0-19 YRS	49	8.9	69	1	2	6	13	20	27	38
20-34	65	7.4	34	1	2	6	9	14	18	29
35-49	131	5.9	23	1	1	5	8	11	16	24
50-64	292	7.5	44	1	1	6	10	15	19	33
65+	366	7.2	41	1	1	5	10	15	21	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	4.7	47	<1	<1	2	4	9	20	39
20-34	55	6.5	45	1	1	5	9	12	24	32
35-49	163	5.5	30	1	1	4	7	13	16	27
50-64	584	8.6	72	1	2	6	11	18	25	43
65+	1204	9.2	68	1	2	7	12	18	25	42
B. *Operated*										
0-19 YRS	36	14.4	158	3	4	10	19	38	53	99+
20-34	84	17.3	248	3	3	12	24	37	53	94
35-49	246	12.7	150	2	3	9	17	27	36	50
50-64	910	13.1	149	2	3	10	16	28	40	60
65+	1635	13.9	133	3	3	11	18	28	38	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	338	5.1	23	1	1	3	7	11	15	24
B. *Operated*	903	7.2	41	1	1	5	10	15	19	30
2. MULTIPLE DX										
A. *Not Operated*	2051	8.6	66	1	2	6	11	18	25	42
B. *Operated*	2911	13.7	143	2	3	10	17	28	39	60
1. SINGLE DX	1241	6.7	37	1	1	5	9	14	18	28
2. MULTIPLE DX	4962	11.6	118	2	2	8	15	24	34	55
A. NOT OPERATED	2389	8.1	61	1	2	6	10	17	24	41
B. OPERATED	3814	12.1	126	2	3	9	15	25	35	57
TOTAL 0-19 YRS	149	8.2	91	<1	1	4	10	20	29	56
20-34	219	10.8	144	1	2	7	13	27	33	75
35-49	600	8.4	89	1	1	5	11	19	26	44
50-64	1908	10.3	109	1	2	7	13	21	32	55
65+	3327	11.2	103	2	2	8	15	23	31	52
GRAND TOTAL	**6203**	**10.6**	**105**	**1**	**2**	**8**	**14**	**22**	**31**	**52**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34										
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	39	2.9	6	<1	1	2	3	7	9	11
20-34	180	2.7	2	1	1	3	3	4	5	7
35-49	207	2.8	2	1	1	3	4	5	5	7
50-64	225	3.1	2	1	1	3	4	5	6	8
65+	152	3.4	3	1	2	3	4	5	6	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	11.0	72	5	5	11	17	17	17	17
50-64										
65+	4	3.0	3	1	1	3	4	5	5	5
B. *Operated*										
0-19 YRS	14	3.7	7	1	1	3	5	7	10	11
20-34	31	3.5	10	1	1	3	4	5	6	19
35-49	87	3.5	4	1	1	3	4	6	7	11
50-64	166	4.1	7	1	2	4	5	7	9	13
65+	200	4.9	16	1	2	4	6	8	11	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.5	1	<1	<1	1	2	2	2	2
B. *Operated*	803	3.0	2	1	1	3	4	5	5	9
2. MULTIPLE DX										
A. *Not Operated*	6	5.7	33	1	1	4	5	16	17	17
B. *Operated*	498	4.3	11	1	2	4	5	7	10	16
1. SINGLE DX	805	3.0	2	1	1	3	4	5	5	9
2. MULTIPLE DX	504	4.3	11	1	2	4	5	7	10	16
A. NOT OPERATED	8	4.6	28	<1	<1	3	5	13	17	17
B. OPERATED	1301	3.5	6	1	1	3	4	6	7	12
TOTAL 0-19 YRS	54	3.1	6	<1	1	2	3	6	10	11
20-34	211	2.8	3	1	1	3	3	4	5	8
35-49	296	3.1	3	1	1	3	4	5	6	10
50-64	392	3.5	4	1	1	3	4	6	7	12
65+	356	4.3	11	1	2	4	5	7	10	15
GRAND TOTAL	**1309**	**3.5**	**6**	**1**	**1**	**3**	**4**	**6**	**7**	**13**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	1.9	2	<1	<1	2	2	3	5	6
20-34	7	2.3	1	<1	<1	3	3	3	3	3
35-49	18	3.3	13	1	1	3	4	6	12	16
50-64	32	1.9	1	1	1	2	3	4	4	5
65+	30	2.5	3	1	1	2	3	5	6	6
B. *Operated*										
0-19 YRS	31	3.8	9	1	1	3	7	9	10	10
20-34	51	5.7	17	1	1	5	8	12	13	18
35-49	131	4.4	17	1	1	2	7	11	13	17
50-64	292	4.2	16	1	1	2	7	10	11	18
65+	301	4.6	26	1	1	2	7	11	12	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	5.4	9	2	2	3	8	9	10	10
20-34	12	3.4	4	2	2	3	4	7	8	8
35-49	36	4.3	6	1	1	5	5	7	9	12
50-64	107	4.5	13	1	1	4	6	9	12	20
65+	207	5.3	25	1	1	4	7	11	13	31
B. *Operated*										
0-19 YRS	34	6.5	136	1	1	4	7	10	17	69
20-34	86	7.5	44	2	2	6	9	14	16	42
35-49	252	7.3	41	1	1	6	10	15	18	40
50-64	857	6.6	47	1	1	5	9	14	18	31
65+	1690	7.4	50	1	1	5	10	16	21	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	100	2.4	4	<1	1	2	3	5	6	11
B. *Operated*	806	4.5	20	1	1	2	7	10	12	20
2. MULTIPLE DX										
A. *Not Operated*	373	4.9	19	1	1	4	6	10	12	22
B. *Operated*	2919	7.1	50	1	1	5	10	15	19	33
1. SINGLE DX	906	4.2	18	1	1	2	6	10	12	19
2. MULTIPLE DX	3292	6.9	47	1	1	5	9	14	19	33
A. NOT OPERATED	473	4.3	17	1	1	3	5	9	12	20
B. OPERATED	3725	6.6	44	1	1	5	9	14	18	31
TOTAL 0-19 YRS	89	4.8	58	<1	1	3	7	9	10	49
20-34	156	6.3	32	1	1	5	9	12	15	20
35-49	437	6.0	32	1	1	5	8	13	16	25
50-64	1288	5.7	38	1	1	4	8	12	16	28
65+	2228	6.7	45	1	1	5	9	14	19	33
GRAND TOTAL	**4198**	**6.3**	**42**	**1**	**1**	**4**	**9**	**13**	**18**	**30**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	1.4	2	<1	<1	1	1	2	5	6
20-34										
35-49	3	1.3		<1	<1	1	2	2	2	2
50-64										
65+	2	3.5	5	2	2	3	5	5	5	5
B. *Operated*										
0-19 YRS	111	2.5	6	<1	<1	2	2	6	8	14
20-34	39	4.3	13	1	1	3	6	10	12	13
35-49	62	3.8	9	1	1	3	6	8	9	13
50-64	63	5.1	47	<1	1	2	7	11	14	44
65+	43	4.4	14	<1	1	3	7	11	12	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	1.2		<1	<1	1	1	2	2	2
20-34										
35-49	2	5.5	13	3	3	5	8	8	8	8
50-64	9	3.2	8	1	1	2	4	8	10	10
65+	4	7.5	20	4	4	6	10	14	14	14
B. *Operated*										
0-19 YRS	29	3.5	14	1	1	2	4	9	10	18
20-34	25	5.2	18	<1	1	4	8	10	13	18
35-49	49	6.7	30	1	1	5	10	13	16	28
50-64	78	7.5	27	2	2	7	10	13	16	25
65+	94	8.5	51	1	1	6	13	18	23	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	1.6	2	<1	<1	1	2	4	5	6
B. *Operated*	318	3.7	18	<1	1	2	5	9	11	15
2. MULTIPLE DX										
A. *Not Operated*	21	3.7	12	<1	1	2	5	9	12	14
B. *Operated*	275	7.1	36	1	1	5	10	16	19	26
1. SINGLE DX	338	3.6	17	<1	1	2	5	9	11	15
2. MULTIPLE DX	296	6.8	35	1	1	5	10	15	18	26
A. NOT OPERATED	41	2.7	8	<1	<1	1	3	6	9	14
B. OPERATED	593	5.3	29	1	1	3	8	12	16	25
TOTAL 0-19 YRS	161	2.5	7	<1	<1	1	2	6	8	16
20-34	64	4.6	15	1	1	3	7	10	12	17
35-49	116	5.0	19	1	1	4	7	10	13	23
50-64	150	6.2	36	1	1	5	9	13	15	25
65+	143	7.2	42	1	1	4	11	17	20	27
GRAND TOTAL	**634**	**5.1**	**28**	**<1**	**1**	**3**	**8**	**12**	**16**	**25**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	3.4	20	<1	<1	2	3	11	15	15
20-34	6	3.3	23	1	1	1	3	12	13	13
35-49	7	2.0	2	1	1	1	3	5	5	5
50-64	5	2.6	5	1	1	1	5	5	5	5
65+	5	4.2	16	1	1	3	6	11	11	11
B. *Operated*										
0-19 YRS	653	2.6	3	1	1	2	3	4	6	9
20-34	520	2.7	3	<1	1	2	3	5	6	9
35-49	578	2.7	5	1	1	2	3	5	7	11
50-64	526	2.9	7	1	1	2	3	6	9	14
65+	209	3.4	18	1	1	2	3	6	7	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	1.6	1	<1	<1	1	2	3	3	3
20-34	13	2.5	3	<1	<1	2	3	6	6	6
35-49	21	3.9	12	<1	<1	3	4	10	12	12
50-64	22	3.8	6	1	1	3	5	7	9	10
65+	31	5.6	14	1	1	4	9	11	12	13
B. *Operated*										
0-19 YRS	120	4.1	22	1	1	2	4	9	17	24
20-34	248	4.2	16	1	1	3	5	9	13	20
35-49	436	4.2	16	1	1	3	5	9	12	21
50-64	604	4.6	20	1	1	3	5	10	13	24
65+	472	5.6	35	1	2	4	7	12	18	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	3.1	13	<1	1	1	4	8	13	15
B. *Operated*	2486	2.8	6	1	1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	101	3.9	10	<1	1	3	5	9	11	13
B. *Operated*	1880	4.7	23	1	1	3	5	10	13	24
1. SINGLE DX	2519	2.8	6	1	1	2	3	5	7	11
2. MULTIPLE DX	1981	4.6	22	1	1	3	5	10	13	24
A. NOT OPERATED	134	3.7	11	<1	1	3	5	9	12	14
B. OPERATED	4366	3.6	14	1	1	2	4	7	10	21
TOTAL 0-19 YRS	797	2.8	6	1	1	2	3	5	6	15
20-34	787	3.1	8	1	1	2	4	6	8	13
35-49	1042	3.4	10	1	1	2	4	7	9	14
50-64	1157	3.8	15	1	1	3	4	8	11	21
65+	717	4.9	30	1	1	3	6	10	15	27
GRAND TOTAL	4500	3.6	14	1	1	2	4	7	10	20

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	2.5	4	<1	<1	2	4	5	7	8
20-34	3	3.3	6	1	1	3	5	6	6	6
35-49	6	3.3	5	2	2	3	3	8	8	8
50-64	4	4.3	7	2	2	3	6	8	8	8
65+	5	5.0	9	2	2	5	8	8	8	8
B. *Operated*										
0-19 YRS	517	2.4	5	<1	<1	2	3	5	7	11
20-34	155	3.1	9	<1	1	2	4	5	7	15
35-49	139	3.7	10	1	1	3	5	8	10	15
50-64	96	3.1	7	1	1	2	3	6	8	15
65+	64	2.8	6	1	1	2	3	7	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	4.2	15	<1	1	2	6	10	12	17
20-34	11	4.5	4	2	2	5	6	7	7	7
35-49	12	5.4	17	1	1	4	8	12	14	14
50-64	20	4.6	9	<1	1	4	7	9	10	10
65+	40	6.7	28	1	2	5	8	15	17	24
B. *Operated*										
0-19 YRS	181	4.3	49	<1	1	2	4	9	14	30
20-34	105	4.0	17	1	1	2	4	9	13	20
35-49	133	5.4	30	1	1	3	7	11	15	30
50-64	142	4.9	24	1	1	3	6	10	13	26
65+	171	6.5	64	1	1	4	7	14	22	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	3.1	5	<1	<1	2	4	8	8	8
B. *Operated*	971	2.8	7	<1	<1	2	3	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	124	5.2	18	1	1	4	7	11	14	19
B. *Operated*	732	5.1	40	1	1	3	6	11	15	35
1. SINGLE DX	1012	2.8	7	<1	<1	2	3	6	8	13
2. MULTIPLE DX	856	5.1	37	1	1	3	6	11	15	32
A. NOT OPERATED	165	4.7	16	1	1	4	6	10	13	17
B. OPERATED	1703	3.8	22	<1	1	2	4	8	11	22
TOTAL 0-19 YRS	762	3.0	17	<1	<1	2	3	6	9	17
20-34	274	3.5	12	<1	1	2	4	7	9	17
35-49	290	4.5	20	1	1	3	6	9	13	22
50-64	262	4.2	17	1	1	3	5	8	11	19
65+	280	5.7	47	1	1	4	7	13	17	39
GRAND TOTAL	1868	3.9	22	<1	1	2	5	8	11	22

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49	3	1.3		<1	<1	<1	2	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	106	2.3	10	<1	<1	2	2	3	5	18
20-34	218	1.8	1	<1	<1	2	2	3	3	5
35-49	211	1.9	1	<1	<1	2	2	3	4	7
50-64	111	2.2	3	<1	<1	2	2	3	5	11
65+	69	2.0	1	<1	1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	1.3		1	1	1	2	2	2	2
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	17	3.3	3	1	2	3	4	6	8	8
20-34	137	3.0	5	1	1	2	4	6	8	11
35-49	245	2.7	4	<1	1	2	3	5	8	10
50-64	198	3.0	6	1	1	2	3	6	7	11
65+	199	3.5	7	1	1	3	4	7	9	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	2.0	2	<1	<1	2	2	4	5	5
B. *Operated*	715	2.0	3	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	5	1.2		1	1	1	2	2	2	2
B. *Operated*	796	3.0	5	1	1	2	4	6	8	11
1. SINGLE DX	723	2.0	3	<1	<1	2	2	3	4	7
2. MULTIPLE DX	801	3.0	5	1	1	2	4	6	8	11
A. NOT OPERATED	13	1.7	1	<1	<1	1	2	3	5	5
B. OPERATED	1511	2.5	4	<1	1	2	3	5	6	10
TOTAL 0-19 YRS	124	2.4	9	<1	<1	2	2	4	5	14
20-34	358	2.3	3	<1	1	2	3	4	5	10
35-49	462	2.3	3	<1	1	2	3	4	6	10
50-64	310	2.7	5	<1	1	2	3	5	7	11
65+	270	3.1	6	1	1	2	4	6	8	15
GRAND TOTAL	**1524**	**2.5**	**4**	**<1**	**1**	**2**	**3**	**4**	**6**	**10**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	16	3.4	6	<1	1	3	5	6	9	10
35-49	32	3.1	6	<1	1	3	4	7	8	12
50-64	5	5.0	9	3	3	4	6	10	10	10
65+	2	5.0	18	2	2	5	8	8	8	8
B. *Operated*										
0-19 YRS	2	6.5	5	5	5	6	8	8	8	8
20-34	456	5.6	6	1	2	6	7	8	8	11
35-49	1258	6.1	4	2	4	6	7	8	9	12
50-64	189	5.8	6	1	2	6	7	9	9	13
65+	15	7.1	15	2	2	7	9	9	16	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	80	3.0	5	<1	1	2	4	6	7	11
35-49	189	3.4	15	<1	1	2	4	8	10	15
50-64	33	3.7	7	1	1	3	5	7	8	13
65+	24	5.3	13	2	2	4	7	13	13	14
B. *Operated*										
0-19 YRS	12	5.9	2	2	4	6	7	7	8	8
20-34	1823	6.5	8	2	4	6	7	9	11	16
35-49	9591	6.7	7	3	4	6	8	9	11	16
50-64	1850	7.2	10	2	5	7	8	10	13	20
65+	243	9.2	31	3	5	8	10	15	20	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	3.4	7	<1	1	3	5	7	9	12
B. *Operated*	1920	5.9	5	2	3	6	7	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	327	3.5	12	<1	1	2	4	7	10	14
B. *Operated*	13519	6.8	8	3	4	6	8	9	11	18
1. SINGLE DX	1975	5.9	5	2	2	6	7	8	9	12
2. MULTIPLE DX	13846	6.7	9	2	4	6	8	9	11	17
A. NOT OPERATED	382	3.5	11	<1	1	3	4	7	10	14
B. OPERATED	15439	6.7	8	2	4	6	8	9	11	17
TOTAL 0-19 YRS	15	5.7	3	2	2	6	7	8	8	8
20-34	2375	6.1	8	1	2	6	7	9	10	15
35-49	11070	6.6	7	2	4	6	8	9	11	16
50-64	2077	7.0	10	2	4	7	8	10	12	19
65+	284	8.7	30	2	4	8	10	15	18	33
GRAND TOTAL	**15821**	**6.6**	**8**	**2**	**4**	**6**	**8**	**9**	**11**	**17**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	12	3.5	6	1	1	3	5	7	8	8
35-49	7	5.0	6	2	2	5	7	9	9	9
50-64	6	5.5	5	2	2	5	6	9	9	9
65+	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	4.0	11	2	2	3	6	9	9	9
50-64										
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	33	4.8	7	1	1	5	7	8	8	10
35-49	130	7.3	9	4	5	7	8	10	13	19
50-64	38	6.9	29	1	1	6	9	12	20	25
65+	25	4.4	9	1	2	3	6	8	10	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	28	4.1	6	1	1	4	6	8	9	9
2. MULTIPLE DX										
A. *Not Operated*	5	4.0	9	2	2	3	5	9	9	9
B. *Operated*	228	6.5	13	1	2	6	8	10	13	25
1. SINGLE DX	28	4.1	6	1	1	4	6	8	9	9
2. MULTIPLE DX	233	6.4	13	1	2	6	8	10	13	25
A. NOT OPERATED	5	4.0	9	2	2	3	5	9	9	9
B. OPERATED	256	6.2	13	1	2	6	8	10	13	24
TOTAL 0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	45	4.4	7	1	1	5	7	8	8	10
35-49	141	7.1	10	2	4	7	8	10	13	19
50-64	44	6.7	26	1	2	6	8	11	17	25
65+	28	4.1	8	1	2	3	5	8	9	14
GRAND TOTAL	**261**	**6.2**	**13**	**1**	**2**	**6**	**8**	**9**	**13**	**24**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.8	2	1	1	3	4	5	5	5
20-34	3	1.7	1	<1	<1	1	2	3	3	3
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	104	5.4	4	3	4	5	6	7	8	15
20-34	488	5.2	2	3	4	5	6	7	7	10
35-49	170	5.8	3	4	4	6	7	8	9	13
50-64	107	6.9	5	4	5	7	8	10	12	14
65+	55	7.5	5	4	5	7	9	10	12	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	2.0	2	<1	<1	2	2	4	5	5
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+	4	4.3	34	1	1	2	7	13	13	13
B. *Operated*										
0-19 YRS	103	6.3	9	4	4	5	8	9	12	20
20-34	665	5.8	3	3	4	6	6	8	9	12
35-49	531	7.0	11	4	4	6	8	10	12	21
50-64	370	8.7	25	5	5	8	10	14	16	22
65+	310	10.4	39	5	6	9	12	16	21	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	2.5	2	<1	<1	2	3	4	5	5
B. *Operated*	924	5.6	4	3	4	5	6	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	12	2.7	12	<1	<1	1	2	7	12	13
B. *Operated*	1979	7.4	18	4	4	6	8	11	14	23
1. SINGLE DX	934	5.6	4	3	4	5	6	8	9	13
2. MULTIPLE DX	1991	7.4	18	4	4	6	8	11	14	23
A. NOT OPERATED	22	2.6	7	<1	<1	2	3	5	8	13
B. OPERATED	2903	6.9	14	4	4	6	8	10	13	21
TOTAL 0-19 YRS	212	5.8	7	3	4	5	6	8	10	19
20-34	1163	5.5	3	3	4	5	6	7	8	12
35-49	704	6.7	9	4	4	6	7	9	11	18
50-64	477	8.3	21	5	5	7	9	13	15	22
65+	369	9.9	35	5	6	9	11	16	20	30
GRAND TOTAL	**2925**	**6.8**	**14**	**4**	**4**	**6**	**8**	**10**	**13**	**21**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0		5	5	5	5	5	5	5
20-34										
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	18	3.7	4	<1	1	4	5	6	7	8
35-49	18	3.3	5	<1	1	3	5	6	7	8
50-64	6	6.2	11	2	2	6	6	11	12	12
65+	4	4.8	18	2	2	3	7	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	5.0	9	2	2	5	7	8	8	8
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	23	5.1	10	<1	1	6	6	10	12	12
35-49	22	4.8	5	2	2	5	6	8	8	9
50-64	21	6.3	12	1	2	6	8	11	14	15
65+	11	7.2	52	2	2	4	7	19	25	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	4.0	3	2	2	5	5	5	5	5
B. *Operated*	48	3.9	6	1	1	4	5	6	9	12
2. MULTIPLE DX										
A. *Not Operated*	4	5.3	6	2	2	5	7	8	8	8
B. *Operated*	78	5.6	15	1	2	5	7	9	13	23
1. SINGLE DX	51	3.9	6	1	1	4	5	6	8	12
2. MULTIPLE DX	82	5.6	14	1	2	5	7	9	13	23
A. NOT OPERATED	7	4.7	5	2	2	5	6	8	8	8
B. OPERATED	126	5.0	12	1	1	5	6	9	12	18
TOTAL 0-19 YRS	5	4.0	3	1	1	5	5	5	5	5
20-34	44	4.5	8	1	1	4	6	8	10	12
35-49	41	4.2	5	1	1	4	6	7	8	9
50-64	28	6.1	12	1	2	6	7	11	13	15
65+	15	6.5	42	2	2	4	7	15	23	26
GRAND TOTAL	**133**	**5.0**	**12**	**1**	**1**	**5**	**6**	**8**	**12**	**17**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+	2	5.0	18	2	2	5	8	8	8	8
B. *Operated*										
0-19 YRS	10	1.5	1	<1	<1	1	2	3	3	3
20-34	19	2.5	1	1	1	2	3	4	5	5
35-49	17	2.3	1	1	1	2	3	4	5	5
50-64	8	2.3	2	<1	<1	2	3	4	5	5
65+	3	2.3		2	2	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	4	3.0	2	1	1	3	4	4	4	4
20-34	9	3.9	13	1	1	3	4	9	13	13
35-49	11	2.8	6	1	1	2	4	7	8	8
50-64	16	3.6	4	1	1	3	5	7	8	8
65+	13	2.9	8	1	1	2	3	7	10	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	3.0	11	1	1	2	5	8	8	8
B. *Operated*	57	2.2	1	<1	1	2	3	4	5	5
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	53	3.3	6	1	1	2	4	7	8	13
1. SINGLE DX	61	2.3	2	<1	1	2	3	4	5	8
2. MULTIPLE DX	53	3.3	6	1	1	2	4	7	8	13
A. NOT OPERATED	4	3.0	11	1	1	2	5	8	8	8
B. OPERATED	110	2.7	4	1	1	2	3	5	7	12
TOTAL 0-19 YRS	15	1.9	1	<1	<1	1	3	4	4	4
20-34	28	2.9	5	1	1	3	4	4	6	13
35-49	29	2.4	3	1	1	2	3	5	7	8
50-64	24	3.1	4	<1	1	3	4	5	7	8
65+	18	3.1	7	1	1	2	3	7	10	11
GRAND TOTAL	**114**	**2.7**	**4**	**1**	**1**	**2**	**3**	**5**	**7**	**12**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49										
50-64	1	32.0		32	32	32	32	32	32	32
65+										
B. *Operated*										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34	8	6.6	32	<1	<1	6	10	15	16	16
35-49	3	1.7		1	1	2	2	2	2	2
50-64	25	4.1	11	1	1	2	6	10	11	11
65+	21	3.1	11	<1	1	2	3	10	11	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	6.0		6	6	6	6	6	6	6
35-49	2	6.0	8	4	4	6	8	8	8	8
50-64	1	2.0		2	2	2	2	2	2	2
65+	5	5.2	36	1	1	2	9	15	15	15
B. *Operated*										
0-19 YRS	6	6.3	13	2	2	6	10	11	11	11
20-34	20	4.8	12	1	2	3	6	9	12	15
35-49	32	6.3	15	2	2	6	9	12	13	15
50-64	48	5.0	19	1	1	4	7	10	12	24
65+	88	6.4	35	1	1	4	9	14	20	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	17.5	421	3	3	17	32	32	32	32
B. *Operated*	60	3.8	14	<1	1	2	6	10	12	16
2. MULTIPLE DX										
A. *Not Operated*	10	4.8	19	1	1	3	7	11	15	15
B. *Operated*	194	5.9	25	1	2	4	8	12	14	26
1. SINGLE DX	62	4.3	26	<1	1	2	6	11	12	30
2. MULTIPLE DX	204	5.8	25	1	2	4	8	12	14	25
A. NOT OPERATED	12	6.9	78	1	1	3	7	20	30	32
B. OPERATED	254	5.4	23	1	1	4	8	11	14	25
TOTAL 0-19 YRS	11	4.3	13	<1	1	3	6	10	11	11
20-34	29	5.3	17	1	1	5	7	12	15	16
35-49	37	5.9	15	1	2	5	8	12	13	15
50-64	75	5.0	26	1	1	3	7	10	12	30
65+	114	5.8	32	1	1	3	8	13	15	27
GRAND TOTAL	**266**	**5.5**	**25**	**1**	**1**	**4**	**8**	**12**	**14**	**26**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	15	1.2		<1	<1	1	1	2	2	2
20-34	8	2.4	1	<1	<1	2	3	4	5	5
35-49	1	3.0		3	3	3	3	3	3	3
50-64	2	2.5	1	2	2	2	3	3	3	3
65+	3	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	5	1.8		1	1	2	2	2	2	2
20-34										
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	2	23.5	925	2	2	23	45	45	45	45
65+	5	8.4	37	2	2	8	14	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	29	1.7	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	14	7.2	140	1	1	2	8	19	39	45
1. SINGLE DX	30	1.7	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX	14	7.2	140	1	1	2	8	19	39	45
A. NOT OPERATED	1	1.0		1	1	1	1	1	1	1
B. OPERATED	43	3.5	51	<1	<1	2	2	6	14	45
TOTAL 0-19 YRS	21	1.3		<1	<1	1	2	2	2	2
20-34	8	2.4	1	<1	<1	2	3	4	5	5
35-49	3	2.0	1	1	1	2	3	3	3	3
50-64	4	13.0	455	2	2	3	24	45	45	45
65+	8	5.8	35	1	1	3	10	15	16	16
GRAND TOTAL	**44**	**3.4**	**50**	**<1**	**<1**	**2**	**2**	**5**	**14**	**45**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	1.3		1	1	1	2	2	2	2
35-49	10	3.0	9	<1	<1	2	4	8	11	11
50-64	11	3.1	11	1	1	2	4	8	12	12
65+	11	5.1	9	2	2	4	6	10	11	11
B. *Operated*										
0-19 YRS	20	8.1	38	<1	1	7	13	15	19	23
20-34	53	10.2	33	2	3	10	13	17	20	32
35-49	106	9.6	36	1	2	9	12	15	19	34
50-64	114	10.3	30	2	3	10	13	17	20	30
65+	62	12.4	61	2	3	12	15	23	25	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.6	4	2	2	3	5	7	7	7
20-34	8	6.0	18	<1	<1	6	10	11	11	11
35-49	15	3.4	5	<1	<1	3	4	8	8	8
50-64	34	5.9	20	1	2	4	8	10	14	24
65+	123	8.6	52	2	3	7	11	16	21	36
B. *Operated*										
0-19 YRS	21	11.7	35	3	5	11	15	18	23	28
20-34	41	12.1	65	2	3	10	16	23	28	37
35-49	89	15.0	129	2	4	12	20	35	43	80
50-64	216	16.3	179	2	3	13	20	33	49	99+
65+	225	19.1	229	3	4	16	24	39	51	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	3.5	10	1	1	3	4	10	11	12
B. *Operated*	355	10.3	39	2	3	10	13	17	21	32
2. MULTIPLE DX										
A. *Not Operated*	185	7.5	43	1	2	5	10	15	19	28
B. *Operated*	592	16.7	182	2	3	13	21	33	46	80
1. SINGLE DX	391	9.7	40	1	2	9	13	16	20	30
2. MULTIPLE DX	777	14.5	164	2	3	11	18	30	43	74
A. NOT OPERATED	221	6.8	39	1	1	5	9	14	18	27
B. OPERATED	947	14.3	138	2	3	12	17	28	39	73
TOTAL 0-19 YRS	47	9.1	40	1	2	9	14	16	20	28
20-34	105	10.4	48	1	2	10	13	19	23	35
35-49	220	11.1	84	1	2	9	14	22	32	47
50-64	375	13.1	130	2	3	11	16	25	36	79
65+	421	14.7	171	2	3	12	18	30	40	65
GRAND TOTAL	**1168**	**12.9**	**128**	**2**	**3**	**10**	**16**	**25**	**36**	**65**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	41	3.4	3	1	1	3	4	5	7	10
20-34	278	3.3	3	1	2	3	4	5	5	7
35-49	312	3.4	2	1	2	3	4	5	5	9
50-64	178	3.5	1	2	2	4	4	5	5	7
65+	66	3.6	1	2	2	4	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	2.3	2	<1	<1	2	3	4	4	4
50-64	6	7.3	18	1	1	8	11	12	12	12
65+	9	7.4	38	3	3	5	8	17	23	23
B. *Operated*										
0-19 YRS	10	4.0	2	2	2	4	4	6	6	6
20-34	123	4.0	3	2	2	4	5	6	7	10
35-49	201	4.4	6	2	2	4	5	7	9	16
50-64	235	4.7	9	2	3	4	5	7	10	16
65+	163	4.9	6	2	3	4	6	8	10	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*	875	3.4	2	1	2	3	4	5	5	8
2. MULTIPLE DX										
A. *Not Operated*	19	6.3	27	<1	1	5	9	12	18	23
B. *Operated*	732	4.5	6	2	2	4	5	7	9	15
1. SINGLE DX	877	3.4	2	1	2	3	4	5	5	8
2. MULTIPLE DX	751	4.6	7	2	2	4	5	7	10	16
A. NOT OPERATED	21	5.9	26	<1	1	5	8	11	17	23
B. OPERATED	1607	3.9	4	2	2	4	4	6	7	13
TOTAL 0-19 YRS	52	3.5	3	1	2	3	4	5	6	10
20-34	403	3.5	3	1	2	3	4	5	6	9
35-49	516	3.8	4	2	2	4	4	5	7	12
50-64	419	4.3	6	2	2	4	5	6	8	15
65+	238	4.7	7	2	3	4	5	7	10	15
GRAND TOTAL	**1628**	**3.9**	**5**	**2**	**2**	**4**	**4**	**6**	**7**	**13**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	4	3.5	8	1	1	3	6	6	6	6
35-49	3	3.7	2	2	2	4	5	5	5	5
50-64	3	2.7		2	2	3	3	3	3	3
65+	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	9	8.8	25	1	2	9	10	16	19	19
20-34	54	6.9	12	2	3	6	9	11	12	18
35-49	45	7.1	19	3	3	6	8	13	17	21
50-64	58	7.0	27	2	3	5	8	13	17	30
65+	28	9.8	110	3	4	6	13	17	26	56
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	24	5.0	13	1	1	3	7	11	12	12
35-49	32	5.4	13	2	2	5	7	10	14	17
50-64	23	5.7	12	1	2	5	8	11	13	14
65+	35	7.7	37	1	2	5	12	15	20	26
B. Operated										
0-19 YRS	9	8.4	10	3	4	8	10	13	14	14
20-34	67	10.6	90	3	4	9	12	18	20	67
35-49	101	9.1	38	3	3	8	11	18	23	29
50-64	155	11.2	128	3	4	8	13	22	31	66
65+	138	11.7	76	3	4	9	15	24	27	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	3.1	3	1	1	3	4	6	6	6
B. Operated	194	7.5	33	2	3	6	9	13	17	27
2. MULTIPLE DX										
A. Not Operated	115	6.1	21	1	2	4	8	12	15	23
B. Operated	470	10.8	86	3	4	8	13	21	25	51
1. SINGLE DX	207	7.2	32	2	3	6	9	13	17	26
2. MULTIPLE DX	585	9.8	77	3	3	8	12	19	24	46
A. NOT OPERATED	128	5.8	20	1	2	4	8	12	14	22
B. OPERATED	664	9.8	73	3	4	8	12	19	24	49
TOTAL 0-19 YRS	21	7.8	19	1	2	8	10	13	16	19
20-34	149	8.2	52	2	3	7	10	14	18	22
35-49	181	7.9	30	2	3	6	10	16	20	25
50-64	239	9.5	96	2	3	7	11	19	26	56
65+	202	10.7	76	3	3	8	15	22	26	51
GRAND TOTAL	**792**	**9.2**	**66**	**2**	**3**	**7**	**11**	**18**	**23**	**37**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	5	2.2	3	<1	<1	1	3	5	5	5
35-49										
50-64	2	3.5	1	3	3	3	4	4	4	4
65+	2	3.5	1	3	3	3	4	4	4	4
B. Operated										
0-19 YRS	4	2.3	2	1	1	2	3	4	4	4
20-34	715	3.8	7	1	1	4	6	7	7	9
35-49	277	4.6	7	1	1	5	6	8	8	13
50-64	81	5.2	9	<1	1	5	7	9	11	14
65+	31	4.2	5	2	2	4	6	7	8	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34	3	2.3	5	<1	<1	1	4	5	5	5
35-49	5	2.4	5	1	1	1	4	6	6	6
50-64	2	1.0		<1	<1	<1	<1	<1	<1	<1
65+	2	3.5	5	2	2	3	5	5	5	5
B. Operated										
0-19 YRS	11	3.8	19	<1	<1	2	3	11	16	16
20-34	679	4.9	7	1	1	5	6	8	9	13
35-49	540	6.1	8	1	2	6	7	9	10	16
50-64	143	6.6	13	2	2	7	8	10	13	19
65+	89	6.5	15	2	2	6	8	12	15	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	2.8	2	<1	<1	3	4	5	5	5
B. Operated	1108	4.1	7	1	1	4	6	7	8	11
2. MULTIPLE DX										
A. Not Operated	12	2.3	4	<1	<1	1	4	5	6	6
B. Operated	1462	5.6	9	1	2	6	7	9	10	16
1. SINGLE DX	1117	4.1	7	1	1	4	6	7	8	11
2. MULTIPLE DX	1474	5.6	9	1	2	6	7	9	10	16
A. NOT OPERATED	21	2.5	3	<1	<1	2	4	5	6	6
B. OPERATED	2570	5.0	9	1	1	5	7	8	9	15
TOTAL 0-19 YRS	15	3.4	14	<1	<1	2	3	7	14	16
20-34	1402	4.3	7	1	1	5	6	7	8	11
35-49	822	5.5	8	1	2	6	7	8	10	15
50-64	228	6.0	12	1	2	6	8	10	12	19
65+	124	5.8	13	2	2	6	7	10	14	16
GRAND TOTAL	**2591**	**4.9**	**9**	**1**	**1**	**5**	**7**	**8**	**9**	**15**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	3.5	5	2	2	3	5	5	5	5
65+	4	5.8	8	3	3	5	8	9	9	9
B. *Operated*										
0-19 YRS	5	2.0	1	<1	<1	2	3	3	3	3
20-34	30	3.6	7	<1	<1	3	6	7	8	11
35-49	90	4.6	11	1	1	4	6	8	12	17
50-64	102	4.9	14	1	2	3	7	9	13	17
65+	128	5.0	17	1	1	3	6	12	14	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	6.0	61	<1	<1	2	12	15	15	15
50-64	8	4.5	18	<1	<1	3	5	12	14	14
65+	22	5.5	22	1	1	4	7	11	16	21
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	41	5.6	17	<1	1	5	7	8	12	25
35-49	132	5.3	11	1	1	5	7	9	12	16
50-64	255	7.7	55	1	2	6	9	14	18	36
65+	477	8.8	68	1	2	6	12	18	26	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	4.4	8	1	1	4	6	9	9	9
B. *Operated*	355	4.7	13	1	1	3	6	10	13	17
2. MULTIPLE DX										
A. *Not Operated*	33	5.3	22	<1	1	4	7	12	15	21
B. *Operated*	906	7.8	55	1	2	6	10	16	22	36
1. SINGLE DX	362	4.7	13	1	1	3	6	9	13	17
2. MULTIPLE DX	939	7.7	54	1	2	6	10	16	21	36
A. NOT OPERATED	40	5.1	20	<1	1	4	7	11	14	21
B. OPERATED	1261	7.0	45	1	2	5	9	15	18	35
TOTAL 0-19 YRS	6	3.2	9	<1	<1	2	3	8	9	9
20-34	71	4.7	14	<1	1	5	6	8	10	23
35-49	226	5.0	11	1	1	5	7	9	12	16
50-64	367	6.8	44	1	2	6	9	13	17	33
65+	631	7.9	58	1	2	5	10	17	22	37
GRAND TOTAL	**1301**	**6.9**	**45**	**1**	**2**	**5**	**9**	**14**	**18**	**34**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	53	2.9	8	<1	1	2	3	5	10	15
20-34	39	3.4	5	1	1	3	4	7	9	10
35-49	47	3.9	9	1	1	3	5	10	11	12
50-64	70	4.0	10	1	1	3	5	8	11	15
65+	66	5.6	24	1	1	4	9	11	15	24
B. *Operated*										
0-19 YRS	183	4.7	37	1	1	3	6	9	10	29
20-34	259	4.5	14	1	1	3	6	9	12	19
35-49	227	3.9	13	1	1	3	5	9	10	18
50-64	320	4.8	21	1	1	3	7	11	14	18
65+	264	4.7	37	1	1	3	6	9	12	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	3.4	7	1	1	3	4	8	9	13
20-34	89	4.6	15	1	1	4	6	9	12	19
35-49	123	4.1	8	<1	1	4	6	8	9	14
50-64	256	5.6	26	<1	1	4	7	12	15	29
65+	602	7.3	42	1	2	5	9	15	20	35
B. *Operated*										
0-19 YRS	97	7.5	47	1	2	6	10	15	19	38
20-34	247	6.5	25	1	2	5	8	12	17	29
35-49	324	7.4	62	1	2	6	8	14	22	55
50-64	583	7.9	55	1	2	6	10	16	23	53
65+	1241	9.1	67	1	2	7	12	18	23	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	275	4.1	13	1	1	3	5	9	11	17
B. *Operated*	1253	4.5	24	1	1	3	6	9	12	18
2. MULTIPLE DX										
A. *Not Operated*	1130	6.2	32	1	1	4	8	13	16	29
B. *Operated*	2492	8.3	59	1	2	6	11	17	22	42
1. SINGLE DX	1528	4.5	22	1	1	3	6	9	12	18
2. MULTIPLE DX	3622	7.6	52	1	2	6	10	16	21	39
A. NOT OPERATED	1405	5.8	29	1	1	4	7	12	16	28
B. OPERATED	3745	7.0	50	1	2	5	9	15	19	38
TOTAL 0-19 YRS	393	4.9	33	1	1	3	6	10	14	29
20-34	634	5.2	19	1	1	4	7	10	13	21
35-49	721	5.5	36	1	1	4	7	10	14	35
50-64	1229	6.4	39	1	1	4	9	14	17	37
65+	2173	8.0	57	1	2	6	11	16	21	39
GRAND TOTAL	**5150**	**6.7**	**45**	**1**	**1**	**5**	**9**	**14**	**18**	**36**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	3	2	2	2	4	5	5	5
20-34	11	4.9	8	2	2	4	7	9	11	11
35-49	7	3.7	2	1	1	4	4	6	6	6
50-64	4	3.8	2	3	3	3	5	6	6	6
65+	3	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	26	3.1	2	<1	1	3	4	5	6	6
20-34	190	3.5	3	1	2	3	4	5	6	11
35-49	297	3.8	2	2	2	4	4	5	6	10
50-64	259	4.0	2	2	2	4	5	6	7	9
65+	123	4.5	3	2	3	4	5	6	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.0	2	2	2	3	4	5	5	5
20-34	27	3.9	8	<1	<1	4	5	8	10	11
35-49	35	3.6	9	<1	1	3	4	7	9	16
50-64	47	4.6	10	1	1	4	6	8	10	15
65+	71	6.0	14	1	2	5	8	11	15	18
B. *Operated*										
0-19 YRS	11	4.6	11	1	2	3	5	10	13	13
20-34	91	4.5	4	2	3	4	5	7	9	11
35-49	196	5.6	15	2	3	4	6	10	13	21
50-64	257	5.6	20	2	3	5	6	10	13	21
65+	236	7.2	37	2	3	5	8	13	20	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	4.1	4	2	2	4	5	7	8	11
B. *Operated*	895	3.9	3	2	2	4	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	185	4.8	12	1	1	4	6	9	11	16
B. *Operated*	791	5.9	23	2	3	5	6	11	14	28
1. SINGLE DX	923	3.9	3	2	2	4	5	6	7	10
2. MULTIPLE DX	976	5.7	21	2	3	4	6	10	14	24
A. NOT OPERATED	213	4.7	11	1	1	4	6	9	11	16
B. OPERATED	1686	4.8	13	2	2	4	5	8	11	20
TOTAL 0-19 YRS	45	3.4	4	1	2	3	4	5	7	13
20-34	319	3.9	4	1	2	3	4	6	8	11
35-49	535	4.4	8	2	2	4	5	7	10	16
50-64	567	4.8	11	2	2	4	5	7	10	18
65+	433	6.2	25	2	3	5	7	11	15	33
GRAND TOTAL	**1899**	**4.8**	**13**	**2**	**2**	**4**	**5**	**8**	**11**	**20**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	46	3.9	7	1	1	3	5	7	9	14
20-34	110	4.6	8	1	2	4	7	8	9	14
35-49	111	4.6	7	1	2	4	6	9	10	14
50-64	75	5.1	7	2	2	5	6	8	11	15
65+	28	6.6	23	2	3	5	8	11	15	26
B. *Operated*										
0-19 YRS	52	4.0	4	1	2	4	5	6	7	12
20-34	175	4.1	3	2	2	4	5	6	7	11
35-49	150	4.3	6	2	2	4	5	6	8	11
50-64	122	4.1	3	1	2	4	5	6	7	11
65+	36	4.8	17	1	2	4	5	7	8	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	68	4.9	14	1	1	3	7	11	13	17
20-34	224	5.4	10	2	2	5	7	9	11	17
35-49	254	6.3	15	2	3	5	8	12	13	19
50-64	358	7.3	26	2	3	6	9	13	16	26
65+	578	8.6	35	2	3	7	11	16	21	31
B. *Operated*										
0-19 YRS	28	7.0	69	3	3	5	7	10	33	38
20-34	108	5.9	21	2	3	4	6	11	14	27
35-49	157	6.7	39	2	2	5	8	13	16	43
50-64	164	6.2	30	2	2	5	7	10	16	28
65+	171	9.7	61	2	3	7	13	21	28	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	370	4.8	9	1	2	4	6	9	10	15
B. *Operated*	535	4.2	5	2	2	4	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	1482	7.2	26	2	3	6	9	13	17	27
B. *Operated*	628	7.3	43	2	3	5	9	15	21	36
1. SINGLE DX	905	4.4	7	1	2	4	5	7	9	14
2. MULTIPLE DX	2110	7.2	31	2	3	6	9	14	17	30
A. NOT OPERATED	1852	6.7	24	2	2	5	9	12	16	26
B. OPERATED	1163	5.9	28	2	2	4	6	11	15	31
TOTAL 0-19 YRS	194	4.7	18	1	2	4	5	9	11	26
20-34	617	5.0	10	2	2	4	6	9	11	17
35-49	672	5.7	18	2	2	5	7	11	13	21
50-64	719	6.3	22	2	3	5	8	11	15	23
65+	813	8.6	40	2	3	7	11	17	21	33
GRAND TOTAL	**3015**	**6.4**	**25**	**2**	**2**	**5**	**8**	**12**	**15**	**27**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	308	5.8	8	2	2	6	7	9	11	16
20-34	167	4.9	10	1	1	4	6	8	10	18
35-49	145	4.7	8	1	2	4	6	8	10	14
50-64	202	5.6	9	2	3	5	7	9	11	16
65+	112	6.5	26	1	2	6	8	10	15	29
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	5.8	13	3	3	4	8	11	11	11
35-49	6	6.0	16	2	2	4	10	12	12	12
50-64	6	7.3	44	2	2	5	12	17	18	18
65+	5	13.8	208	1	1	14	22	36	36	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	224	5.3	9	1	2	5	8	9	11	13
20-34	283	5.7	14	1	2	5	7	11	12	20
35-49	694	6.4	15	2	3	6	8	10	13	20
50-64	1277	6.8	16	2	3	6	9	12	14	20
65+	1189	7.4	24	2	3	6	9	13	15	25
B. *Operated*										
0-19 YRS	3	11.3	41	4	4	14	15	16	16	16
20-34	36	10.0	218	1	2	8	10	15	19	92
35-49	75	9.4	40	2	4	7	13	17	22	34
50-64	177	10.2	65	2	3	8	12	18	24	47
65+	149	13.5	104	2	4	11	17	27	36	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	934	5.5	11	1	2	5	7	9	11	18
B. *Operated*	22	7.9	68	1	1	4	12	17	25	36
2. MULTIPLE DX										
A. *Not Operated*	3667	6.8	18	2	3	6	8	11	14	21
B. *Operated*	440	11.2	88	2	3	9	14	20	28	50
1. SINGLE DX	956	5.6	12	1	2	5	7	9	11	18
2. MULTIPLE DX	4107	7.2	28	2	3	6	9	12	16	27
A. NOT OPERATED	4601	6.5	17	2	3	6	8	11	14	21
B. OPERATED	462	11.0	88	2	3	9	14	20	28	49
TOTAL 0-19 YRS	536	5.6	9	1	2	5	7	9	11	15
20-34	490	5.7	28	1	2	5	7	10	12	20
35-49	920	6.4	17	2	3	6	8	10	14	22
50-64	1662	7.0	22	2	3	6	9	12	15	24
65+	1455	8.0	36	2	3	7	10	14	18	36
GRAND TOTAL	**5063**	**6.9**	**25**	**2**	**3**	**6**	**8**	**12**	**15**	**25**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1075	4.4	9	1	2	4	6	8	10	14
20-34	567	4.2	6	1	2	4	5	8	9	12
35-49	200	5.3	12	1	2	4	7	10	12	19
50-64	110	6.6	11	2	3	6	8	10	14	17
65+	81	6.6	14	2	2	6	8	11	14	19
B. *Operated*										
0-19 YRS	4	5.3	6	2	2	6	7	7	7	7
20-34	8	8.3	41	2	2	6	11	19	21	21
35-49	2	2.0		2	2	2	2	2	2	2
50-64										
65+	2	9.5	25	6	6	9	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1140	5.0	13	1	2	4	6	9	11	16
20-34	1286	5.6	19	2	2	4	7	10	13	24
35-49	794	7.8	39	2	3	7	10	14	16	30
50-64	717	8.5	25	3	3	7	11	15	19	24
65+	1077	10.0	46	3	4	9	12	17	22	36
B. *Operated*										
0-19 YRS	25	8.7	16	3	5	8	11	15	16	18
20-34	133	12.2	81	3	4	10	15	23	29	45
35-49	114	15.7	171	2	4	11	19	37	47	77
50-64	126	20.5	276	6	8	14	26	49	59	90
65+	134	18.8	147	5	7	16	22	32	47	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2033	4.6	9	1	2	4	6	9	10	14
B. *Operated*	16	6.9	28	2	2	6	8	14	19	21
2. MULTIPLE DX										
A. *Not Operated*	5014	7.2	31	2	2	6	9	13	17	28
B. *Operated*	532	16.4	172	4	5	13	20	33	47	79
1. SINGLE DX	2049	4.7	9	1	2	4	6	9	10	15
2. MULTIPLE DX	5546	8.0	52	2	2	6	10	15	20	38
A. NOT OPERATED	7047	6.4	26	2	2	5	8	12	15	25
B. OPERATED	548	16.1	170	4	5	12	20	33	47	79
TOTAL 0-19 YRS	2244	4.7	11	1	2	4	6	9	10	16
20-34	1994	5.7	23	1	2	4	7	10	13	25
35-49	1110	8.1	55	2	2	7	10	15	19	44
50-64	953	9.9	74	3	3	8	11	18	23	53
65+	1294	10.7	62	3	4	9	13	20	24	45
GRAND TOTAL	**7595**	**7.1**	**43**	**2**	**2**	**6**	**9**	**13**	**18**	**34**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	593	5.5	8	2	2	5	7	9	11	15
20-34	621	5.0	8	1	2	5	6	8	10	14
35-49	706	5.7	9	2	2	5	7	10	11	15
50-64	916	6.3	11	2	3	6	8	10	12	17
65+	639	6.2	11	2	3	5	8	11	13	18
B. *Operated*										
0-19 YRS	8	4.6	6	2	2	4	6	8	9	9
20-34	29	5.1	14	2	2	3	8	11	12	14
35-49	27	5.6	18	1	2	4	7	12	16	17
50-64	91	5.6	47	1	2	3	7	11	20	39
65+	95	3.6	14	1	2	2	3	9	11	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	654	5.8	21	1	2	5	7	10	12	21
20-34	2042	6.1	18	2	2	5	8	11	14	24
35-49	4142	7.1	19	2	3	6	9	12	15	22
50-64	8142	7.6	21	3	3	7	9	13	16	23
65+	9953	8.2	29	3	3	7	10	14	17	28
B. *Operated*										
0-19 YRS	35	8.3	38	2	2	6	11	18	22	26
20-34	482	10.5	99	2	2	8	13	20	28	55
35-49	1066	12.8	116	2	3	10	16	26	34	57
50-64	2402	14.0	146	2	4	11	17	28	38	70
65+	3050	15.9	160	2	4	13	21	32	42	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3475	5.8	10	2	2	5	7	10	11	16
B. *Operated*	250	4.8	27	1	2	3	5	11	16	21
2. MULTIPLE DX										
A. *Not Operated*	24933	7.6	24	2	3	7	9	13	16	25
B. *Operated*	7035	14.4	146	2	3	11	18	29	39	66
1. SINGLE DX	3725	5.7	11	2	2	5	7	10	11	17
2. MULTIPLE DX	31968	9.1	59	2	3	7	11	17	22	42
A. NOT OPERATED	28408	7.3	22	2	3	6	9	13	16	25
B. OPERATED	7285	14.0	145	2	3	11	18	29	39	64
TOTAL 0-19 YRS	1290	5.7	16	2	2	5	7	10	12	19
20-34	3174	6.5	32	2	2	5	8	12	16	29
35-49	5941	7.9	40	2	3	6	9	14	18	34
50-64	11551	8.8	53	2	3	7	10	16	21	40
65+	13737	9.8	68	3	3	8	11	18	25	45
GRAND TOTAL	**35693**	**8.7**	**55**	**2**	**3**	**7**	**10**	**16**	**21**	**41**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.4	2	1	1	2	4	4	4	4
20-34	14	3.4	6	1	1	2	5	7	9	9
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	32	3.8	4	1	1	4	5	6	6	8
20-34	112	4.0	6	1	1	4	6	6	7	12
35-49	8	3.9	6	<1	<1	4	6	7	7	7
50-64	2	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	3.1	1	1	1	3	4	5	5	5
20-34	31	4.5	15	1	1	3	6	10	14	15
35-49	4	2.3	4	1	1	2	3	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	48	3.9	5	1	1	4	5	6	9	10
20-34	302	4.6	7	1	1	5	6	8	9	14
35-49	66	5.4	9	1	1	5	7	9	10	18
50-64	6	5.3	2	3	3	5	7	7	7	7
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	3.0	4	1	1	2	4	5	8	9
B. *Operated*	154	3.9	5	1	1	4	6	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	47	4.0	11	1	1	3	4	9	11	15
B. *Operated*	422	4.7	7	1	1	5	6	8	9	14
1. SINGLE DX	178	3.8	5	1	1	4	5	6	7	11
2. MULTIPLE DX	469	4.6	8	1	1	4	6	8	9	14
A. NOT OPERATED	71	3.7	9	1	1	3	4	8	10	15
B. OPERATED	576	4.5	7	1	1	4	6	7	9	13
TOTAL 0-19 YRS	100	3.6	4	1	1	4	5	6	7	10
20-34	459	4.4	7	1	1	4	6	8	9	14
35-49	80	5.1	9	<1	1	5	7	9	10	16
50-64	8	4.5	4	2	2	5	6	7	7	7
65+										
GRAND TOTAL	**647**	**4.4**	**7**	**1**	**1**	**4**	**6**	**8**	**9**	**14**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	201	3.0	11	1	1	2	3	6	8	19
20-34	152	4.1	12	1	1	3	5	7	9	24
35-49	95	4.0	13	1	2	3	4	7	9	23
50-64	58	4.0	11	1	1	3	5	10	11	14
65+	69	4.3	12	1	1	3	6	8	9	21
B. *Operated*										
0-19 YRS	17	4.6	6	1	2	4	6	8	10	11
20-34	22	5.9	17	1	1	5	8	11	15	17
35-49	28	5.6	13	2	2	4	7	12	13	15
50-64	28	6.9	44	1	2	5	8	13	19	35
65+	13	5.3	7	1	2	5	6	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	442	3.5	12	1	1	2	5	7	9	14
20-34	600	4.6	19	1	1	4	6	9	11	17
35-49	687	5.5	22	1	2	4	7	11	13	27
50-64	1020	6.2	32	1	2	5	8	11	16	28
65+	2503	6.9	30	2	2	6	9	13	16	28
B. *Operated*										
0-19 YRS	24	8.8	107	2	2	5	8	21	34	47
20-34	105	8.7	88	2	2	7	10	14	21	55
35-49	118	12.0	134	2	3	8	14	30	38	55
50-64	195	11.5	95	3	4	9	15	23	32	67
65+	280	13.5	119	3	4	11	17	25	37	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	575	3.7	12	1	1	3	5	7	9	22
B. *Operated*	108	5.8	20	1	2	5	7	11	13	25
2. MULTIPLE DX										
A. *Not Operated*	5252	6.0	28	1	2	5	8	12	15	27
B. *Operated*	722	11.9	113	3	3	9	15	23	33	58
1. SINGLE DX	683	4.0	14	1	1	3	5	8	10	22
2. MULTIPLE DX	5974	6.7	42	1	2	5	8	13	17	34
A. NOT OPERATED	5827	5.8	27	1	1	4	7	11	15	26
B. OPERATED	830	11.1	105	2	3	8	14	22	32	55
TOTAL 0-19 YRS	684	3.5	16	1	1	2	4	7	9	18
20-34	879	5.0	28	1	1	4	6	10	12	23
35-49	928	6.2	40	1	2	4	8	12	16	35
50-64	1301	6.9	45	1	2	5	8	13	19	34
65+	2865	7.5	42	2	2	6	9	15	19	34
GRAND TOTAL	**6657**	**6.5**	**39**	**1**	**2**	**5**	**8**	**13**	**17**	**33**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	3.9	7	1	1	3	4	8	10	12
20-34	4	6.0	21	2	2	5	9	12	12	12
35-49	1	3.0		3	3	3	3	3	3	3
50-64	3	9.7	42	3	3	10	14	16	16	16
65+	11	6.5	26	1	2	5	8	13	19	20
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	2.0		2	2	2	2	2	2	2
35-49	3	5.3	33	2	2	2	10	12	12	12
50-64										
65+	7	9.7	90	2	2	7	15	26	28	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	88	8.7	102	2	2	6	9	18	29	89
20-34	39	12.3	245	3	3	7	15	23	55	74
35-49	72	8.5	28	2	3	7	11	16	19	24
50-64	156	10.4	53	3	3	8	14	21	24	31
65+	725	9.9	61	3	3	8	12	18	24	38
B. *Operated*										
0-19 YRS	13	15.0	248	2	3	8	19	43	49	50
20-34	13	13.8	133	4	6	9	16	33	43	45
35-49	38	13.9	137	2	3	12	17	28	30	64
50-64	60	19.1	207	4	5	16	26	35	40	78
65+	248	16.3	178	4	4	13	21	32	38	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	5.2	17	1	2	4	7	11	14	20
B. *Operated*	12	7.4	64	2	2	4	10	20	27	28
2. MULTIPLE DX										
A. *Not Operated*	1080	9.9	68	2	3	8	12	19	24	46
B. *Operated*	372	16.4	180	3	4	13	21	33	39	73
1. SINGLE DX	52	5.7	28	1	2	4	7	12	17	28
2. MULTIPLE DX	1452	11.5	104	3	3	9	14	23	29	59
A. NOT OPERATED	1120	9.7	67	2	3	8	12	19	24	45
B. OPERATED	384	16.1	178	3	4	13	21	32	39	72
TOTAL 0-19 YRS	123	8.5	107	2	2	5	9	16	35	80
20-34	57	12.0	201	2	3	7	14	24	43	74
35-49	114	10.2	71	2	3	8	13	19	25	42
50-64	219	12.8	109	3	4	9	18	25	32	51
65+	991	11.5	98	3	4	9	14	22	28	57
GRAND TOTAL	**1504**	**11.3**	**103**	**2**	**3**	**8**	**14**	**23**	**29**	**58**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	133	10.8	33	2	3	11	14	16	21	27
20-34	47	12.0	27	5	6	11	16	18	23	25
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	4	10.3	44	2	2	11	15	17	17	17
20-34	3	10.7	12	7	7	11	13	14	14	14
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	326	11.3	45	3	4	11	14	18	23	35
20-34	133	12.5	77	3	4	12	15	21	25	48
35-49	8	8.6	7	4	5	9	10	12	13	13
50-64										
65+										
B. *Operated*										
0-19 YRS	21	25.2	674	1	2	15	36	65	85	93
20-34	21	17.0	132	5	6	13	22	35	41	47
35-49	1	42.0		42	42	42	42	42	42	42
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	181	11.1	31	2	4	11	14	18	21	25
B. *Operated*	9	8.7	32	2	2	8	14	16	17	17
2. MULTIPLE DX										
A. *Not Operated*	467	11.6	54	3	4	11	14	19	24	36
B. *Operated*	43	21.6	411	2	4	15	27	49	64	93
1. SINGLE DX	190	11.0	32	2	3	11	14	17	21	25
2. MULTIPLE DX	510	12.4	91	3	4	11	15	21	28	54
A. NOT OPERATED	648	11.4	48	3	4	11	14	18	23	34
B. OPERATED	52	19.3	368	2	3	14	21	47	57	93
TOTAL 0-19 YRS	484	11.8	76	3	3	11	14	19	23	51
20-34	204	12.8	72	3	5	12	16	21	25	44
35-49	12	10.0	112	2	3	8	10	22	39	42
50-64										
65+										
GRAND TOTAL	**700**	**12.0**	**75**	**3**	**4**	**11**	**14**	**19**	**25**	**47**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	4.7	41	2	2	3	5	8	11	39
20-34	12	5.5	22	1	1	4	9	13	13	13
35-49	16	5.6	16	1	1	4	8	12	13	13
50-64	4	5.0	29	1	1	3	8	13	13	13
65+										
B. *Operated*										
0-19 YRS	12	7.7	5	5	5	7	9	11	12	12
20-34	237	7.0	4	4	5	7	8	10	10	13
35-49	163	7.6	6	4	5	7	9	11	12	14
50-64	22	7.8	5	5	5	7	9	11	12	12
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	5.2	30	2	2	3	6	9	19	28
20-34	39	5.4	43	1	1	3	7	12	30	99+
35-49	100	4.4	16	<1	1	3	6	9	14	18
50-64	58	6.7	72	1	1	5	7	11	18	54
65+	19	6.5	20	3	3	5	8	11	17	22
B. *Operated*										
0-19 YRS	19	7.6	9	2	4	7	10	12	13	13
20-34	517	8.6	22	5	6	8	9	11	14	27
35-49	776	9.1	27	5	6	8	10	12	16	32
50-64	186	10.0	37	5	6	9	11	16	19	34
65+	4	8.8	75	1	1	6	14	21	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	67	5.1	30	1	1	3	6	12	13	35
B. *Operated*	434	7.3	5	4	5	7	8	10	11	14
2. MULTIPLE DX										
A. *Not Operated*	246	5.4	36	1	1	4	7	10	15	36
B. *Operated*	1502	9.0	27	5	6	8	10	12	16	31
1. SINGLE DX	501	7.0	9	3	4	7	8	10	11	14
2. MULTIPLE DX	1748	8.5	29	2	5	8	10	12	16	32
A. NOT OPERATED	313	5.3	35	1	1	4	6	11	14	36
B. OPERATED	1936	8.6	22	5	5	8	9	11	14	29
TOTAL 0-19 YRS	96	5.8	28	2	2	5	7	10	12	34
20-34	805	7.9	19	4	5	7	9	11	13	27
35-49	1055	8.3	24	2	5	8	10	11	14	29
50-64	270	9.0	44	2	4	8	10	14	17	35
65+	23	6.9	27	2	3	5	8	14	21	22
GRAND TOTAL	**2249**	**8.2**	**25**	**2**	**4**	**7**	**9**	**11**	**14**	**29**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	168	3.0	7	<1	<1	2	4	6	8	15
20-34	66	4.2	12	<1	1	3	6	9	11	18
35-49	57	3.6	5	1	1	3	5	6	8	12
50-64	53	2.8	2	<1	1	3	4	5	6	7
65+	36	4.9	18	1	1	4	5	12	17	18
B. *Operated*										
0-19 YRS	51	5.0	37	<1	1	3	5	12	20	32
20-34	101	4.1	15	<1	1	3	6	9	13	15
35-49	96	4.3	22	<1	<1	3	6	8	11	27
50-64	50	4.4	12	1	1	4	6	9	12	16
65+	20	6.5	60	<1	1	4	6	16	27	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	316	4.4	34	<1	<1	3	5	9	11	33
20-34	215	5.8	27	<1	<1	4	8	13	15	27
35-49	327	5.2	28	<1	<1	4	7	12	15	29
50-64	334	7.3	47	<1	1	6	10	15	20	37
65+	494	8.2	32	2	3	7	10	16	19	29
B. *Operated*										
0-19 YRS	69	11.1	287	2	2	5	11	29	50	99
20-34	171	10.3	113	2	2	8	13	22	30	60
35-49	239	8.3	46	2	3	7	9	17	24	39
50-64	214	9.0	72	1	2	7	11	17	25	46
65+	246	11.4	106	2	3	9	15	21	31	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	380	3.4	8	<1	<1	3	4	6	9	16
B. *Operated*	318	4.5	23	<1	1	3	6	9	13	26
2. MULTIPLE DX										
A. *Not Operated*	1686	6.4	36	<1	1	5	8	14	18	30
B. *Operated*	939	9.8	98	2	2	7	12	20	29	58
1. SINGLE DX	698	3.9	15	<1	1	3	5	8	11	19
2. MULTIPLE DX	2625	7.7	61	<1	1	6	9	16	21	41
A. NOT OPERATED	2066	5.9	32	<1	1	4	8	13	16	29
B. OPERATED	1257	8.5	85	1	2	6	10	18	26	52
TOTAL 0-19 YRS	604	4.8	60	<1	<1	3	5	10	14	46
20-34	553	6.7	56	<1	1	5	8	14	19	36
35-49	719	6.0	34	<1	<1	4	8	12	17	34
50-64	651	7.3	52	<1	1	5	9	15	20	40
65+	796	9.0	58	2	3	7	11	18	23	40
GRAND TOTAL	**3323**	**6.9**	**54**	**<1**	**1**	**5**	**9**	**14**	**19**	**37**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	21	4.9	9	1	2	4	7	8	11	14
35-49	38	4.2	13	1	1	4	5	8	9	22
50-64	46	4.4	5	2	2	4	6	8	9	9
65+	44	4.0	4	1	2	4	5	7	7	8
B. *Operated*										
0-19 YRS										
20-34	1	12.0		12	12	12	12	12	12	12
35-49	7	3.9	9	1	1	3	6	9	9	9
50-64	10	6.4	32	2	2	5	8	15	20	20
65+	10	4.4	12	1	1	3	6	10	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	31	4.1	8	1	1	3	5	9	10	10
35-49	113	5.0	13	1	2	4	7	9	13	18
50-64	248	5.7	13	2	2	5	7	10	12	20
65+	592	6.3	18	2	2	5	8	12	14	23
B. *Operated*										
0-19 YRS										
20-34	6	6.8	9	3	3	7	7	12	12	12
35-49	22	4.2	7	<1	1	4	6	8	9	9
50-64	48	8.8	50	2	3	6	12	20	22	35
65+	87	10.4	58	3	3	8	14	21	28	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	149	4.3	7	1	2	4	5	8	9	14
B. *Operated*	28	5.3	20	1	2	4	7	11	14	20
2. MULTIPLE DX										
A. *Not Operated*	986	5.9	16	2	2	5	8	11	14	20
B. *Operated*	163	8.9	51	2	2	7	12	18	23	34
1. SINGLE DX	177	4.4	9	1	2	4	6	8	9	18
2. MULTIPLE DX	1149	6.4	22	2	2	5	8	12	15	25
A. NOT OPERATED	1135	5.7	15	2	2	5	7	10	13	20
B. OPERATED	191	8.4	48	2	2	6	10	18	22	33
TOTAL 0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	59	4.8	10	1	1	4	7	10	11	14
35-49	180	4.7	12	1	1	4	6	9	11	19
50-64	352	6.0	19	2	2	5	7	11	14	22
65+	733	6.6	24	2	2	5	8	13	16	27
GRAND TOTAL	**1326**	**6.1**	**21**	**2**	**2**	**5**	**8**	**11**	**14**	**23**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	149	2.6	3	1	1	2	3	5	6	10
20-34	51	3.1	6	1	1	2	4	6	9	15
35-49	46	4.0	7	1	1	3	5	8	9	12
50-64	66	4.0	8	1	2	3	5	7	9	18
65+	157	5.2	31	1	2	4	6	8	16	27
B. *Operated*										
0-19 YRS	2	.0	162	1	1	10	19	19	19	19
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	4	16.0	246	3	3	12	28	36	36	36
65+	4	20.5	666	3	3	10	37	58	58	58
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2816	3.4	7	1	1	3	4	6	8	13
20-34	1243	3.9	14	1	1	3	5	7	9	18
35-49	1331	4.9	18	1	2	4	6	9	12	20
50-64	2636	6.2	24	2	2	5	8	11	15	25
65+	11554	7.7	33	2	3	6	9	14	18	29
B. *Operated*										
0-19 YRS	65	10.8	208	1	1	6	12	32	60	99+
20-34	94	8.0	56	1	2	5	10	21	26	31
35-49	140	10.3	85	1	2	8	15	22	33	99+
50-64	317	13.6	130	2	3	10	16	27	37	60
65+	1125	15.1	114	4	5	12	19	29	38	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	469	3.8	15	1	1	3	5	7	9	20
B. *Operated*	11	15.3	324	1	2	4	20	45	57	58
2. MULTIPLE DX										
A. *Not Operated*	19580	6.5	29	2	2	5	8	12	16	27
B. *Operated*	1741	13.9	119	2	4	11	18	28	37	57
1. SINGLE DX	480	4.1	24	1	1	3	5	7	10	21
2. MULTIPLE DX	21321	7.1	40	2	2	5	9	14	19	32
A. NOT OPERATED	20049	6.4	28	1	2	5	8	12	16	27
B. OPERATED	1752	13.9	120	2	4	11	18	28	37	58
TOTAL 0-19 YRS	3032	3.5	13	1	1	3	4	6	8	15
20-34	1388	4.2	18	1	1	3	5	8	10	21
35-49	1518	5.4	27	1	2	4	7	10	14	30
50-64	3023	6.9	41	2	2	5	8	13	18	33
65+	12840	8.3	44	2	3	7	10	16	21	35
GRAND TOTAL	**21801**	**7.0**	**40**	**2**	**2**	**5**	**9**	**14**	**18**	**32**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	61	3.5	5	1	1	3	5	7	8	11
20-34	36	4.1	8	1	1	4	6	8	9	12
35-49	37	3.6	8	1	1	3	4	7	11	13
50-64	33	5.3	9	1	1	5	7	10	10	13
65+	91	4.3	9	1	1	4	5	9	11	14
B. *Operated*										
0-19 YRS	7	4.6	5	1	1	4	6	8	8	8
20-34	8	4.8	3	2	2	5	6	7	7	7
35-49	14	6.6	14	1	2	6	9	11	14	15
50-64	12	5.9	19	3	3	5	6	11	18	19
65+	15	7.3	16	2	2	6	9	12	16	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	130	4.3	8	1	1	3	6	8	10	14
20-34	133	4.8	13	1	1	4	6	8	12	18
35-49	287	5.2	14	1	2	4	7	9	11	22
50-64	429	5.9	15	1	2	5	7	10	13	19
65+	2075	6.2	19	2	2	5	8	11	15	21
B. *Operated*										
0-19 YRS	25	5.8	10	1	2	6	8	11	11	12
20-34	63	5.8	14	2	2	5	7	11	13	19
35-49	170	7.6	31	2	3	7	9	13	17	32
50-64	223	9.3	53	3	4	8	11	17	21	32
65+	817	10.0	46	3	4	8	12	18	22	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	258	4.1	8	1	1	3	5	8	10	13
B. *Operated*	56	6.1	13	2	2	5	8	10	14	19
2. MULTIPLE DX										
A. *Not Operated*	3054	5.9	17	1	2	5	7	11	14	21
B. *Operated*	1298	9.3	45	3	3	8	11	17	21	34
1. SINGLE DX	314	4.5	9	1	1	4	6	9	10	15
2. MULTIPLE DX	4352	6.9	28	2	2	6	9	13	17	27
A. NOT OPERATED	3312	5.8	17	1	2	5	7	11	14	20
B. OPERATED	1354	9.2	44	3	3	8	11	17	21	34
TOTAL 0-19 YRS	223	4.2	8	1	1	3	6	8	10	13
20-34	240	4.9	12	1	2	4	6	9	12	17
35-49	508	5.9	21	2	2	5	7	10	14	21
50-64	697	6.9	29	2	2	6	8	13	17	25
65+	2998	7.2	29	2	2	6	9	14	17	28
GRAND TOTAL	**4666**	**6.8**	**27**	**1**	**2**	**6**	**8**	**13**	**16**	**27**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	705	4.0	6	1	1	3	5	7	9	14
20-34	737	6.2	23	1	2	5	8	11	14	25
35-49	125	6.3	12	2	3	6	8	10	13	19
50-64	8	6.8	25	2	2	5	10	15	15	15
65+	2	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	3	8.0	1	7	7	8	9	9	9	9
20-34	22	10.4	30	2	3	11	15	17	19	21
35-49	2	6.5	25	3	3	6	10	10	10	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	627	5.9	31	1	2	5	7	10	14	25
20-34	1050	7.5	33	2	3	6	9	14	18	30
35-49	236	8.0	29	2	3	7	10	16	17	24
50-64	21	7.6	19	2	3	7	9	14	18	19
65+	9	5.8	7	2	2	6	8	9	9	9
B. *Operated*										
0-19 YRS	20	12.3	68	4	4	11	16	21	30	38
20-34	101	13.4	77	2	4	11	18	25	29	47
35-49	24	10.2	136	3	3	8	12	14	29	62
50-64	6	11.0	123	3	3	7	10	31	33	33
65+	1	58.0		58	58	58	58	58	58	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1577	5.2	16	1	2	4	6	9	12	19
B. *Operated*	27	9.8	26	2	3	10	14	16	18	21
2. MULTIPLE DX										
A. *Not Operated*	1943	7.0	32	2	2	6	9	13	17	28
B. *Operated*	152	12.9	100	3	4	10	16	25	31	58
1. SINGLE DX	1604	5.3	16	1	2	4	7	10	12	20
2. MULTIPLE DX	2095	7.5	39	2	2	6	9	14	18	31
A. NOT OPERATED	3520	6.2	26	1	2	5	8	11	15	25
B. OPERATED	179	12.5	90	3	4	10	16	23	29	57
TOTAL 0-19 YRS	1355	5.0	20	1	2	4	6	9	12	22
20-34	1910	7.3	34	2	2	6	9	14	18	30
35-49	387	7.6	31	2	3	6	9	14	17	24
50-64	35	8.0	36	2	3	6	9	15	18	33
65+	12	9.7	238	2	2	5	8	24	53	58
GRAND TOTAL	**3699**	**6.5**	**31**	**1**	**2**	**5**	**8**	**12**	**16**	**28**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	170	2.7	10	<1	<1	1	3	6	10	18
20-34	65	3.4	11	<1	<1	2	4	8	10	16
35-49	43	3.6	6	<1	1	3	5	7	9	9
50-64	71	4.0	12	<1	1	3	6	10	12	14
65+	309	3.5	32	1	1	2	4	6	9	28
B. *Operated*										
0-19 YRS	71	4.5	9	1	2	4	6	7	10	19
20-34	16	6.5	16	2	2	6	8	11	15	17
35-49	38	9.1	106	1	2	7	10	17	24	61
50-64	37	5.7	16	1	1	6	7	11	13	21
65+	67	7.1	32	2	2	6	9	12	17	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	358	3.9	27	<1	1	2	5	8	11	26
20-34	232	4.5	21	<1	1	3	6	10	13	25
35-49	415	4.4	24	1	1	3	6	9	12	24
50-64	939	5.1	25	1	1	4	7	11	14	23
65+	3797	5.6	25	1	1	4	8	11	14	24
B. *Operated*										
0-19 YRS	98	7.9	82	1	1	5	9	16	22	55
20-34	108	9.6	82	2	3	8	11	17	23	80
35-49	201	9.4	57	2	3	7	12	18	22	33
50-64	390	10.7	74	2	3	8	13	22	25	48
65+	1256	10.3	60	3	4	8	13	20	24	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	658	3.4	20	<1	1	2	4	7	10	17
B. *Operated*	229	6.4	35	1	2	5	8	11	17	28
2. MULTIPLE DX										
A. *Not Operated*	5741	5.3	25	1	1	4	7	11	14	24
B. *Operated*	2053	10.2	65	2	3	8	13	20	24	42
1. SINGLE DX	887	4.1	26	<1	1	3	5	9	11	21
2. MULTIPLE DX	7794	6.6	40	1	1	5	8	13	18	30
A. NOT OPERATED	6399	5.1	25	1	1	4	7	10	13	24
B. OPERATED	2282	9.8	63	2	3	8	12	19	24	42
TOTAL 0-19 YRS	697	4.3	31	<1	1	3	5	9	12	29
20-34	421	5.7	40	<1	1	4	8	12	16	29
35-49	697	6.1	42	1	1	4	7	13	18	31
50-64	1437	6.6	44	1	1	5	8	14	18	32
65+	5429	6.6	38	1	1	5	9	13	17	30
GRAND TOTAL	**8681**	**6.3**	**39**	**1**	**1**	**5**	**8**	**13**	**17**	**30**

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	26	3.3	6	1	1	2	4	7	8	10
20-34	13	4.1	3	2	2	4	5	6	7	7
35-49	4	5.5	40	2	2	3	9	15	15	15
50-64	1	7.0		7	7	7	7	7	7	7
65+										
B. Operated										
0-19 YRS										
20-34	5	5.4	15	2	2	5	7	12	12	12
35-49										
50-64	1	4.0		4	4	4	4	4	4	4
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	81	4.0	28	<1	1	2	4	9	12	33
20-34	21	4.8	15	1	1	3	6	11	13	15
35-49	10	11.3	213	1	1	4	15	37	43	43
50-64	4	8.8	32	3	3	8	13	16	16	16
65+	3	4.7	1	4	4	4	6	6	6	6
B. Operated										
0-19 YRS	6	30.8	953	7	8	18	38	85	90	90
20-34	6	8.3	25	3	3	7	10	16	17	17
35-49	1	7.0		7	7	7	7	7	7	7
50-64	3	15.7	561	1	1	3	33	43	43	43
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	44	3.8	8	1	1	3	5	7	9	15
B. Operated	6	5.2	13	2	2	4	5	11	12	12
2. MULTIPLE DX										
A. Not Operated	119	5.0	43	<1	1	3	6	11	15	41
B. Operated	16	18.1	513	2	3	9	19	42	76	90
1. SINGLE DX	50	4.0	8	1	1	3	5	7	10	15
2. MULTIPLE DX	135	6.5	114	1	1	3	7	15	21	50
A. NOT OPERATED	163	4.7	34	1	1	3	5	10	15	39
B. OPERATED	22	14.5	404	2	2	7	15	39	62	90
TOTAL 0-19 YRS	113	5.3	101	<1	1	3	5	11	15	58
20-34	45	5.1	14	1	2	4	6	10	13	17
35-49	15	9.5	153	1	2	4	13	32	40	43
50-64	9	10.3	171	1	2	6	11	32	43	43
65+	3	4.7	1	4	4	4	6	6	6	6
GRAND TOTAL	**185**	**5.8**	**86**	**1**	**1**	**3**	**6**	**12**	**16**	**43**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	347	3.3	6	1	1	3	4	6	8	14
20-34	44	3.7	6	<1	1	3	5	7	9	12
35-49	98	3.4	16	1	1	1	4	9	12	19
50-64	50	3.7	8	1	1	3	5	7	9	16
65+	31	4.4	11	1	1	4	6	9	13	13
B. Operated										
0-19 YRS	170	4.7	9	1	2	4	6	8	10	16
20-34	99	5.7	9	2	2	5	7	9	10	18
35-49	50	6.0	23	1	2	5	7	12	15	27
50-64	60	7.1	17	2	3	6	9	12	16	21
65+	56	7.2	21	1	2	6	10	13	17	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	487	4.5	16	1	1	3	5	9	12	21
20-34	206	5.0	15	1	1	4	6	10	12	22
35-49	287	6.5	26	1	2	5	9	13	15	28
50-64	570	6.2	21	1	2	5	8	12	14	23
65+	1090	6.7	34	1	2	5	9	13	16	30
B. Operated										
0-19 YRS	131	8.7	132	1	2	5	9	19	32	64
20-34	158	9.4	53	2	3	7	11	19	24	37
35-49	177	8.7	40	2	3	8	11	16	21	33
50-64	344	11.7	89	2	3	9	15	25	33	46
65+	716	12.0	86	3	4	9	15	24	31	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	570	3.4	8	1	1	3	4	7	9	16
B. Operated	435	5.7	14	1	2	5	7	10	13	20
2. MULTIPLE DX										
A. Not Operated	2640	6.0	26	1	1	5	8	12	15	27
B. Operated	1526	11.0	83	2	3	8	13	22	30	46
1. SINGLE DX	1005	4.4	12	1	1	4	6	9	11	17
2. MULTIPLE DX	4166	7.8	53	1	2	6	10	16	22	37
A. NOT OPERATED	3210	5.6	24	1	1	4	7	11	14	24
B. OPERATED	1961	9.8	73	2	3	7	12	20	28	45
TOTAL 0-19 YRS	1135	4.6	28	1	1	3	5	8	11	27
20-34	507	6.4	29	1	2	5	8	12	17	29
35-49	612	6.6	31	1	1	5	9	14	16	27
50-64	1024	8.0	50	1	2	6	10	16	22	37
65+	1893	8.7	60	1	2	7	11	17	24	39
GRAND TOTAL	**5171**	**7.2**	**47**	**1**	**2**	**5**	**9**	**15**	**19**	**36**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1214	2.1	2	1	1	2	3	4	5	7
20-34	224	1.9	1	1	1	2	2	3	4	6
35-49	47	2.3	1	1	1	2	3	4	4	6
50-64	5	2.8	1	1	1	3	3	4	4	4
65+	3	2.3	2	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	436	3.6	3	2	2	3	4	5	6	8
20-34	139	4.3	19	2	2	4	5	6	7	19
35-49	17	4.6	11	2	2	4	5	9	13	15
50-64	4	5.8	2	4	4	6	7	7	7	7
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	794	2.8	4	1	1	2	3	5	6	10
20-34	151	2.7	3	1	1	2	4	5	6	8
35-49	47	3.4	2	1	1	3	4	5	6	8
50-64	14	3.9	8	2	2	3	6	7	11	12
65+	9	4.9	3	2	3	5	6	7	8	8
B. *Operated*										
0-19 YRS	240	4.4	3	2	3	4	5	7	8	11
20-34	112	4.8	6	2	3	4	6	8	9	14
35-49	18	5.3	4	2	3	5	7	8	9	9
50-64	4	6.5	4	4	4	6	8	9	9	9
65+	6	12.3	72	5	5	9	16	27	28	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1493	2.1	2	1	1	2	3	4	5	6
B. *Operated*	596	3.8	7	2	2	3	4	6	6	9
2. MULTIPLE DX										
A. *Not Operated*	1015	2.8	4	1	1	2	4	5	6	10
B. *Operated*	380	4.7	6	2	3	4	6	7	9	13
1. SINGLE DX	2089	2.6	4	1	1	2	3	5	5	7
2. MULTIPLE DX	1395	3.3	5	1	1	3	4	6	7	11
A. NOT OPERATED	2508	2.4	3	1	1	2	3	4	5	8
B. OPERATED	976	4.1	7	2	2	4	5	6	7	13
TOTAL 0-19 YRS	2684	2.7	3	1	1	2	3	5	6	9
20-34	626	3.2	8	1	1	3	4	5	7	11
35-49	129	3.4	4	1	1	3	4	6	7	11
50-64	27	4.4	6	1	2	4	6	7	9	12
65+	18	6.9	39	1	2	5	8	14	23	28
GRAND TOTAL	**3484**	**2.9**	**4**	**1**	**1**	**2**	**4**	**5**	**6**	**9**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	227	4.4	6	1	2	4	5	7	9	14
20-34	27	4.0	5	1	1	3	5	7	8	9
35-49	8	3.5	6	1	1	3	5	7	8	8
50-64	3	4.7	12	1	1	5	7	8	8	8
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	99	3.3	8	<1	1	2	4	7	9	14
20-34	67	3.2	7	<1	1	2	4	7	9	12
35-49	35	4.3	21	1	1	3	6	8	17	20
50-64	15	3.6	6	<1	2	3	5	8	9	9
65+	6	2.8	5	1	1	2	3	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	233	4.4	7	1	2	4	5	7	9	14
20-34	40	5.3	15	1	2	4	6	9	13	21
35-49	17	4.9	9	2	2	4	6	10	12	13
50-64	12	5.2	7	1	2	5	7	9	10	10
65+	15	7.0	20	3	4	6	8	11	18	21
B. *Operated*										
0-19 YRS	77	4.1	11	<1	1	3	6	9	11	15
20-34	38	4.7	14	<1	1	4	7	11	12	15
35-49	44	5.6	20	1	2	4	7	10	15	22
50-64	29	6.6	29	2	2	5	8	15	18	24
65+	34	7.7	54	1	2	5	10	23	25	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	266	4.3	6	1	2	4	5	7	8	13
B. *Operated*	222	3.4	9	<1	1	2	4	7	9	16
2. MULTIPLE DX										
A. *Not Operated*	317	4.7	9	1	2	4	6	8	10	18
B. *Operated*	222	5.4	23	1	1	4	7	11	15	24
1. SINGLE DX	488	3.9	8	1	1	3	5	7	9	15
2. MULTIPLE DX	539	5.0	15	1	1	4	6	9	12	22
A. NOT OPERATED	583	4.5	8	1	2	4	6	8	9	16
B. OPERATED	444	4.4	17	<1	1	3	6	9	12	23
TOTAL 0-19 YRS	636	4.2	7	1	1	4	5	7	9	14
20-34	172	4.2	10	1	1	3	5	9	11	16
35-49	104	4.9	18	1	1	4	6	9	13	21
50-64	59	5.5	19	1	2	4	7	10	15	23
65+	56	6.9	40	1	2	5	8	19	24	26
GRAND TOTAL	**1027**	**4.5**	**12**	**1**	**1**	**4**	**6**	**8**	**11**	**20**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	12.7	262	<1	<1	5	19	40	50	52
20-34	25	11.9	161	<1	1	7	21	27	43	45
35-49	9	6.4	34	1	1	5	7	16	20	20
50-64	14	14.5	593	1	2	6	14	31	82	96
65+	31	7.6	58	<1	1	5	11	22	23	26
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	24.0		24	24	24	24	24	24	24
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	7.3	121	<1	1	3	6	20	35	42
20-34	77	12.9	179	1	1	8	18	26	38	71
35-49	67	13.9	172	<1	2	10	20	29	34	65
50-64	101	11.7	173	1	2	7	17	30	38	92
65+	386	8.5	53	2	2	6	11	17	22	42
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	33.5	1013	11	11	33	56	56	56	56
35-49	5	16.4	259	4	4	9	26	43	43	43
50-64	15	10.1	88	2	3	7	10	25	34	37
65+	29	18.2	413	2	4	12	19	44	72	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	92	10.4	192	<1	1	5	15	23	36	77
B. *Operated*	1	24.0		24	24	24	24	24	24	24
2. MULTIPLE DX										
A. *Not Operated*	647	10.0	105	1	2	7	13	22	29	54
B. *Operated*	52	15.9	321	2	3	9	17	43	55	84
1. SINGLE DX	93	10.6	192	<1	1	5	17	24	35	77
2. MULTIPLE DX	699	10.5	123	1	2	7	13	23	31	56
A. NOT OPERATED	739	10.1	115	1	2	6	13	23	29	54
B. OPERATED	53	16.1	316	2	3	9	18	43	54	84
TOTAL 0-19 YRS	30	9.4	181	<1	1	3	17	29	42	52
20-34	104	13.1	188	1	1	8	19	27	43	66
35-49	82	13.3	164	1	2	9	20	28	36	64
50-64	130	11.8	205	1	2	7	15	28	37	97
65+	446	9.0	82	2	2	6	12	18	25	45
GRAND TOTAL	**792**	**10.5**	**131**	**1**	**2**	**7**	**13**	**23**	**31**	**57**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	216	2.5	30	1	1	2	3	4	6	24
20-34	166	3.9	12	1	1	3	5	7	10	21
35-49	99	6.1	63	1	2	3	6	13	21	46
50-64	79	10.1	105	1	2	5	15	24	26	52
65+	397	9.4	69	1	2	7	13	19	27	42
B. *Operated*										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	5	5.0	3	3	3	5	6	7	7	7
35-49	2	2.0	2	<1	<1	1	3	3	3	3
50-64	5	4.6	41	1	1	2	6	16	16	16
65+	11	8.8	175	1	2	5	7	25	46	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	313	5.1	100	1	1	3	4	8	18	86
20-34	618	7.4	63	1	2	5	9	15	21	52
35-49	389	8.8	84	2	2	6	10	19	26	52
50-64	444	10.1	82	2	2	7	12	23	30	41
65+	3497	9.6	66	2	3	7	12	19	26	41
B. *Operated*										
0-19 YRS	27	4.3	15	1	1	3	5	10	11	17
20-34	41	9.7	88	2	3	7	12	23	36	99+
35-49	39	12.7	117	2	3	10	18	32	43	99+
50-64	66	13.3	104	2	2	12	17	22	24	64
65+	327	15.1	114	3	5	13	19	30	37	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	957	6.6	62	1	1	4	8	15	22	40
B. *Operated*	26	6.0	84	1	1	4	7	9	22	48
2. MULTIPLE DX										
A. *Not Operated*	5261	9.1	72	2	2	7	11	18	26	43
B. *Operated*	500	13.7	112	2	3	11	18	26	36	61
1. SINGLE DX	983	6.6	62	1	1	4	8	15	22	41
2. MULTIPLE DX	5761	9.5	77	2	2	7	12	20	27	45
A. NOT OPERATED	6218	8.7	71	1	2	6	11	18	25	42
B. OPERATED	526	13.3	114	2	3	11	18	26	36	58
TOTAL 0-19 YRS	559	4.0	70	1	1	2	4	7	10	63
20-34	830	6.8	56	1	2	5	8	13	21	51
35-49	529	8.6	85	1	2	6	10	20	27	58
50-64	594	10.4	88	2	2	8	14	23	29	43
65+	4232	10.0	72	2	3	8	13	20	27	43
GRAND TOTAL	**6744**	**9.0**	**76**	**1**	**2**	**7**	**11**	**19**	**26**	**45**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	13	12.5	54	3	4	11	19	23	24	24
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	36.0		36	36	36	36	36	36	36
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	29.0		29	29	29	29	29	29	29
50-64	19	15.4	214	3	4	12	17	37	51	60
65+	264	9.7	64	2	3	7	12	18	25	40
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	9	11.6	103	3	3	5	17	28	28	28
65+	31	16.4	196	3	4	12	21	30	41	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	12.5	54	3	4	11	19	23	24	24
B. *Operated*	1	36.0		36	36	36	36	36	36	36
2. MULTIPLE DX										
A. *Not Operated*	284	10.1	76	2	3	8	12	18	26	46
B. *Operated*	40	15.3	176	3	4	12	21	28	37	72
1. SINGLE DX	14	14.2	89	3	4	13	19	25	34	36
2. MULTIPLE DX	324	10.8	91	2	3	8	13	22	29	52
A. NOT OPERATED	297	10.2	76	2	3	8	13	19	26	45
B. OPERATED	41	15.8	182	3	4	12	22	30	38	72
TOTAL 0-19 YRS										
20-34										
35-49	1	29.0		29	29	29	29	29	29	29
50-64	29	14.9	187	3	4	12	18	34	42	60
65+	308	10.5	80	2	3	8	13	21	27	44
GRAND TOTAL	**338**	**10.9**	**91**	**2**	**3**	**8**	**13**	**23**	**29**	**50**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7	1	<1	<1	1	2	3	3	3
20-34	75	3.3	6	1	1	3	4	6	7	15
35-49	81	3.3	11	1	1	3	4	6	7	22
50-64	51	4.7	29	1	1	3	5	8	10	31
65+	23	5.1	23	<1	<1	4	7	12	17	18
B. *Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64	1	9.0		9	9	9	9	9	9	9
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	9.7	199	<1	1	4	10	27	49	57
20-34	619	6.9	56	1	2	4	8	19	24	32
35-49	933	6.5	37	1	2	4	8	14	20	33
50-64	759	7.6	55	2	2	5	9	16	22	39
65+	333	9.1	57	2	3	7	12	17	24	43
B. *Operated*										
0-19 YRS										
20-34	19	11.6	74	4	4	9	15	25	31	35
35-49	44	14.6	128	3	4	12	19	29	41	51
50-64	48	16.2	172	3	4	12	22	34	42	60
65+	30	18.2	129	4	5	15	29	36	43	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	233	3.8	15	1	1	3	5	6	8	27
B. *Operated*	2	5.5	25	2	2	5	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	2668	7.3	51	1	2	5	8	16	22	36
B. *Operated*	141	15.5	138	3	4	12	21	33	40	63
1. SINGLE DX	235	3.8	15	1	1	3	5	7	9	27
2. MULTIPLE DX	2809	7.7	59	1	2	5	9	17	24	38
A. NOT OPERATED	2901	7.0	49	1	2	5	8	15	22	35
B. OPERATED	143	15.4	137	3	4	12	21	33	40	62
TOTAL 0-19 YRS	27	8.8	183	<1	<1	3	10	24	47	57
20-34	714	6.7	53	1	1	4	7	18	23	33
35-49	1058	6.6	42	1	2	4	8	15	21	34
50-64	859	7.9	64	2	2	5	9	17	25	40
65+	386	9.6	67	2	3	7	12	19	28	44
GRAND TOTAL	**3044**	**7.4**	**56**	**1**	**2**	**5**	**9**	**17**	**23**	**37**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	10.8	183	1	1	6	13	33	43	52
20-34	50	5.4	35	1	1	3	7	15	17	29
35-49	22	7.8	169	<1	<1	3	7	19	41	58
50-64	10	9.1	111	1	1	4	16	26	34	34
65+	17	4.2	6	1	1	4	5	9	10	10
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54	13.9	222	2	2	9	18	37	48	68
20-34	183	7.6	56	1	2	5	10	17	25	34
35-49	99	7.9	53	1	1	6	10	16	24	37
50-64	83	7.4	46	1	2	4	10	15	22	33
65+	269	7.7	29	2	2	6	10	14	20	30
B. *Operated*										
0-19 YRS	3	14.0	124	4	4	12	22	26	26	26
20-34	8	11.3	128	2	2	8	16	30	34	34
35-49	2	7.0	2	6	6	8	77	99+	99+	99+
50-64	8	12.1	137	2	3	9	11	32	40	40
65+	18	8.6	19	3	4	8	12	15	17	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	126	7.1	95	1	1	4	7	17	29	53
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	688	8.2	59	1	2	6	10	17	23	39
B. *Operated*	39	10.2	68	2	3	8	12	24	37	99+
1. SINGLE DX	126	7.1	95	1	1	4	7	17	29	53
2. MULTIPLE DX	727	8.3	60	1	2	6	11	17	24	41
A. NOT OPERATED	814	8.0	65	1	2	5	10	17	24	41
B. OPERATED	39	10.2	68	2	3	8	12	24	37	99+
TOTAL 0-19 YRS	84	12.9	204	1	2	8	17	35	44	63
20-34	241	7.3	55	1	1	5	9	17	24	34
35-49	123	7.9	72	1	1	5	10	16	25	69
50-64	101	8.0	59	1	2	5	10	17	23	37
65+	304	7.6	28	2	2	6	10	14	18	28
GRAND TOTAL	**853**	**8.1**	**65**	**1**	**2**	**6**	**10**	**17**	**24**	**42**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	64	20.7	261	1	2	18	31	46	92	99+
20-34	1385	15.4	163	1	3	13	21	32	40	65
35-49	691	15.2	138	1	3	13	20	30	39	58
50-64	240	16.7	171	3	4	14	22	31	43	66
65+	74	15.4	108	2	4	14	20	32	33	52
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	1	11.0		11	11	11	11	11	11	11
35-49	3	20.7	180	11	11	15	31	36	36	36
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	22.7	270	4	6	21	32	48	64	99+
20-34	910	17.6	201	2	4	14	23	35	45	76
35-49	598	16.3	146	2	3	14	22	31	40	55
50-64	315	18.0	153	4	5	15	24	34	42	57
65+	170	16.8	177	3	4	14	21	31	39	71
B. *Operated*										
0-19 YRS	2	9.0	50	4	4	9	14	14	14	14
20-34	31	20.9	96	8	10	18	29	37	38	41
35-49	32	25.5	149	11	12	22	33	48	51	51
50-64	26	23.0	140	8	11	21	27	38	47	58
65+	19	27.9	318	9	9	22	43	56	62	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2454	15.6	158	1	3	13	21	32	40	64
B. *Operated*	5	16.8	118	11	11	11	20	36	36	36
2. MULTIPLE DX										
A. *Not Operated*	2043	17.3	178	2	4	14	23	34	43	70
B. *Operated*	110	23.7	164	9	11	21	31	42	49	62
1. SINGLE DX	2459	15.6	158	1	3	13	21	32	40	64
2. MULTIPLE DX	2153	17.7	179	3	4	14	24	34	44	70
A. NOT OPERATED	4497	16.4	168	2	3	14	22	33	42	67
B. OPERATED	115	23.4	163	9	11	20	31	42	49	62
TOTAL 0-19 YRS	117	21.3	261	2	4	18	32	46	67	99+
20-34	2327	16.3	178	2	3	13	22	33	42	70
35-49	1324	16.0	144	2	3	14	21	31	39	57
50-64	581	17.7	161	3	5	15	23	34	43	59
65+	263	17.2	175	3	4	14	22	33	42	66
GRAND TOTAL	**4612**	**16.6**	**169**	**2**	**3**	**14**	**22**	**33**	**42**	**66**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	27.8	372	3	4	25	43	51	61	75
20-34	58	16.9	179	3	4	14	24	30	41	67
35-49	26	15.5	128	3	4	10	25	35	39	40
50-64	8	17.0	290	2	3	10	28	45	48	48
65+	2	26.0	128	18	18	26	34	34	34	34
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	27.9	359	6	11	24	42	69	89	99+
20-34	78	16.7	160	2	3	15	23	33	42	61
35-49	30	20.0	110	4	8	20	27	36	37	39
50-64	14	11.4	45	1	3	11	16	20	22	22
65+	11	13.2	79	4	5	9	18	26	33	34
B. *Operated*										
0-19 YRS										
20-34	3	24.7	22	21	21	23	28	30	30	30
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	130	19.8	248	3	4	14	28	43	48	69
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	150	17.9	171	2	4	16	24	35	43	72
B. *Operated*	3	24.7	22	21	21	23	28	30	30	30
1. SINGLE DX	130	19.8	248	3	4	14	28	43	48	69
2. MULTIPLE DX	153	18.0	168	2	4	16	24	35	43	72
A. NOT OPERATED	280	18.8	207	3	4	15	26	39	47	70
B. OPERATED	3	24.7	22	21	21	23	28	30	30	30
TOTAL 0-19 YRS	53	27.8	361	4	6	25	43	54	71	99
20-34	139	17.0	165	2	4	14	23	32	42	63
35-49	56	17.9	121	3	6	15	25	36	38	40
50-64	22	13.4	132	2	3	11	17	26	41	48
65+	13	15.2	100	4	5	14	19	34	34	34
GRAND TOTAL	**283**	**18.8**	**205**	**3**	**4**	**15**	**26**	**39**	**47**	**70**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	252	23.5	416	3	5	19	33	55	73	99+
20-34	2152	15.0	165	1	3	12	20	32	42	63
35-49	1125	14.5	146	2	3	12	20	30	37	68
50-64	471	15.6	168	2	3	13	20	29	39	69
65+	91	17.0	214	2	3	13	22	37	48	69
B. *Operated*										
0-19 YRS										
20-34	6	16.5	303	2	3	11	14	47	51	51
35-49	3	36.0	769	4	4	51	52	53	53	53
50-64	2	19.0	50	14	14	19	24	24	24	24
65+	3	18.0	91	8	8	19	25	27	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	192	25.0	356	3	5	21	35	55	71	99+
20-34	1743	17.6	198	2	4	14	23	37	47	68
35-49	1252	16.7	173	3	4	13	21	32	41	67
50-64	818	16.4	152	3	4	13	21	32	40	68
65+	328	17.0	177	3	5	13	22	33	42	65
B. *Operated*										
0-19 YRS	10	31.1	611	12	12	22	44	68	92	92
20-34	85	23.6	260	7	8	18	30	49	63	72
35-49	88	21.6	151	8	9	19	28	39	52	87
50-64	55	28.1	356	10	11	21	35	61	68	89
65+	34	26.3	340	8	9	20	36	47	60	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4091	15.5	181	1	3	12	20	33	43	69
B. *Operated*	14	21.4	316	2	4	14	27	51	53	53
2. MULTIPLE DX										
A. *Not Operated*	4333	17.4	190	3	4	14	23	35	46	70
B. *Operated*	272	24.5	269	8	9	20	30	47	63	92
1. SINGLE DX	4105	15.5	182	1	3	12	20	33	43	69
2. MULTIPLE DX	4605	17.8	198	3	4	14	23	36	47	74
A. NOT OPERATED	8424	16.5	187	2	3	13	21	34	45	70
B. OPERATED	286	24.3	271	8	9	19	30	49	52	91
TOTAL 0-19 YRS	454	24.3	394	3	5	20	35	55	73	99+
20-34	3986	16.3	185	2	3	13	21	35	45	66
35-49	2468	15.9	163	2	4	13	21	32	41	67
50-64	1346	16.6	171	3	4	13	21	32	41	72
65+	456	17.7	201	3	5	14	23	36	47	67
GRAND TOTAL	**8710**	**16.7**	**191**	**2**	**4**	**13**	**22**	**35**	**45**	**70**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	31.3	609	2	5	27	47	90	97	99+
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	33.3	621	3	5	34	71	99+	99+	99+
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	31.3	609	2	5	27	47	90	97	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	31	33.3	621	3	5	34	71	99+	99+	99+
B. *Operated*										
1. SINGLE DX	38	31.3	609	2	5	27	47	90	97	99+
2. MULTIPLE DX	31	33.3	621	3	6	36	74	99+	99+	99+
A. NOT OPERATED	69	32.2	606	2	5	30	55	99	99+	99+
B. OPERATED										
TOTAL 0-19 YRS	69	32.2	606	2	5	31	60	99+	99+	99+
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**69**	**32.2**	**606**	**2**	**5**	**31**	**60**	**99+**	**99+**	**99+**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	343	23.4	408	2	3	18	33	59	75	99+
20-34	1487	13.8	136	1	2	11	19	29	37	55
35-49	1489	15.3	153	2	3	12	21	31	40	57
50-64	1076	17.9	186	2	3	16	24	36	44	71
65+	765	20.5	201	3	5	18	27	40	49	76
B. *Operated*										
0-19 YRS	4	12.0	24	6	6	12	15	18	18	18
20-34	7	23.9	160	11	11	25	31	42	45	45
35-49	8	26.0	139	9	10	31	36	37	37	37
50-64	7	28.3	296	12	12	18	46	50	50	50
65+	3	20.3	72	14	14	17	27	30	30	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	662	25.5	459	2	3	21	40	66	86	99+
20-34	2717	15.6	175	2	3	12	21	34	42	80
35-49	2949	16.6	165	2	4	14	23	34	43	70
50-64	2485	18.3	177	3	5	15	25	36	44	64
65+	2712	19.6	223	3	4	16	27	39	50	76
B. *Operated*										
0-19 YRS	24	32.4	474	6	8	30	41	65	74	85
20-34	184	21.7	265	3	7	17	29	45	66	99+
35-49	238	24.0	243	7	9	19	32	45	53	76
50-64	215	27.4	257	7	10	24	36	48	56	95
65+	224	27.9	343	7	8	24	38	55	71	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5160	16.7	187	2	3	14	23	35	44	71
B. *Operated*	29	23.5	168	9	11	18	33	43	48	50
2. MULTIPLE DX										
A. *Not Operated*	11525	18.0	206	3	4	14	25	37	47	80
B. *Operated*	885	25.6	288	7	8	21	34	48	63	98
1. SINGLE DX	5189	16.8	187	2	3	14	23	35	44	71
2. MULTIPLE DX	12410	18.5	216	3	4	15	25	38	49	83
A. NOT OPERATED	16685	17.6	201	2	4	14	24	36	46	77
B. OPERATED	914	25.5	285	7	9	21	34	48	63	98
TOTAL 0-19 YRS	1033	24.9	443	2	3	20	39	64	82	99+
20-34	4395	15.2	168	2	3	12	21	32	41	73
35-49	4684	16.6	169	2	3	14	23	34	43	66
50-64	3783	18.7	189	3	4	16	25	37	45	69
65+	3704	20.3	229	3	5	17	28	40	51	78
GRAND TOTAL	**17599**	**18.0**	**208**	**2**	**4**	**15**	**25**	**37**	**47**	**78**

594 Hospitals, North Central Region, January-December 1984

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	220	22.4	394	2	3	16	33	56	75	99+
20-34	1291	14.2	141	2	3	11	19	29	37	64
35-49	1011	14.8	127	2	4	12	20	30	37	61
50-64	584	16.8	146	3	5	15	22	31	39	64
65+	204	20.4	170	3	6	18	28	36	47	61
B. *Operated*										
0-19 YRS	1	50.0		50	50	50	50	50	50	50
20-34	2	30.0	18	27	27	30	33	33	33	33
35-49	4	20.0	170	7	7	19	31	34	34	34
50-64	8	26.1	678	5	6	13	38	70	82	82
65+	4	22.3	211	14	14	15	30	44	44	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	315	24.0	427	2	4	19	34	54	77	99+
20-34	1435	16.8	193	2	4	14	22	35	44	72
35-49	1320	16.7	167	3	4	13	22	33	42	63
50-64	1006	18.2	163	4	5	15	25	35	42	68
65+	588	18.8	169	3	5	16	25	37	45	60
B. *Operated*										
0-19 YRS	10	25.2	220	7	7	20	39	45	49	49
20-34	71	23.2	246	5	7	19	32	45	58	70
35-49	86	24.7	268	5	9	20	30	42	57	88
50-64	88	25.1	194	6	8	23	33	42	53	70
65+	69	26.2	220	7	9	25	34	45	51	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3310	15.8	162	2	3	13	21	31	40	69
B. *Operated*	19	25.7	373	6	7	16	35	48	68	82
2. MULTIPLE DX										
A. *Not Operated*	4664	17.8	195	3	4	14	24	36	45	73
B. *Operated*	324	24.8	230	6	8	22	33	43	52	74
1. SINGLE DX	3329	15.8	164	2	3	13	21	31	40	69
2. MULTIPLE DX	4988	18.3	200	3	4	15	25	37	46	73
A. NOT OPERATED	7974	17.0	182	2	4	14	23	34	43	72
B. OPERATED	343	24.9	237	6	8	22	33	43	52	78
TOTAL 0-19 YRS	546	23.4	410	2	4	17	34	54	74	99+
20-34	2799	15.8	173	2	3	13	21	32	42	68
35-49	2421	16.2	157	2	4	13	22	32	41	64
50-64	1686	18.1	164	3	5	15	24	34	41	68
65+	865	19.8	177	4	6	17	26	37	47	61
GRAND TOTAL	**8317**	**17.3**	**187**	**2**	**4**	**14**	**23**	**35**	**44**	**73**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	102	14.2	249	1	1	10	18	35	51	72
20-34	448	11.9	124	1	2	9	17	25	33	55
35-49	272	11.7	99	1	2	10	16	25	31	49
50-64	172	12.8	138	1	2	10	16	27	38	54
65+	153	10.4	100	1	1	7	14	22	31	48
B. *Operated*										
0-19 YRS										
20-34	2	4.0	8	2	2	4	6	6	6	6
35-49	1	16.0		16	16	16	16	16	16	16
50-64	3	12.0	13	9	9	11	15	16	16	16
65+	2	2.5	5	1	1	2	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	135	17.6	315	1	2	12	26	41	55	89
20-34	565	12.8	105	2	3	10	18	25	32	48
35-49	442	12.8	107	2	2	10	18	26	33	55
50-64	489	12.9	140	2	3	10	16	29	35	61
65+	1224	10.3	82	2	3	8	13	22	27	47
B. *Operated*										
0-19 YRS	4	16.8	224	1	1	14	26	37	37	37
20-34	21	20.2	182	4	7	18	29	47	75	99+
35-49	14	18.6	303	2	4	12	27	38	61	68
50-64	46	14.8	134	3	3	12	22	29	35	55
65+	119	15.3	143	3	4	12	20	27	35	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1147	12.0	128	1	1	9	16	26	35	55
B. *Operated*	8	8.1	35	1	1	7	13	16	16	16
2. MULTIPLE DX										
A. *Not Operated*	2855	12.0	114	2	3	9	16	25	33	55
B. *Operated*	204	16.0	157	3	4	13	22	31	39	74
1. SINGLE DX	1155	11.9	128	1	1	9	16	26	35	55
2. MULTIPLE DX	3059	12.2	118	2	3	9	16	25	33	56
A. NOT OPERATED	4002	12.0	118	1	2	9	16	25	33	55
B. OPERATED	212	15.7	154	2	4	12	21	30	38	73
TOTAL 0-19 YRS	241	16.2	286	1	2	11	23	38	51	77
20-34	1036	12.5	116	1	2	10	18	26	33	54
35-49	729	12.5	108	1	2	10	17	26	32	50
50-64	710	13.0	138	1	3	10	17	28	36	59
65+	1498	10.7	90	2	3	8	14	22	28	49
GRAND TOTAL	**4214**	**12.2**	**121**	**1**	**2**	**9**	**16**	**26**	**34**	**55**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	85	6.0	96	1	1	3	6	13	18	60
20-34	370	5.5	41	<1	1	3	7	14	18	30
35-49	314	5.7	40	1	1	3	7	14	20	31
50-64	186	6.5	60	1	1	4	8	14	21	32
65+	86	6.3	115	<1	1	3	6	14	18	68
B. *Operated*										
0-19 YRS										
20-34	3	3.7	4	2	2	3	5	6	6	6
35-49	3	4.0	4	2	2	4	5	6	6	6
50-64	1	11.0		11	11	11	11	11	11	11
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	165	9.0	135	<1	1	4	13	24	42	95
20-34	819	7.9	71	1	1	5	10	19	27	37
35-49	971	7.3	67	1	1	4	8	18	24	42
50-64	778	7.0	51	1	1	4	9	16	23	32
65+	677	6.0	34	1	1	4	7	14	19	29
B. *Operated*										
0-19 YRS	6	28.2	765	5	5	16	58	67	68	68
20-34	35	11.2	100	<1	1	9	15	27	35	37
35-49	53	10.7	101	2	2	7	15	22	30	55
50-64	54	9.9	89	2	2	6	12	25	29	45
65+	36	12.8	185	1	3	8	15	27	51	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1041	5.8	54	1	1	3	7	14	19	37
B. *Operated*	8	4.6	9	2	2	4	6	10	11	11
2. MULTIPLE DX										
A. *Not Operated*	3410	7.2	62	1	1	4	9	17	24	39
B. *Operated*	184	11.5	140	2	2	7	15	26	33	57
1. SINGLE DX	1049	5.8	54	1	1	3	7	14	19	37
2. MULTIPLE DX	3594	7.4	66	1	1	4	9	18	25	41
A. NOT OPERATED	4451	6.9	60	1	1	4	8	17	23	38
B. OPERATED	192	11.2	136	2	2	7	15	25	32	57
TOTAL 0-19 YRS	256	8.5	145	1	1	4	10	23	40	70
20-34	1227	7.3	64	1	1	4	9	18	25	37
35-49	1341	7.0	63	1	1	4	8	17	23	40
50-64	1019	7.1	55	1	1	4	9	16	24	32
65+	800	6.4	51	1	1	4	7	14	20	32
GRAND TOTAL	**4643**	**7.1**	**64**	**1**	**1**	**4**	**8**	**17**	**24**	**40**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	392	24.3	450	2	3	18	40	57	72	99
20-34	970	11.5	121	1	2	8	16	24	32	57
35-49	807	11.1	87	1	2	8	15	24	30	42
50-64	356	11.4	93	1	2	9	16	24	31	47
65+	154	12.2	144	1	3	7	17	26	35	61
B. *Operated*										
0-19 YRS										
20-34	2	22.5	13	20	20	22	25	25	25	25
35-49	3	20.0	139	10	10	17	29	33	33	33
50-64	3	7.3	85	2	2	2	14	18	18	18
65+	2	70.5	1	70	70	70	71	71	71	71
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	676	24.2	467	2	3	19	40	62	81	99+
20-34	2026	12.4	106	1	2	10	17	27	33	50
35-49	1813	12.3	108	2	3	9	17	27	34	45
50-64	1059	12.0	106	2	3	9	16	27	33	48
65+	1008	10.4	80	2	3	7	14	22	29	42
B. *Operated*										
0-19 YRS	19	29.8	389	8	9	26	43	52	67	78
20-34	107	18.7	190	3	5	15	27	38	42	75
35-49	126	19.4	153	4	6	18	24	35	44	61
50-64	91	18.5	189	4	5	16	24	35	41	77
65+	94	16.7	234	3	4	12	20	34	44	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2679	13.3	177	1	2	9	18	29	42	69
B *Operated*	10	26.8	622	2	2	19	33	70	71	71
2. MULTIPLE DX										
A. *Not Operated*	6582	13.2	154	2	3	9	18	29	39	67
B. *Operated*	437	18.9	202	4	5	15	25	37	44	78
1. SINGLE DX	2689	13.3	179	1	2	9	18	30	42	70
2. MULTIPLE DX	7019	13.6	159	2	3	10	18	29	39	68
A. NOT OPERATED	9261	13.2	160	2	2	9	18	29	39	68
B. OPERATED	447	19.1	211	3	5	16	25	38	44	78
TOTAL 0-19 YRS	1087	24.3	459	2	3	19	40	60	77	99+
20-34	3105	12.4	115	1	2	9	17	27	33	51
35-49	2749	12.2	107	2	2	9	17	26	33	45
50-64	1509	12.3	110	2	3	9	17	27	34	49
65+	1258	11.2	107	2	3	8	15	24	31	50
GRAND TOTAL	**9708**	**13.5**	**164**	**2**	**2**	**9**	**18**	**29**	**40**	**69**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	295	16.9	345	1	1	9	31	46	64	99+
20-34	542	9.0	107	<1	1	5	12	21	30	50
35-49	242	9.0	106	1	1	5	13	21	31	63
50-64	84	9.7	93	1	1	7	11	23	33	44
65+	40	7.7	57	1	1	5	10	20	24	29
B. *Operated*										
0-19 YRS	3	10.7	226	1	1	15	64	99+	99+	99+
20-34	28	8.2	100	1	1	5	13	16	20	52
35-49	32	5.4	40	1	2	4	5	12	16	34
50-64	12	4.7	11	1	1	5	6	9	12	13
65+	6	3.7	7	1	1	3	5	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	461	14.7	350	1	1	8	20	44	72	99+
20-34	1273	10.8	120	1	1	7	15	26	34	60
35-49	751	10.9	125	1	2	7	15	24	31	56
50-64	365	10.2	113	1	2	6	13	24	34	50
65+	263	8.5	59	2	2	6	11	18	23	43
B. *Operated*										
0-19 YRS	20	23.4	629	2	3	11	42	65	73	76
20-34	71	17.5	254	2	4	10	28	44	56	94
35-49	75	12.6	150	1	2	9	18	28	46	89
50-64	62	10.7	110	1	3	7	12	28	35	47
65+	38	13.0	174	2	3	8	15	32	44	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1203	10.9	174	1	1	6	14	31	42	75
B. *Operated*	81	6.3	60	1	1	4	6	15	21	85
2. MULTIPLE DX										
A. *Not Operated*	3113	11.2	152	1	2	7	15	27	37	83
B. *Operated*	266	14.3	217	1	3	9	19	35	49	75
1. SINGLE DX	1284	10.6	168	1	1	6	14	29	42	76
2. MULTIPLE DX	3379	11.4	157	1	2	7	15	28	38	82
A. NOT OPERATED	4316	11.1	158	1	1	7	15	28	39	79
B. OPERATED	347	12.5	191	1	2	7	16	31	47	76
TOTAL 0-19 YRS	779	15.7	356	1	1	8	25	46	70	99+
20-34	1914	10.5	123	1	1	7	15	26	33	57
35-49	1100	10.4	122	1	2	7	14	24	32	57
50-64	523	10.0	107	1	2	6	13	24	34	47
65+	347	8.8	73	1	2	6	11	20	24	49
GRAND TOTAL	**4663**	**11.2**	**160**	**1**	**1**	**7**	**15**	**28**	**40**	**79**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	369	15.6	188	<1	1	13	28	34	37	48
20-34	2641	13.7	115	1	2	11	23	28	30	33
35-49	2400	13.1	114	1	2	8	23	28	30	34
50-64	1029	12.9	124	1	2	7	24	29	30	36
65+	203	11.3	101	1	2	6	21	28	29	35
B. *Operated*										
0-19 YRS										
20-34	2	27.5	1	27	27	27	28	28	28	28
35-49	4	10.3	21	5	5	10	14	15	15	15
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1269	23.7	245	1	2	27	35	42	47	57
20-34	6458	14.9	125	1	2	14	26	29	30	35
35-49	6071	13.2	113	2	2	8	23	29	30	35
50-64	3818	13.1	114	2	2	8	23	29	31	37
65+	1425	12.5	100	2	3	8	21	28	30	37
B. *Operated*										
0-19 YRS	24	20.0	210	<1	1	22	34	41	57	99+
20-34	240	19.8	121	3	5	21	28	31	33	48
35-49	246	18.6	127	2	5	20	28	31	35	57
50-64	208	18.4	137	4	5	17	27	33	36	52
65+	104	18.5	142	4	5	16	27	33	39	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6642	13.4	120	1	2	9	23	29	30	35
B. *Operated*	6	16.0	92	5	5	14	27	28	28	28
2. MULTIPLE DX										
A. *Not Operated*	19041	14.4	132	1	2	10	25	30	32	42
B. *Operated*	822	18.9	132	3	5	20	28	32	36	57
1. SINGLE DX	6648	13.4	120	1	2	9	23	29	30	35
2. MULTIPLE DX	19863	14.6	133	1	2	11	25	30	32	42
A. NOT OPERATED	25683	14.1	129	1	2	10	25	29	31	42
B. OPERATED	828	18.9	132	3	5	20	28	32	36	57
TOTAL 0-19 YRS	1662	21.9	243	1	1	22	34	42	45	57
20-34	9341	14.7	123	1	2	14	25	29	30	35
35-49	8721	13.3	115	1	2	8	23	29	30	35
50-64	5055	13.3	118	2	2	8	24	29	31	37
65+	1732	12.7	105	2	3	8	21	28	31	38
GRAND TOTAL	**26511**	**14.3**	**130**	**1**	**2**	**10**	**25**	**29**	**32**	**42**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	20.0	98	2	4	21	29	29	29	29
20-34	197	9.9	81	1	2	5	17	26	28	31
35-49	45	10.5	98	1	1	5	17	28	29	32
50-64	9	15.7	128	4	4	18	26	30	31	31
65+	1	21.0		21	21	21	21	21	21	21
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	19.0	162	10	10	19	28	28	28	28
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	23.6	148	3	4	28	33	34	39	42
20-34	418	13.4	110	2	3	9	22	28	30	36
35-49	137	13.0	96	3	3	9	21	29	32	35
50-64	20	13.4	111	3	4	7	23	29	31	33
65+	12	14.3	101	1	2	15	22	28	29	29
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	27	14.4	88	3	5	13	20	29	33	39
35-49	10	16.3	99	2	2	17	23	29	32	32
50-64	2	29.0	800	9	9	29	49	49	49	49
65+	6	19.2	261	6	6	17	19	47	50	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	258	10.5	88	1	2	5	19	27	29	32
B. *Operated*	2	19.0	162	10	10	19	28	28	28	28
2. MULTIPLE DX										
A. *Not Operated*	612	13.8	112	2	3	9	22	29	33	36
B. *Operated*	46	16.0	128	3	5	13	20	31	41	50
1. SINGLE DX	260	10.5	89	1	2	5	19	27	29	32
2. MULTIPLE DX	658	13.9	113	2	3	10	22	29	33	38
A. NOT OPERATED	870	12.8	107	2	3	7	21	28	30	36
B. OPERATED	48	16.1	127	3	5	13	21	31	40	50
TOTAL 0-19 YRS	32	22.6	137	3	4	26	33	34	38	42
20-34	642	12.4	103	2	3	7	21	28	30	36
35-49	194	12.7	98	2	3	9	21	28	31	35
50-64	31	15.0	146	4	4	9	25	30	33	49
65+	19	16.2	141	2	4	17	21	28	41	50
GRAND TOTAL	**918**	**13.0**	**108**	**2**	**3**	**8**	**21**	**28**	**31**	**36**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	178	21.9	323	1	3	20	35	45	56	70
20-34	477	13.9	104	2	2	12	22	28	30	35
35-49	123	14.6	94	1	2	17	23	28	28	31
50-64	23	15.2	120	2	4	12	24	32	35	36
65+	5	16.4	165	4	4	12	29	32	32	32
B. *Operated*										
0-19 YRS										
20-34	1	8.0		8	8	8	8	8	8	8
35-49										
50-64	2	17.5	313	5	5	17	30	30	30	30
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	518	24.7	237	2	3	28	34	43	49	86
20-34	962	17.1	119	2	3	20	28	30	31	36
35-49	278	16.3	122	2	3	15	25	29	34	43
50-64	93	17.2	117	4	5	14	28	30	35	43
65+	50	17.3	117	2	4	16	28	30	35	42
B. *Operated*										
0-19 YRS	6	51.2	654	14	15	59	70	76	77	77
20-34	40	21.5	69	5	7	25	28	30	30	36
35-49	18	20.0	103	7	8	20	28	30	39	45
50-64	3	11.7	58	5	5	10	17	20	20	20
65+	1	21.0		21	21	21	21	21	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	806	15.8	161	2	2	14	24	31	38	57
B. *Operated*	3	14.3	186	5	5	8	24	30	30	30
2. MULTIPLE DX										
A. *Not Operated*	1901	19.1	163	2	3	21	29	34	41	51
B. *Operated*	68	23.3	197	6	8	21	28	30	53	76
1. SINGLE DX	809	15.8	161	2	2	14	24	31	37	57
2. MULTIPLE DX	1969	19.2	165	2	3	21	29	34	41	52
A. NOT OPERATED	2707	18.1	165	2	3	18	28	34	41	52
B. OPERATED	71	22.9	197	5	7	21	28	30	51	76
TOTAL 0-19 YRS	702	24.2	269	1	3	27	35	43	50	79
20-34	1480	16.2	115	2	3	18	27	30	30	36
35-49	419	16.0	113	2	3	16	25	29	31	41
50-64	121	16.7	117	4	5	13	28	30	35	42
65+	56	17.3	117	2	4	16	28	30	34	42
GRAND TOTAL	**2778**	**18.2**	**166**	**2**	**3**	**19**	**28**	**34**	**41**	**54**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	395	1.8	13	<1	<1	1	1	2	3	24
20-34	340	4.0	55	<1	<1	1	2	17	25	31
35-49	124	4.3	42	<1	<1	2	4	9	20	31
50-64	70	4.4	50	<1	1	2	4	8	24	32
65+	21	2.6	15	1	1	2	2	4	11	19
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	377	4.9	80	<1	<1	1	3	18	22	44
20-34	587	6.3	63	<1	<1	3	7	19	23	30
35-49	353	6.0	51	<1	1	3	7	18	21	29
50-64	244	6.3	53	1	1	3	7	19	21	34
65+	110	5.0	45	<1	1	3	5	12	22	32
B. *Operated*										
0-19 YRS	11	4.8	70	<1	<1	1	3	17	28	29
20-34	25	5.5	52	<1	<1	2	6	17	23	29
35-49	14	5.9	41	<1	<1	3	11	16	20	21
50-64	12	7.9	62	<1	1	5	10	18	28	30
65+	6	11.3	112	1	1	8	14	29	31	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	950	3.1	36	<1	<1	1	2	5	20	31
B. *Operated*	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	1671	5.8	62	<1	<1	2	6	19	22	32
B. *Operated*	68	6.4	59	<1	<1	3	8	16	29	31
1. SINGLE DX	951	3.1	36	<1	<1	1	2	5	20	31
2. MULTIPLE DX	1739	5.8	62	<1	<1	2	6	19	22	32
A. NOT OPERATED	2621	4.8	54	<1	<1	2	4	17	21	31
B. OPERATED	69	6.4	58	<1	<1	4	8	16	29	31
TOTAL 0-19 YRS	783	3.3	48	<1	<1	1	2	6	19	35
20-34	952	5.4	61	<1	<1	2	5	19	23	30
35-49	492	5.5	49	<1	<1	3	6	17	21	31
50-64	326	5.9	53	1	1	3	6	19	22	33
65+	137	4.9	45	1	1	2	5	12	21	31
GRAND TOTAL	**2690**	**4.9**	**54**	**<1**	**<1**	**2**	**4**	**17**	**21**	**31**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	71	13.1	154	1	1	9	21	28	29	56
20-34	236	9.6	105	<1	1	4	20	27	29	31
35-49	44	14.8	133	1	2	17	28	28	31	36
50-64	7	18.0	95	7	7	21	27	29	29	29
65+	6	11.2	88	<1	<1	10	13	26	28	28
B. *Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	18.0		18	18	18	18	18	18	18
50-64	1	32.0		32	32	32	32	32	32	32
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	216	18.4	340	1	1	13	29	47	62	99+
20-34	627	12.3	123	1	1	7	21	29	31	39
35-49	156	12.3	128	1	2	8	21	28	29	39
50-64	38	12.8	117	1	2	7	21	28	34	34
65+	36	12.4	106	2	3	7	21	29	31	39
B. *Operated*										
0-19 YRS	2	45.5	1201	21	21	45	70	70	70	70
20-34	19	15.2	98	4	5	10	25	28	30	31
35-49	6	19.0	94	4	5	19	28	30	30	30
50-64	4	26.3	894	10	10	12	42	71	71	71
65+	4	11.8	46	5	5	11	17	19	19	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	364	11.1	121	1	1	5	21	28	29	35
B. *Operated*	3	17.0	241	1	1	18	28	32	32	32
2. MULTIPLE DX										
A. *Not Operated*	1073	13.5	172	1	2	8	22	30	34	64
B. *Operated*	35	18.4	246	4	5	14	25	30	60	71
1. SINGLE DX	367	11.1	122	1	1	5	21	28	29	35
2. MULTIPLE DX	1108	13.7	174	1	2	8	22	30	34	69
A. NOT OPERATED	1437	12.9	160	1	1	7	21	29	33	60
B. OPERATED	38	18.3	239	4	5	15	25	31	55	71
TOTAL 0-19 YRS	289	17.3	306	1	1	12	28	40	60	99+
20-34	883	11.6	119	1	1	6	21	28	30	39
35-49	207	13.1	128	1	2	9	21	28	30	38
50-64	50	15.0	176	2	2	9	24	30	34	71
65+	46	12.2	95	2	3	8	19	28	30	39
GRAND TOTAL	**1475**	**13.1**	**162**	**1**	**1**	**7**	**21**	**29**	**33**	**61**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	93	2.8	3	1	1	2	4	5	6	9
20-34	87	3.4	8	<1	1	3	4	7	8	17
35-49	50	3.2	4	1	2	3	4	6	7	11
50-64	28	3.7	9	1	1	3	5	6	8	17
65+	19	3.2	6	1	1	2	4	7	9	10
B. *Operated*										
0-19 YRS	5	3.2	1	2	2	3	4	4	4	4
20-34	7	4.6	5	1	1	6	6	7	7	7
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	3.0		3	3	3	3	3	3	3
65+	2	3.5	1	3	3	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	138	4.7	37	1	1	4	5	7	9	43
20-34	230	4.8	31	1	1	3	5	9	14	31
35-49	277	4.6	15	1	1	3	6	8	13	21
50-64	224	4.4	14	1	1	3	6	9	11	19
65+	237	4.8	15	1	2	4	6	9	11	22
B. *Operated*										
0-19 YRS	8	4.3	5	2	2	4	6	7	7	7
20-34	26	8.3	40	1	1	7	10	19	22	28
35-49	26	7.2	27	1	1	7	9	15	18	23
50-64	26	8.2	76	2	2	7	8	14	23	47
65+	21	9.9	167	1	1	7	9	24	41	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	277	3.2	6	1	1	3	4	6	7	12
B. *Operated*	16	3.9	3	1	2	4	5	6	7	7
2. MULTIPLE DX										
A. *Not Operated*	1106	4.7	21	1	1	3	6	9	11	25
B. *Operated*	107	8.0	68	1	2	7	9	15	23	52
1. SINGLE DX	293	3.2	5	1	1	3	4	6	7	12
2. MULTIPLE DX	1213	5.0	26	1	1	4	6	9	13	27
A. NOT OPERATED	1383	4.4	18	1	1	3	5	8	10	22
B. OPERATED	123	7.5	61	1	2	6	8	14	21	50
TOTAL 0-19 YRS	244	4.0	23	1	1	3	5	7	8	34
20-34	350	4.7	27	1	1	3	6	9	13	28
35-49	354	4.6	15	1	1	3	6	9	13	21
50-64	279	4.7	21	1	1	3	6	9	12	20
65+	279	5.1	27	1	1	4	6	9	11	26
GRAND TOTAL	**1506**	**4.6**	**22**	**1**	**1**	**3**	**6**	**9**	**11**	**25**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	813	13.0	214	1	1	8	18	34	46	95
20-34	925	6.6	46	<1	1	4	9	15	21	32
35-49	503	6.8	60	1	1	4	8	16	21	40
50-64	127	8.9	102	1	1	6	11	20	31	51
65+	63	6.2	31	<1	1	4	9	14	18	25
B. *Operated*										
0-19 YRS	4	15.5	108	3	3	17	24	25	25	25
20-34	2	17.5	265	6	6	17	29	29	29	29
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1145	15.0	287	1	2	9	21	41	58	99+
20-34	1824	8.9	83	1	1	6	12	21	27	45
35-49	1101	9.9	95	1	2	6	13	23	30	46
50-64	482	9.1	84	1	2	6	12	20	28	48
65+	361	8.0	55	1	2	6	10	15	23	37
B. *Operated*										
0-19 YRS	27	17.0	244	2	3	11	23	43	52	59
20-34	64	13.5	91	1	2	13	19	25	33	43
35-49	50	19.4	206	4	5	17	27	34	37	79
50-64	13	15.9	115	5	6	12	21	29	40	43
65+	33	14.7	155	2	3	8	24	28	30	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2431	8.9	116	1	1	5	12	21	31	62
B. *Operated*	7	14.3	124	3	3	11	24	28	29	29
2. MULTIPLE DX										
A. *Not Operated*	4913	10.5	138	1	1	6	14	25	34	64
B. *Operated*	187	16.0	159	2	3	13	22	31	38	60
1. SINGLE DX	2438	8.9	116	1	1	5	12	21	31	62
2. MULTIPLE DX	5100	10.7	140	1	2	7	14	25	34	64
A. NOT OPERATED	7344	10.0	131	1	1	6	13	23	33	64
B. OPERATED	194	15.9	157	2	3	13	23	30	37	60
TOTAL 0-19 YRS	1989	14.2	257	1	1	8	19	38	54	99+
20-34	2815	8.2	73	1	1	5	11	19	25	40
35-49	1654	9.2	92	1	1	6	12	22	29	46
50-64	623	9.2	89	1	2	6	12	20	28	50
65+	457	8.2	62	1	2	6	10	17	24	37
GRAND TOTAL	**7538**	**10.1**	**133**	**1**	**1**	**6**	**13**	**24**	**33**	**64**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1187	22.6	515	1	2	15	38	61	79	99+
20-34	598	9.6	157	1	1	5	11	24	37	67
35-49	336	8.4	97	1	1	5	10	19	30	45
50-64	139	10.0	121	1	1	6	13	22	33	54
65+	83	10.4	99	1	2	7	13	23	32	49
B. *Operated*										
0-19 YRS	6	13.5	278	1	1	5	24	41	43	43
20-34	10	13.7	320	1	1	5	22	45	52	52
35-49	17	5.9	33	1	2	4	8	12	20	24
50-64	6	4.3	11	2	2	3	4	10	11	11
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1851	23.1	488	2	3	17	36	66	87	99+
20-34	1522	10.3	135	1	2	6	13	25	36	63
35-49	1098	9.3	100	1	2	6	11	21	30	50
50-64	732	9.0	86	2	2	6	11	21	27	42
65+	909	9.5	89	2	3	6	11	20	28	47
B. *Operated*										
0-19 YRS	63	26.5	562	2	3	22	42	77	99+	99+
20-34	120	14.4	154	2	4	11	19	31	47	99+
35-49	109	14.8	173	3	3	10	19	34	42	63
50-64	81	12.6	77	3	4	9	18	28	31	79
65+	91	13.8	152	4	4	9	18	28	43	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2343	16.1	370	1	2	8	22	44	63	96
B. *Operated*	40	8.8	141	1	1	4	9	24	40	52
2. MULTIPLE DX										
A. *Not Operated*	6112	13.7	261	2	2	7	18	36	53	99+
B. *Operated*	464	15.7	217	2	4	11	21	38	50	99+
1. SINGLE DX	2383	16.0	367	1	2	8	21	44	63	95
2. MULTIPLE DX	6576	13.9	258	2	2	8	18	37	53	99+
A. NOT OPERATED	8455	14.4	292	1	2	7	19	40	58	99+
B. OPERATED	504	15.2	214	2	3	10	20	37	49	99+
TOTAL 0-19 YRS	3107	23.0	500	2	2	17	37	64	84	99+
20-34	2250	10.3	143	1	2	6	13	25	37	65
35-49	1560	9.5	106	1	2	6	11	21	31	49
50-64	958	9.4	91	1	2	6	12	22	29	48
65+	1084	9.9	96	2	3	7	12	21	30	48
GRAND TOTAL	**8959**	**14.4**	**288**	**1**	**2**	**8**	**19**	**40**	**57**	**99+**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	5.0	10	1	1	4	7	10	10	10
20-34	7	5.6	28	1	1	3	8	15	16	16
35-49	2	16.0	32	12	12	16	20	20	20	20
50-64	3	5.7	22	2	2	4	9	11	11	11
65+	1	12.0		12	12	12	12	12	12	12
B. *Operated*										
0-19 YRS	7	5.1	6	2	2	4	7	9	9	9
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	12.3	228	1	2	7	14	28	41	84
20-34	66	13.0	119	2	3	10	17	25	35	56
35-49	43	9.0	59	1	1	7	13	16	25	38
50-64	10	13.6	294	1	1	7	23	74	98	99+
65+	6	9.0	51	4	4	7	9	22	23	23
B. *Operated*										
0-19 YRS	14	6.8	43	1	2	4	[illegible]	19	22	23
20-34	6	5.7	28	1	1	4	9	13	14	14
35-49	5	7.0	72	1	1	2	12	21	21	21
50-64	3	8.0	39	3	3	6	13	15	15	15
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	6.5	26	1	2	5	10	13	17	20
B. *Operated*	7	5.1	6	2	2	4	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	169	11.7	140	1	2	8	15	25	37	79
B. *Operated*	28	6.7	40	1	1	4	9	18	21	23
1. SINGLE DX	31	6.2	21	1	2	4	9	12	16	20
2. MULTIPLE DX	197	11.0	128	1	2	7	14	24	31	71
A. NOT OPERATED	193	11.0	128	1	2	8	14	24	32	72
B. OPERATED	35	6.4	33	1	1	4	8	15	20	23
TOTAL 0-19 YRS	76	9.6	151	1	2	6	11	23	28	75
20-34	79	11.8	111	1	2	9	16	22	31	55
35-49	50	9.1	60	1	1	7	14	20	24	38
50-64	16	11.1	197	1	2	6	16	51	85	99+
65+	7	9.4	44	4	4	8	11	21	23	23
GRAND TOTAL	**228**	**10.3**	**116**	**1**	**2**	**7**	**14**	**22**	**28**	**63**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	417	10.3	16	2	4	11	12	15	16	23
20-34	68	6.9	42	1	2	6	9	13	14	43
35-49	38	9.5	53	2	2	7	14	22	24	27
50-64	22	7.7	38	1	2	6	10	16	21	27
65+	9	6.2	33	<1	<1	4	12	15	15	15
B. *Operated*										
0-19 YRS	48	12.6	66	1	6	11	14	20	24	55
20-34	20	9.7	106	1	2	4	15	26	31	35
35-49	38	8.4	96	1	1	4	11	22	31	45
50-64	27	6.7	34	1	1	4	10	17	18	20
65+	8	6.5	20	1	1	6	10	12	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	552	11.7	40	2	4	11	14	16	21	42
20-34	89	9.2	41	2	2	8	12	17	23	29
35-49	91	11.2	97	2	3	9	14	20	27	54
50-64	97	12.1	71	2	3	12	15	22	25	45
65+	94	16.5	202	3	5	14	19	31	38	90
B. *Operated*										
0-19 YRS	116	20.4	198	7	10	15	26	40	50	77
20-34	53	17.5	248	1	2	13	23	46	52	58
35-49	88	18.0	282	2	3	12	26	44	51	90
50-64	114	18.4	196	3	3	14	25	40	44	60
65+	58	25.4	300	7	8	22	30	46	63	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	554	9.7	24	2	3	10	12	15	16	24
B. *Operated*	141	9.6	75	1	1	9	12	20	25	46
2. MULTIPLE DX										
A. *Not Operated*	923	12.0	68	2	3	11	14	19	24	48
B. *Operated*	429	19.7	239	3	4	15	26	43	52	75
1. SINGLE DX	695	9.6	35	2	2	10	12	15	18	27
2. MULTIPLE DX	1352	14.4	135	2	4	11	16	27	40	59
A. NOT OPERATED	1477	11.1	53	2	3	11	13	17	22	40
B. OPERATED	570	17.2	217	2	3	13	23	39	49	72
TOTAL 0-19 YRS	1133	12.1	57	3	4	11	14	17	24	46
20-34	230	10.5	109	2	2	8	13	23	29	53
35-49	255	12.9	167	1	2	9	16	32	44	67
50-64	260	13.9	137	2	3	11	19	31	40	54
65+	169	18.5	250	3	4	15	23	36	48	86
GRAND TOTAL	**2047**	**12.8**	**106**	**2**	**3**	**11**	**15**	**23**	**33**	**55**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	16.5	421	2	2	16	31	31	31	31
35-49	7	9.1	53	<1	1	8	13	21	23	23
50-64	51	6.6	19	2	2	5	9	12	15	24
65+	127	7.5	21	2	3	7	9	13	16	46
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	5.5	25	2	2	5	9	9	9	9
50-64										
65+	2	6.0	8	4	4	6	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	12.0	108	6	6	6	20	24	24	24
20-34	5	7.8	21	3	3	9	12	12	12	12
35-49	25	10.2	64	2	3	7	14	22	26	32
50-64	189	10.0	50	2	3	8	13	19	22	35
65+	1376	9.6	43	3	3	8	12	17	22	35
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	3	42.0	2527	4	4	23	80	99	99	99+
35-49	3	4.3	6	2	2	4	6	7	7	7
50-64	41	16.1	221	2	3	10	21	42	51	56
65+	153	14.2	113	3	4	11	19	28	35	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	187	7.4	24	2	3	6	9	13	16	31
B. *Operated*	4	5.8	11	2	2	6	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	1598	9.6	44	3	3	8	12	18	22	35
B. *Operated*	201	14.9	169	3	4	11	19	29	45	55
1. SINGLE DX	191	7.4	24	2	3	6	9	13	16	31
2. MULTIPLE DX	1799	10.2	61	3	3	8	13	19	24	41
A. NOT OPERATED	1785	9.4	43	3	3	8	12	17	22	35
B. OPERATED	205	14.7	167	3	4	11	19	28	45	55
TOTAL 0-19 YRS	4	11.3	74	6	6	8	16	24	24	24
20-34	10	19.8	864	2	2	10	23	65	99	99
35-49	37	9.3	56	1	2	7	11	22	24	32
50-64	281	10.3	76	2	3	8	13	20	27	48
65+	1658	9.8	50	3	3	8	12	18	23	37
GRAND TOTAL	**1990**	**9.9**	**58**	**3**	**3**	**8**	**12**	**19**	**24**	**40**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	8.1	42	1	1	7	13	17	20	21
20-34	260	8.7	52	1	2	8	11	15	19	37
35-49	341	8.6	33	1	2	8	11	16	19	29
50-64	114	9.8	38	3	4	9	11	16	17	38
65+	12	8.3	17	3	4	8	11	14	16	16
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	46	6.1	24	1	1	5	8	15	16	22
35-49	70	6.0	36	1	2	3	9	15	16	32
50-64	19	6.7	21	1	2	5	10	13	16	17
65+	4	7.8	67	3	3	4	12	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	7.9	12	2	3	8	9	12	14	14
20-34	326	10.0	57	2	3	8	13	19	23	42
35-49	507	11.2	73	2	3	9	14	22	27	43
50-64	271	11.3	50	3	4	10	15	20	22	41
65+	74	9.0	36	2	3	7	12	18	22	28
B. *Operated*										
0-19 YRS	2	12.0	242	1	1	12	23	23	23	23
20-34	78	13.2	110	3	4	12	17	27	58	99+
35-49	196	15.0	171	2	3	13	19	32	48	94
50-64	111	14.0	85	2	3	12	21	27	33	64
65+	18	13.3	135	3	4	11	16	17	40	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	741	8.8	40	1	2	8	11	16	19	31
B. *Operated*	141	6.1	30	1	2	4	9	15	17	23
2. MULTIPLE DX										
A. *Not Operated*	1187	10.7	61	2	3	9	14	20	25	42
B. *Operated*	405	14.3	134	2	3	12	19	29	40	99+
1. SINGLE DX	882	8.4	40	1	2	8	11	15	18	31
2. MULTIPLE DX	1592	11.6	82	2	3	9	15	22	28	53
A. NOT OPERATED	1928	10.0	54	2	3	9	13	18	23	39
B. OPERATED	546	12.2	120	2	2	10	16	25	36	99
TOTAL 0-19 YRS	27	7.9	39	1	1	8	11	16	21	23
20-34	710	9.6	61	2	2	8	12	18	23	52
35-49	1114	10.7	82	2	3	9	14	20	28	49
50-64	515	11.4	57	3	4	10	15	21	25	42
65+	108	9.6	53	2	3	8	13	17	21	40
GRAND TOTAL	**2474**	**10.5**	**69**	**2**	**3**	**9**	**13**	**20**	**25**	**47**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	833	3.4	14	1	1	2	4	6	9	20
20-34	603	3.5	8	1	1	3	4	7	9	14
35-49	265	3.5	7	1	1	3	4	7	10	14
50-64	157	3.7	9	1	1	3	5	6	7	19
65+	109	4.0	19	1	1	3	5	7	9	26
B. *Operated*										
0-19 YRS	20	7.0	40	2	2	5	8	12	22	30
20-34	17	6.2	31	1	1	4	9	11	18	22
35-49	10	3.3	2	<1	1	3	4	5	6	6
50-64	8	4.3	17	<1	<1	3	4	11	14	14
65+	5	6.0	12	3	3	5	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1501	5.2	44	1	1	3	5	11	17	36
20-34	1216	5.2	23	1	1	4	6	11	14	26
35-49	934	5.4	30	1	2	4	6	10	14	28
50-64	977	6.1	29	1	2	5	8	11	14	29
65+	1358	6.7	29	2	2	5	8	13	17	29
B. *Operated*										
0-19 YRS	88	9.5	87	2	3	7	12	22	39	99+
20-34	110	8.8	106	1	2	6	12	18	27	94
35-49	101	12.0	154	2	3	8	15	27	36	70
50-64	117	12.4	159	2	3	9	15	25	43	90
65+	146	13.4	135	3	3	10	17	27	30	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1967	3.5	11	1	1	3	4	6	9	16
B. *Operated*	60	5.7	26	1	1	4	8	11	14	29
2. MULTIPLE DX										
A. *Not Operated*	5986	5.7	32	1	2	4	7	11	15	30
B. *Operated*	562	11.4	132	2	3	8	15	24	31	89
1. SINGLE DX	2027	3.6	12	1	1	3	4	7	9	17
2. MULTIPLE DX	6548	6.2	43	1	2	4	7	12	17	33
A. NOT OPERATED	7953	5.2	28	1	1	4	6	10	14	28
B. OPERATED	622	10.9	125	2	3	8	14	24	30	86
TOTAL 0-19 YRS	2442	4.7	37	1	1	3	5	10	15	34
20-34	1946	4.8	25	1	1	3	6	10	14	25
35-49	1310	5.5	39	1	1	4	6	11	15	32
50-64	1259	6.4	43	1	2	5	8	12	16	33
65+	1618	7.1	42	1	2	5	9	15	19	31
GRAND TOTAL	**8575**	**5.6**	**37**	**1**	**1**	**4**	**7**	**11**	**16**	**31**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	292	3.7	14	1	1	3	4	8	10	17
20-34	329	4.9	34	1	1	3	6	9	12	29
35-49	223	5.1	24	1	2	4	6	11	13	23
50-64	193	6.0	21	1	2	5	8	12	15	24
65+	256	6.3	33	1	2	5	7	11	18	29
B. *Operated*										
0-19 YRS	293	4.7	12	1	2	3	6	9	11	18
20-34	218	6.1	38	1	1	4	8	12	16	30
35-49	218	6.5	32	1	2	5	9	13	17	32
50-64	187	6.0	24	1	1	4	8	13	16	22
65+	137	7.3	46	1	2	5	10	18	21	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	712	5.8	70	1	1	3	6	12	20	66
20-34	672	7.7	97	1	2	5	8	17	25	68
35-49	727	8.3	82	2	2	6	10	16	24	48
50-64	1095	10.4	124	2	3	7	12	21	35	61
65+	3481	10.3	88	2	3	8	12	20	29	50
B. *Operated*										
0-19 YRS	559	9.1	99	2	2	6	11	21	29	95
20-34	430	10.8	151	1	2	7	13	23	37	92
35-49	467	11.7	168	2	2	8	15	25	40	99+
50-64	750	12.5	152	2	2	9	16	29	44	99+
65+	1361	14.6	166	2	3	11	19	31	40	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1293	5.1	26	1	1	4	6	10	13	25
B. *Operated*	1053	5.9	29	1	2	4	8	12	17	24
2. MULTIPLE DX										
A. *Not Operated*	6687	9.4	94	2	2	7	11	19	28	53
B. *Operated*	3567	12.5	155	2	2	9	16	28	40	99+
1. SINGLE DX	2346	5.5	27	1	1	4	7	11	15	25
2. MULTIPLE DX	10254	10.5	118	2	2	7	13	23	33	68
A. NOT OPERATED	7980	8.7	86	1	2	6	10	18	26	51
B. OPERATED	4620	11.0	133	2	2	8	14	25	35	88
TOTAL 0-19 YRS	1856	6.3	65	1	1	4	7	14	21	60
20-34	1649	7.7	95	1	2	5	9	17	24	66
35-49	1635	8.6	97	1	2	6	10	18	26	65
50-64	2225	10.4	121	2	2	7	13	23	35	69
65+	5235	11.2	109	2	3	8	14	23	32	59
GRAND TOTAL	**12600**	**9.5**	**105**	**1**	**2**	**7**	**11**	**21**	**30**	**62**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	339	2.4	2	1	1	2	3	4	5	8
20-34	810	3.1	5	1	1	3	4	6	7	12
35-49	528	3.6	12	1	1	3	4	7	9	14
50-64	181	3.6	7	1	1	3	4	7	9	13
65+	28	2.8	2	1	1	3	4	5	5	5
B. *Operated*										
0-19 YRS	17	3.4	3	1	1	3	4	6	7	8
20-34	85	3.8	6	1	1	3	5	7	8	13
35-49	65	3.6	9	1	1	3	5	7	8	20
50-64	30	4.7	11	1	2	4	6	10	12	13
65+	5	5.0	14	2	2	5	7	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	301	3.7	12	1	1	3	4	7	10	19
20-34	1165	4.6	14	1	1	4	6	8	11	17
35-49	1089	5.1	19	1	2	4	6	10	13	22
50-64	570	5.1	15	1	2	4	6	9	12	19
65+	188	4.7	10	1	2	4	6	9	11	16
B. *Operated*										
0-19 YRS	22	4.6	12	1	1	4	6	9	13	15
20-34	110	6.6	24	2	2	5	9	12	14	28
35-49	117	6.9	29	2	2	5	9	12	18	56
50-64	101	7.1	37	2	2	5	9	13	17	36
65+	46	6.7	17	2	3	5	9	13	14	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1886	3.2	7	1	1	3	4	6	7	12
B. *Operated*	202	3.9	8	1	1	3	5	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	3313	4.8	16	1	2	4	6	9	12	19
B. *Operated*	396	6.7	27	2	2	5	9	13	15	34
1. SINGLE DX	2088	3.2	7	1	1	3	4	6	7	12
2. MULTIPLE DX	3709	5.0	17	1	2	4	6	9	12	21
A. NOT OPERATED	5199	4.2	13	1	1	3	5	8	10	17
B. OPERATED	598	5.8	23	1	2	5	7	11	14	26
TOTAL 0-19 YRS	679	3.0	7	1	1	2	4	5	7	14
20-34	2170	4.1	12	1	1	3	5	8	10	15
35-49	1799	4.8	18	1	1	4	6	9	12	22
50-64	882	5.0	17	1	2	4	6	10	12	19
65+	267	4.8	11	1	2	4	6	10	12	17
GRAND TOTAL	**5797**	**4,4**	**14**	**1**	**1**	**3**	**5**	**8**	**11**	**18**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	4	<1	<1	3	4	5	5	5
20-34	15	3.3	4	<1	1	3	5	6	7	7
35-49	24	3.5	3	1	1	4	5	5	7	8
50-64	14	3.6	19	1	1	2	5	7	15	18
65+	3	2.0	1	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	26	2.0	3	<1	1	2	2	3	5	10
20-34	508	1.8	1	<1	1	2	2	3	3	5
35-49	866	2.1	3	<1	<1	2	2	3	4	9
50-64	735	2.0	2	<1	1	2	2	3	4	7
65+	354	2.1	2	<1	1	2	2	3	4	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	32	3.8	10	1	1	3	4	9	11	13
35-49	50	4.7	23	1	1	4	6	8	14	27
50-64	72	5.2	13	1	1	4	7	11	12	15
65+	47	4.6	12	1	1	4	6	9	12	16
B. *Operated*										
0-19 YRS	19	2.6	2	<1	1	2	4	5	6	6
20-34	244	2.8	6	<1	1	2	3	5	8	11
35-49	653	3.5	13	1	1	2	4	7	10	20
50-64	880	3.4	12	1	1	2	4	6	9	17
65+	729	3.3	14	1	1	2	4	6	10	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	59	3.4	7	<1	1	3	5	5	7	17
B. *Operated*	2489	2.0	2	<1	1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	202	4.7	15	1	1	4	6	10	12	17
B. *Operated*	2525	3.3	12	1	1	2	4	6	9	18
1. SINGLE DX	2548	2.0	2	<1	1	2	2	3	4	8
2. MULTIPLE DX	2727	3.4	12	1	1	2	4	7	10	18
A. NOT OPERATED	261	4.4	13	1	1	4	5	9	11	18
B. OPERATED	5014	2.7	8	<1	1	2	3	5	7	14
TOTAL 0-19 YRS	49	2.3	3	<1	1	2	3	4	5	10
20-34	799	2.2	3	<1	1	2	3	4	5	9
35-49	1593	2.8	9	<1	1	2	3	5	8	15
50-64	1701	2.9	8	<1	1	2	3	5	8	15
65+	1133	3.0	11	1	1	2	3	5	9	16
GRAND TOTAL	**5275**	**2.8**	**8**	**<1**	**1**	**2**	**3**	**5**	**8**	**15**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	103	5.2	29	1	1	3	7	11	17	29
20-34	281	6.2	66	1	1	4	8	11	18	55
35-49	267	4.9	21	1	1	4	6	10	14	22
50-64	235	5.8	40	1	1	4	7	11	16	29
65+	154	5.4	20	1	2	4	7	11	14	28
B. *Operated*										
0-19 YRS	104	3.3	12	1	1	2	4	6	9	22
20-34	661	3.7	13	1	1	3	4	7	10	18
35-49	807	3.5	8	1	1	3	4	7	9	15
50-64	721	3.5	12	1	1	2	4	7	9	19
65+	301	4.2	15	1	1	3	5	10	13	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	117	6.0	32	1	1	4	7	12	18	27
20-34	394	6.8	64	1	2	5	8	13	22	37
35-49	634	6.4	36	1	2	5	8	12	16	35
50-64	965	6.9	37	2	2	5	9	13	18	36
65+	1353	7.6	38	2	2	6	9	14	19	31
B. *Operated*										
0-19 YRS	95	7.7	157	1	2	3	6	24	49	83
20-34	549	5.7	62	1	1	4	7	11	14	41
35-49	836	6.3	71	1	2	4	7	13	18	48
50-64	954	7.2	86	1	2	4	9	15	21	54
65+	844	9.9	122	2	2	6	13	22	32	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1040	5.6	38	1	1	4	7	11	15	35
B. *Operated*	2594	3.6	11	1	1	3	4	7	10	17
2. MULTIPLE DX										
A. *Not Operated*	3463	7.0	40	2	2	5	9	13	18	32
B. *Operated*	3278	7.4	92	1	2	4	9	16	24	59
1. SINGLE DX	3634	4.2	20	1	1	3	5	9	11	21
2. MULTIPLE DX	6741	7.2	65	1	2	5	9	15	21	47
A. NOT OPERATED	4503	6.7	40	1	2	5	8	13	18	32
B. OPERATED	5872	5.7	60	1	1	3	6	12	18	43
TOTAL 0-19 YRS	419	5.5	57	1	1	3	6	11	18	52
20-34	1885	5.3	47	1	1	3	6	10	15	35
35-49	2544	5.3	39	1	1	4	6	10	15	35
50-64	2875	6.1	49	1	2	4	7	12	18	38
65+	2652	7.8	64	1	2	5	10	16	22	44
GRAND TOTAL	**10375**	**6.2**	**51**	**1**	**1**	**4**	**7**	**12**	**18**	**37**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	25	1	1	4	8	8	8	8
20-34	1	22.0		22	22	22	22	22	22	22
35-49										
50-64										
65+	3	2.0	1	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	79	3.4	3	1	1	3	4	6	7	10
20-34	162	3.6	6	1	1	3	5	6	7	15
35-49	180	3.3	3	1	1	3	4	6	7	9
50-64	536	3.3	4	1	1	3	4	6	7	10
65+	448	3.6	4	1	2	3	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.5	6	1	1	2	4	6	6	6
20-34	8	3.1	13	<1	<1	1	4	9	11	11
35-49	7	4.9	24	<1	<1	2	9	12	13	13
50-64	15	2.6	4	1	1	2	4	5	7	8
65+	25	3.0	19	<1	<1	1	3	6	15	20
B. *Operated*										
0-19 YRS	58	4.3	5	2	2	4	5	7	8	12
20-34	163	4.5	9	1	2	4	5	9	10	17
35-49	164	4.0	5	2	2	4	5	6	8	14
50-64	577	4.1	6	1	2	3	5	7	9	13
65+	913	4.3	9	1	2	4	5	7	9	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	6.2	67	1	1	2	8	21	22	22
B. *Operated*	1405	3.4	4	1	1	3	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	59	3.1	14	<1	<1	1	4	7	12	19
B. *Operated*	1875	4.2	8	1	2	4	5	7	9	15
1. SINGLE DX	1411	3.5	4	1	1	3	4	6	7	11
2. MULTIPLE DX	1934	4.2	8	1	2	4	5	7	9	15
A. NOT OPERATED	65	3.4	19	<1	1	1	4	8	13	22
B. OPERATED	3280	3.9	6	1	2	3	5	7	8	13
TOTAL 0-19 YRS	143	3.8	4	1	2	3	5	7	8	10
20-34	334	4.1	8	1	1	4	5	7	9	16
35-49	351	3.7	5	1	2	3	4	6	7	11
50-64	1128	3.7	5	1	1	3	5	6	8	12
65+	1389	4.0	8	1	2	3	5	7	8	15
GRAND TOTAL	**3345**	**3.9**	**6**	**1**	**2**	**3**	**5**	**7**	**8**	**13**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	6	2.2	1	<1	<1	2	3	4	4	4
50-64	15	1.6	1	1	1	1	2	3	4	4
65+	35	1.9	1	<1	<1	2	2	3	4	4
B. *Operated*										
0-19 YRS	7	1.7		1	1	2	2	2	2	2
20-34	10	1.6	1	1	1	1	2	3	3	3
35-49	39	2.8	2	1	1	2	4	5	5	8
50-64	134	2.7	2	1	1	2	3	4	5	10
65+	247	2.8	4	1	1	2	3	4	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	3	1.7		1	1	2	2	2	2	2
35-49	10	5.6	19	1	1	4	6	13	14	14
50-64	13	4.2	17	1	1	3	5	11	14	15
65+	77	3.4	15	1	1	2	4	6	8	25
B. *Operated*										
0-19 YRS	7	5.0	34	2	2	3	5	15	18	18
20-34	15	4.7	20	1	1	4	6	7	16	19
35-49	31	3.6	6	1	1	3	5	6	9	12
50-64	140	3.5	5	1	1	3	4	6	7	11
65+	503	3.8	8	1	2	3	4	7	9	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	60	1.8	1	<1	1	2	2	3	4	4
B. *Operated*	437	2.7	3	1	1	2	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	106	3.6	15	1	1	2	4	7	11	22
B. *Operated*	696	3.7	7	1	2	3	4	7	9	15
1. SINGLE DX	497	2.6	3	1	1	2	3	4	5	11
2. MULTIPLE DX	802	3.7	8	1	1	3	4	7	9	16
A. NOT OPERATED	166	3.0	11	1	1	2	3	6	8	16
B. OPERATED	1133	3.3	6	1	1	3	4	6	8	13
TOTAL 0-19 YRS	19	2.8	14	1	1	2	2	4	12	18
20-34	30	3.3	12	1	1	2	4	6	7	19
35-49	86	3.4	6	1	1	3	4	6	8	14
50-64	302	3.1	4	1	1	3	4	5	7	11
65+	862	3.4	7	1	1	3	4	6	9	14
GRAND TOTAL	**1299**	**3.3**	**7**	**1**	**1**	**3**	**4**	**6**	**8**	**14**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
20-34	3	4.0	27	<1	<1	1	8	10	10	10
35-49	6	2.2	4	<1	<1	1	3	6	6	6
50-64	6	2.7	3	1	1	2	3	6	6	6
65+	12	1.9	1	<1	<1	2	2	3	4	4
B. *Operated*										
0-19 YRS	5	3.0	2	1	1	4	4	4	4	4
20-34	16	4.0	5	2	2	3	5	7	8	9
35-49	26	2.2	1	1	1	2	3	4	5	6
50-64	81	2.7	2	1	1	2	3	4	6	9
65+	136	2.7	3	1	1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.6	5	1	1	1	5	5	5	5
20-34	4	3.8	24	<1	<1	1	6	11	11	11
35-49	7	3.4	7	1	1	3	6	7	7	7
50-64	24	2.5	3	<1	1	2	3	5	6	7
65+	41	4.2	13	1	1	3	5	10	12	17
B. *Operated*										
0-19 YRS	10	2.6	4	1	1	2	4	44	95	99+
20-34	30	3.5	6	1	1	3	4	7	9	11
35-49	26	3.4	4	1	1	3	5	7	7	7
50-64	111	4.2	31	1	1	3	4	8	10	37
65+	298	3.9	18	1	1	3	4	7	9	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	2.3	4	<1	<1	2	3	5	6	10
B. *Operated*	264	2.8	3	1	1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	81	3.5	10	1	1	3	4	7	11	16
B. *Operated*	475	3.9	19	1	1	3	4	7	9	28
1. SINGLE DX	293	2.7	3	1	1	2	3	5	6	9
2. MULTIPLE DX	556	3.8	18	1	1	3	4	7	10	26
A. NOT OPERATED	110	3.2	8	<1	1	2	4	7	10	14
B. OPERATED	739	3.5	13	1	1	3	4	7	8	21
TOTAL 0-19 YRS	22	2.6	3	<1	1	2	4	6	39	99+
20-34	53	3.7	7	1	1	3	5	8	10	11
35-49	65	2.8	3	1	1	2	3	6	7	7
50-64	222	3.4	17	1	1	2	4	6	8	22
65+	487	3.6	13	1	1	3	4	7	8	20
GRAND TOTAL	**849**	**3.5**	**13**	**1**	**1**	**3**	**4**	**7**	**8**	**18**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	2.0	2	<1	<1	1	3	4	4	4
50-64	11	1.5	1	<1	<1	1	1	3	5	5
65+	51	1.9	2	<1	1	2	2	3	4	10
B. *Operated*										
0-19 YRS										
20-34										
35-49	604	1.9		1	1	2	2	3	3	4
50-64	4050	2.0	1	1	1	2	2	3	3	4
65+	17547	2.0	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	18	1.7	1	<1	<1	1	2	2	5	6
50-64	95	2.1	4	<1	<1	1	2	5	7	10
65+	539	2.1	5	<1	<1	1	2	4	7	12
B. *Operated*										
0-19 YRS										
20-34										
35-49	424	2.5	4	1	1	2	3	4	5	12
50-64	3906	2.3	3	1	1	2	2	3	4	9
65+	21927	2.4	3	1	1	2	2	3	4	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	66	1.8	2	<1	1	1	2	3	4	9
B. *Operated*	22201	2.0	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	652	2.1	5	<1	<1	1	2	4	7	12
B. *Operated*	26257	2.4	3	1	1	2	2	3	4	10
1. SINGLE DX	22267	2.0	1	1	1	2	2	3	3	4
2. MULTIPLE DX	26909	2.4	3	1	1	2	2	3	4	10
A. NOT OPERATED	718	2.1	5	<1	<1	1	2	4	6	11
B. OPERATED	48458	2.2	2	1	1	2	2	3	4	7
TOTAL 0-19 YRS										
20-34										
35-49	1050	2.1	2	1	1	2	2	3	4	8
50-64	8062	2.1	2	1	1	2	2	3	4	7
65+	40064	2.2	2	1	1	2	2	3	4	8
GRAND TOTAL	**49176**	**2.2**	**2**	**1**	**1**	**2**	**2**	**3**	**4**	**8**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	2	1.5	1	<1	<1	1	2	2	2	2
B. *Operated*										
0-19 YRS	65	2.1	2	1	1	2	2	3	4	9
20-34	57	1.9	1	<1	1	2	2	3	3	4
35-49	110	1.9	1	1	1	2	2	3	3	5
50-64	233	1.9		1	1	2	2	3	3	4
65+	375	1.8	1	1	1	2	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.0		<1	<1	<1	1	1	1	1
20-34	1	5.0		5	5	5	5	5	5	5
35-49	3	1.3		1	1	1	2	2	2	2
50-64	3	3.3	5	2	2	2	5	6	6	6
65+	8	1.8	2	1	1	1	2	4	5	5
B. *Operated*										
0-19 YRS	54	2.5	2	1	1	2	3	4	6	6
20-34	43	2.4	1	1	1	2	3	4	5	6
35-49	98	2.2	1	1	1	2	2	3	4	7
50-64	234	2.3	2	1	1	2	2	3	4	8
65+	360	2.2	2	1	1	2	2	3	4	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.5	1	<1	<1	1	2	2	2	2
B. *Operated*	840	1.9	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	19	1.9	3	<1	<1	1	2	5	6	6
B. *Operated*	789	2.3	2	1	1	2	2	4	4	7
1. SINGLE DX	842	1.8	1	1	1	2	2	3	3	4
2. MULTIPLE DX	808	2.3	2	1	1	2	2	4	4	7
A. NOT OPERATED	21	1.9	2	<1	<1	1	2	5	6	6
B. OPERATED	1629	2.1	1	1	1	2	2	3	4	6
TOTAL 0-19 YRS	123	2.2	2	1	1	2	2	4	5	8
20-34	101	2.1	1	1	1	2	2	4	4	6
35-49	211	2.1	1	1	1	2	2	3	4	6
50-64	470	2.1	1	1	1	2	2	3	4	7
65+	745	2.0	1	1	1	2	2	3	4	6
GRAND TOTAL	**1650**	**2.1**	**1**	**1**	**1**	**2**	**2**	**3**	**4**	**6**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	1.8	3	<1	<1	1	2	4	6	8
20-34	5	2.2	1	1	1	2	3	3	3	3
35-49	11	2.4	7	1	1	1	3	6	10	10
50-64	16	3.3	3	1	1	3	5	6	6	6
65+	7	4.1	7	1	1	4	6	8	8	8
B. *Operated*										
0-19 YRS	1356	1.4	1	<1	<1	1	2	2	2	3
20-34	225	1.5	1	<1	<1	1	2	2	2	3
35-49	146	1.7	1	<1	1	2	2	2	3	5
50-64	72	1.8	1	<1	1	2	2	3	3	6
65+	42	1.9	1	<1	<1	2	2	3	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	2.0	6	<1	<1	1	2	4	9	97
20-34	13	4.4	7	<1	<1	4	6	8	10	11
35-49	18	3.6	4	<1	1	3	6	6	7	7
50-64	56	4.9	18	1	1	4	6	8	10	29
65+	68	5.3	12	1	2	5	7	10	12	16
B. *Operated*										
0-19 YRS	331	1.6	1	<1	<1	1	2	2	2	5
20-34	107	2.0	2	1	1	2	2	3	3	11
35-49	92	2.7	32	1	1	2	2	3	6	38
50-64	82	2.9	6	1	1	2	3	6	8	13
65+	97	4.6	27	1	1	2	5	13	16	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	2.6	4	<1	<1	2	3	5	7	10
B. *Operated*	1841	1.5	1	<1	<1	1	2	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	207	4.2	13	<1	1	3	6	9	11	22
B. *Operated*	709	2.4	10	<1	1	2	2	4	7	15
1. SINGLE DX	1906	1.5	1	<1	<1	1	2	2	2	5
2. MULTIPLE DX	916	2.8	11	<1	1	2	3	6	8	16
A. NOT OPERATED	272	3.8	11	<1	1	3	5	8	10	16
B. OPERATED	2550	1.7	4	<1	<1	1	2	2	3	9
TOTAL 0-19 YRS	1765	1.5	1	<1	<1	1	2	2	2	4
20-34	350	1.8	2	<1	1	2	2	2	3	10
35-49	267	2.2	12	<1	1	2	2	3	5	10
50-64	226	3.1	8	1	1	2	4	6	8	13
65+	214	4.3	18	1	1	2	5	9	13	21
GRAND TOTAL	**2822**	**1.9**	**5**	**<1**	**<1**	**1**	**2**	**3**	**5**	**11**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	160	2.4	3	<1	<1	2	3	5	6	8
20-34	31	3.5	17	1	1	2	4	8	16	18
35-49	24	3.3	8	<1	1	2	4	7	11	12
50-64	27	5.2	12	1	2	4	6	10	13	17
65+	45	5.0	23	<1	1	3	6	13	16	20
B. *Operated*										
0-19 YRS	166	1.7	2	<1	<1	1	2	3	4	9
20-34	226	2.5	3	1	1	2	3	4	5	10
35-49	261	2.2	1	1	1	2	3	4	4	6
50-64	284	2.1	2	1	1	2	3	4	5	6
65+	560	2.4	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	227	3.6	8	1	1	3	5	7	8	16
20-34	65	4.6	14	1	1	4	6	9	14	17
35-49	51	4.3	9	1	1	4	6	9	12	12
50-64	81	5.6	21	1	1	4	7	13	16	21
65+	206	5.9	31	1	1	5	7	11	17	30
B. *Operated*										
0-19 YRS	104	2.2	4	<1	1	2	2	3	6	12
20-34	121	3.1	8	1	1	2	3	6	8	15
35-49	266	3.1	11	1	1	2	3	6	10	20
50-64	494	3.0	7	1	1	2	3	5	7	18
65+	1399	3.4	13	1	1	3	4	6	8	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	287	3.2	10	<1	<1	2	4	6	9	18
B. *Operated*	1497	2.3	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	630	4.8	19	1	1	4	6	9	12	23
B. *Operated*	2384	3.2	11	1	1	2	4	6	8	17
1. SINGLE DX	1784	2.4	3	<1	1	2	3	4	5	10
2. MULTIPLE DX	3014	3.6	13	1	1	3	4	7	9	18
A. NOT OPERATED	917	4.3	16	<1	1	3	5	8	12	21
B. OPERATED	3881	2.9	8	1	1	2	3	5	7	14
TOTAL 0-19 YRS	657	2.6	5	<1	<1	2	3	5	7	10
20-34	443	3.1	7	1	1	2	3	5	8	17
35-49	602	2.8	7	1	1	2	3	5	7	15
50-64	886	3.0	8	1	1	2	3	5	8	17
65+	2210	3.4	13	1	1	3	4	6	8	19
GRAND TOTAL	**4798**	**3.1**	**10**	**1**	**1**	**2**	**4**	**6**	**8**	**16**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	402	3.6	4	1	2	3	4	6	8	10
20-34	111	3.9	11	1	1	3	5	7	7	21
35-49	59	3.7	7	1	1	3	5	7	8	16
50-64	44	3.7	6	1	1	3	5	7	8	12
65+	65	4.3	11	1	1	4	5	8	11	17
B. *Operated*										
0-19 YRS	55	2.7	4	1	1	2	4	7	8	9
20-34	85	3.3	9	1	2	2	4	6	7	19
35-49	114	2.5	3	1	1	2	3	4	6	10
50-64	317	2.2	2	1	1	2	2	3	4	11
65+	785	2.2	2	1	1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	525	4.1	7	1	2	4	5	7	10	13
20-34	146	4.2	7	1	1	4	6	8	10	18
35-49	141	5.2	19	1	1	4	7	10	12	27
50-64	152	5.0	12	1	1	5	7	9	10	20
65+	306	5.2	18	1	1	4	7	10	13	20
B. *Operated*										
0-19 YRS	121	5.2	23	1	1	3	7	10	13	28
20-34	143	4.0	14	1	1	3	4	8	10	26
35-49	202	4.7	32	1	2	3	5	9	12	23
50-64	611	3.9	19	1	1	2	4	8	9	27
65+	1510	3.5	12	1	1	2	4	7	10	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	681	3.8	6	1	2	3	5	7	8	13
B. *Operated*	1356	2.3	3	1	1	2	2	3	5	9
2. MULTIPLE DX										
A. *Not Operated*	1270	4.6	12	1	1	4	6	9	11	16
B. *Operated*	2587	3.8	16	1	1	2	4	8	10	18
1. SINGLE DX	2037	2.8	4	1	1	2	3	5	7	11
2. MULTIPLE DX	3857	4.1	15	1	1	3	5	8	10	18
A. NOT OPERATED	1951	4.3	10	1	1	4	5	8	10	16
B. OPERATED	3943	3.3	12	1	1	2	3	6	9	17
TOTAL 0-19 YRS	1103	4.0	8	1	2	3	5	7	9	13
20-34	485	3.9	10	1	1	3	5	7	9	22
35-49	516	4.2	20	1	1	3	5	8	11	20
50-64	1124	3.6	14	1	1	2	4	7	9	18
65+	2666	3.3	11	1	1	2	4	7	9	16
GRAND TOTAL	**5894**	**3.6**	**12**	**1**	**1**	**2**	**4**	**7**	**9**	**16**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	1.9	1	<1	<1	2	3	4	4	4
20-34	17	4.2	7	1	1	3	6	8	9	10
35-49	12	4.7	8	1	1	4	7	8	9	9
50-64	16	3.3	3	1	2	3	4	6	7	7
65+	7	4.4	1	3	3	4	5	6	6	6
B. *Operated*										
0-19 YRS	11	1.7		1	1	2	2	2	2	2
20-34	17	1.8	2	<1	<1	1	2	4	5	6
35-49	13	2.8	2	1	1	2	3	5	6	6
50-64	18	2.6	3	1	1	2	4	5	6	7
65+	14	1.9	1	<1	1	2	2	3	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	2.7	6	<1	1	2	3	5	7	14
20-34	44	3.3	7	<1	1	3	4	6	9	12
35-49	56	5.3	16	1	2	4	6	13	15	17
50-64	67	4.7	16	1	1	3	5	11	14	19
65+	91	5.2	17	2	2	4	7	10	15	21
B. *Operated*										
0-19 YRS	15	2.2	1	1	2	2	2	3	4	5
20-34	41	3.9	12	1	1	3	4	10	12	15
35-49	43	3.5	8	<1	1	3	4	8	10	14
50-64	71	4.9	16	1	2	3	6	12	13	18
65+	86	4.2	9	1	1	4	5	8	10	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	79	3.3	5	1	1	3	4	7	8	10
B. *Operated*	73	2.2	2	<1	1	2	2	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	304	4.5	14	1	1	3	5	9	13	18
B. *Operated*	256	4.1	11	1	1	3	5	9	12	17
1. SINGLE DX	152	2.8	4	1	1	2	4	6	7	9
2. MULTIPLE DX	560	4.3	13	1	1	3	5	9	13	17
A. NOT OPERATED	383	4.2	13	1	1	3	5	8	12	17
B. OPERATED	329	3.7	10	1	1	3	4	8	11	16
TOTAL 0-19 YRS	99	2.3	3	<1	1	2	3	4	5	11
20-34	119	3.4	8	<1	1	2	4	7	11	14
35-49	124	4.3	12	1	1	3	5	9	13	16
50-64	172	4.4	14	1	1	3	5	10	13	18
65+	198	4.5	12	1	1	4	6	9	11	18
GRAND TOTAL	**712**	**4.0**	**11**	**1**	**1**	**3**	**5**	**8**	**12**	**17**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	762	2.5	2	1	1	2	3	4	5	7
20-34	26	3.7	4	<1	1	3	4	6	8	8
35-49	9	1.8		<1	<1	2	2	3	3	3
50-64	15	2.9	9	<1	1	2	3	8	10	11
65+	3	3.7	6	1	1	4	5	6	6	6
B. *Operated*										
0-19 YRS	1638	1.3	1	<1	<1	1	1	2	2	5
20-34	330	1.9	1	1	1	2	2	3	3	4
35-49	324	2.0	4	1	1	2	2	3	3	7
50-64	270	1.9		1	1	2	2	3	3	4
65+	101	1.9		<1	1	2	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3418	3.2	5	1	1	3	4	6	7	11
20-34	105	4.9	27	1	2	4	5	7	10	37
35-49	85	4.9	12	1	1	4	7	10	11	19
50-64	88	5.6	18	1	1	5	7	11	14	22
65+	73	5.8	20	1	2	4	8	10	14	26
B. *Operated*										
0-19 YRS	2604	1.7	3	<1	<1	1	2	3	4	9
20-34	470	2.3	2	1	1	2	3	3	5	8
35-49	400	2.2	3	1	1	2	2	3	4	11
50-64	498	2.4	3	1	1	2	3	4	5	11
65+	215	2.9	8	1	1	2	3	5	9	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	815	2.6	2	1	1	2	3	4	5	7
B. *Operated*	2663	1.6	1	<1	<1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	3769	3.4	7	1	1	3	4	6	8	13
B. *Operated*	4187	2.0	3	<1	<1	2	2	3	5	10
1. SINGLE DX	3478	1.8	2	<1	<1	2	2	3	4	6
2. MULTIPLE DX	7956	2.7	6	<1	1	2	3	5	7	11
A. NOT OPERATED	4584	3.3	6	1	1	3	4	6	7	12
B. OPERATED	6850	1.8	3	<1	<1	1	2	3	4	9
TOTAL 0-19 YRS	8422	2.3	4	<1	<1	2	3	4	6	10
20-34	931	2.5	5	1	1	2	3	4	6	9
35-49	818	2.4	5	1	1	2	2	4	6	11
50-64	871	2.6	5	1	1	2	3	4	7	13
65+	392	3.2	10	1	1	2	3	6	9	18
GRAND TOTAL	**11434**	**2.4**	**5**	**<1**	**<1**	**2**	**3**	**4**	**6**	**11**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	139	2.9	3	1	1	3	3	5	6	10
20-34	61	3.7	3	1	1	3	5	6	7	9
35-49	38	4.1	5	1	2	3	6	8	8	9
50-64	13	4.2	4	1	2	4	5	7	9	9
65+	16	4.7	4	2	2	4	6	8	9	9
B. *Operated*										
0-19 YRS	198	1.9	3	<1	<1	1	2	4	6	10
20-34	57	2.7	8	1	1	2	3	4	10	16
35-49	34	2.2	2	<1	1	2	3	4	5	7
50-64	37	2.0	1	<1	1	2	2	3	4	5
65+	20	4.8	22	1	1	3	8	12	15	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	368	3.7	6	1	1	3	5	7	9	14
20-34	131	4.6	8	1	1	4	6	8	10	13
35-49	97	4.9	7	1	2	4	6	10	10	13
50-64	85	7.1	31	2	3	5	9	14	16	34
65+	112	8.6	45	2	3	7	11	16	27	31
B. *Operated*										
0-19 YRS	365	2.8	18	<1	1	2	3	6	10	16
20-34	103	3.3	10	1	1	2	4	6	10	18
35-49	91	4.2	34	1	1	3	4	8	12	38
50-64	100	5.3	46	1	1	2	6	13	18	36
65+	87	10.2	147	1	1	6	14	24	34	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	267	3.4	4	1	1	3	4	6	8	9
B. *Operated*	346	2.2	5	<1	<1	1	2	4	7	11
2. MULTIPLE DX										
A. *Not Operated*	793	5.1	18	1	2	4	6	10	12	21
B. *Operated*	746	4.2	43	1	1	2	4	10	15	33
1. SINGLE DX	613	2.8	5	<1	<1	2	3	6	7	11
2. MULTIPLE DX	1539	4.7	30	1	1	3	6	10	14	29
A. NOT OPERATED	1060	4.6	15	1	2	4	6	9	11	18
B. OPERATED	1092	3.6	32	<1	1	2	3	8	13	29
TOTAL 0-19 YRS	1070	3.0	10	<1	1	2	3	6	8	14
20-34	352	3.7	8	1	1	3	5	7	9	15
35-49	260	4.2	16	1	1	3	5	8	10	17
50-64	235	5.4	34	1	1	3	6	12	16	32
65+	235	8.6	81	1	2	6	11	18	27	43
GRAND TOTAL	**2152**	**4.1**	**24**	**1**	**1**	**3**	**5**	**9**	**12**	**26**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	3.2	6	1	1	2	5	7	8	12
20-34	194	3.1	4	1	1	3	4	5	7	11
35-49	347	3.3	7	1	1	3	4	6	7	14
50-64	401	3.4	5	1	1	3	4	7	8	10
65+	369	3.3	4	1	1	3	4	6	8	10
B. *Operated*										
0-19 YRS	7	2.7	3	1	1	2	4	6	6	6
20-34	65	3.6	9	1	1	3	4	9	10	13
35-49	117	3.3	6	1	1	2	4	7	9	13
50-64	116	3.7	6	1	1	3	5	8	9	11
65+	57	3.8	10	1	1	3	5	8	9	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	3.9	4	1	2	4	5	6	8	9
20-34	330	4.1	6	1	1	4	5	7	8	12
35-49	646	4.2	7	1	2	4	6	7	8	14
50-64	1351	4.4	9	1	2	4	6	8	10	14
65+	2406	4.9	10	1	2	4	6	9	11	15
B. *Operated*										
0-19 YRS	10	4.7	9	1	1	4	8	9	10	10
20-34	46	5.4	13	1	1	5	8	11	12	15
35-49	96	5.7	23	1	1	4	7	12	13	28
50-64	199	6.1	19	2	2	5	8	12	14	20
65+	250	7.3	23	2	3	6	9	14	17	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1349	3.3	5	1	1	3	4	6	7	11
B. *Operated*	362	3.5	7	1	1	3	4	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	4792	4.6	9	1	2	4	6	8	10	14
B. *Operated*	601	6.4	21	2	2	5	9	12	15	22
1. SINGLE DX	1711	3.4	6	1	1	3	4	6	8	11
2. MULTIPLE DX	5393	4.8	11	1	2	4	6	9	11	16
A. NOT OPERATED	6141	4.3	8	1	2	4	6	8	10	14
B. OPERATED	963	5.4	18	1	2	4	7	11	13	20
TOTAL 0-19 YRS	114	3.7	5	1	1	3	5	7	8	11
20-34	635	3.8	7	1	1	3	5	7	9	12
35-49	1206	4.0	9	1	1	3	5	7	9	14
50-64	2067	4.4	9	1	2	4	6	8	10	15
65+	3082	4.9	11	1	2	4	6	9	11	16
GRAND TOTAL	**7104**	**4.5**	**10**	**1**	**2**	**4**	**6**	**8**	**10**	**15**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	5	1.2		<1	<1	1	1	2	2	2
50-64	2	1.0		<1	<1	<1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	31	2.1	1	1	1	2	3	3	3	4
20-34	291	2.1	1	1	1	2	3	3	4	4
35-49	417	2.1	1	1	1	2	3	3	3	4
50-64	380	2.2	1	1	1	2	3	3	4	4
65+	122	2.3	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	5	<1	<1	2	4	4	4	4
20-34	5	1.2		<1	<1	1	1	2	2	2
35-49	4	1.8	2	1	1	1	3	4	4	4
50-64	7	1.6	1	<1	<1	1	2	4	4	4
65+	8	6.8	45	1	1	5	8	18	22	22
B. *Operated*										
0-19 YRS	5	2.4	1	<1	<1	3	3	3	3	3
20-34	82	2.0	1	1	1	2	2	3	3	6
35-49	119	2.4	3	1	1	2	3	4	5	12
50-64	198	2.3	1	1	1	2	3	4	4	7
65+	102	2.6	1	1	1	3	3	4	4	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	1.4	1	<1	<1	1	2	3	4	4
B. *Operated*	1241	2.1	1	1	1	2	3	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	26	3.2	19	<1	<1	1	4	7	12	22
B. *Operated*	506	2.3	2	1	1	2	3	3	4	7
1. SINGLE DX	1250	2.1	1	1	1	2	3	3	3	4
2. MULTIPLE DX	532	2.4	2	1	1	2	3	4	4	8
A. NOT OPERATED	35	2.7	15	<1	<1	1	3	5	8	22
B. OPERATED	1747	2.2	1	1	1	2	3	3	4	5
TOTAL 0-19 YRS	38	2.2	1	<1	1	2	3	3	4	4
20-34	380	2.1	1	1	1	2	3	3	3	4
35-49	545	2.1	1	1	1	2	3	3	4	6
50-64	587	2.3	1	1	1	2	3	3	4	5
65+	232	2.6	3	1	1	2	3	4	4	8
GRAND TOTAL	**1782**	**2.2**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**5**

134: Miscellaneous diseases of ear
(380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	2.5	6	<1	<1	1	3	5	8	11
20-34	32	3.1	3	<1	<1	3	4	5	5	9
35-49	40	3.5	4	1	1	4	4	5	8	11
50-64	45	3.9	2	1	2	4	4	6	7	7
65+	22	3.0	3	<1	1	4	4	5	6	7
B. *Operated*										
0-19 YRS	674	1.6	1	1	1	1	2	2	3	5
20-34	439	1.8	1	1	1	2	2	3	4	5
35-49	328	1.9	2	1	1	2	2	3	4	8
50-64	268	1.8	1	1	1	2	2	3	3	4
65+	105	1.9	1	1	1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	3.7	11	<1	<1	2	5	8	10	15
20-34	36	3.4	6	<1	1	3	5	7	9	9
35-49	49	3.6	7	<1	1	3	5	7	10	13
50-64	95	4.3	7	1	1	4	6	8	9	13
65+	95	4.9	8	1	2	4	6	8	11	14
B. *Operated*										
0-19 YRS	712	1.8	2	<1	1	2	2	3	3	7
20-34	501	2.1	3	1	1	2	2	3	4	10
35-49	391	2.2	3	1	1	2	2	3	4	9
50-64	420	2.7	15	1	1	2	3	4	6	21
65+	219	2.9	6	1	1	2	3	5	8	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	164	3.3	4	<1	1	4	4	5	7	11
B. *Operated*	1814	1.8	1	1	1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	327	4.2	8	<1	1	4	6	8	9	13
B. *Operated*	2243	2.2	5	1	1	2	2	3	5	10
1. SINGLE DX	1978	1.9	1	1	1	2	2	3	4	7
2. MULTIPLE DX	2570	2.5	6	1	1	2	3	4	6	12
A. NOT OPERATED	491	3.9	7	<1	1	4	5	7	9	13
B. OPERATED	4057	2.0	3	1	1	2	2	3	4	9
TOTAL 0-19 YRS	1463	1.8	2	<1	1	2	2	3	4	8
20-34	1008	2.1	2	1	1	2	2	3	4	9
35-49	808	2.2	3	1	1	2	3	4	5	10
50-64	828	2.7	9	1	1	2	3	5	6	11
65+	441	3.1	6	1	1	2	4	6	8	13
GRAND TOTAL	**4548**	**2.2**	**4**	**1**	**1**	**2**	**2**	**4**	**5**	**10**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	6.3	23	2	2	5	7	10	15	26
20-34	20	7.2	35	2	2	5	10	12	20	27
35-49	10	6.3	10	2	2	5	10	11	11	11
50-64	5	7.2	7	4	4	7	9	11	11	11
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34										
35-49	1	11.0		11	11	11	11	11	11	11
50-64	4	8.5	81	1	1	6	15	21	21	21
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	6.4	16	3	3	5	8	12	14	22
20-34	31	6.8	22	1	2	5	10	13	15	21
35-49	22	5.8	12	2	3	5	7	13	14	14
50-64	35	8.6	65	1	3	6	10	23	29	33
65+	38	9.2	40	1	3	8	11	18	21	34
B. *Operated*										
0-19 YRS	3	25.0	399	8	8	20	40	47	47	47
20-34	6	11.8	39	2	2	14	16	18	18	18
35-49	5	9.2	20	4	4	9	11	16	16	16
50-64	15	11.5	89	1	2	7	17	22	32	35
65+	21	9.1	62	2	2	7	11	23	28	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	105	6.5	23	2	2	5	8	11	14	27
B. *Operated*	6	8.8	50	1	1	8	11	20	21	21
2. MULTIPLE DX										
A. *Not Operated*	172	7.4	33	2	3	6	9	13	18	32
B. *Operated*	50	11.1	87	2	2	8	16	22	32	47
1. SINGLE DX	111	6.6	24	2	2	5	8	11	15	27
2. MULTIPLE DX	222	8.3	47	2	3	6	10	16	22	34
A. NOT OPERATED	277	7.1	29	2	3	6	9	13	18	29
B. OPERATED	56	10.9	82	2	2	8	16	22	30	46
TOTAL 0-19 YRS	119	6.8	35	2	2	5	8	12	18	33
20-34	57	7.5	29	2	2	5	11	15	17	27
35-49	38	6.5	14	2	3	6	9	12	14	16
50-64	59	9.2	66	1	2	7	11	22	29	35
65+	60	9.1	47	2	2	7	11	18	24	34
GRAND TOTAL	**333**	**7.7**	**40**	**2**	**2**	**6**	**9**	**14**	**22**	**33**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	4.4	16	1	1	4	5	9	15	16
20-34	13	4.2	18	1	1	3	5	8	15	17
35-49	12	6.3	103	1	1	3	4	17	35	38
50-64	14	5.1	14	1	2	4	8	11	13	13
65+	5	4.6	7	2	2	4	6	9	9	9
B. *Operated*										
0-19 YRS	13	5.4	27	1	1	2	8	15	17	17
20-34	23	8.0	174	1	1	4	10	13	32	65
35-49	73	5.5	21	1	1	2	10	12	13	16
50-64	86	7.0	49	1	2	2	12	16	19	34
65+	34	9.4	282	1	1	3	11	20	26	96
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	4.8	15	1	2	4	6	11	13	16
20-34	76	5.3	25	1	2	4	6	9	15	28
35-49	151	5.4	19	1	2	4	7	10	13	24
50-64	260	7.0	31	2	2	6	9	12	17	34
65+	460	8.4	37	2	3	7	10	15	18	36
B. *Operated*										
0-19 YRS	25	7.2	52	1	2	3	11	18	23	24
20-34	68	9.9	67	2	2	9	14	18	22	47
35-49	246	10.0	69	2	2	9	14	20	24	36
50-64	516	11.0	97	2	2	10	15	23	27	52
65+	416	12.5	154	2	2	9	17	27	36	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	56	4.9	32	1	1	4	5	10	15	37
B. *Operated*	229	6.9	86	1	1	3	10	14	18	40
2. MULTIPLE DX										
A. *Not Operated*	971	7.2	33	2	2	6	9	13	18	31
B. *Operated*	1271	11.1	109	2	2	9	15	23	30	55
1. SINGLE DX	285	6.5	76	1	1	3	10	14	17	37
2. MULTIPLE DX	2242	9.4	80	2	2	7	12	19	25	45
A. NOT OPERATED	1027	7.1	33	2	2	5	9	13	17	32
B. OPERATED	1500	10.5	107	2	2	9	14	22	29	55
TOTAL 0-19 YRS	74	5.7	30	1	2	3	8	15	17	24
20-34	180	7.3	63	1	2	5	10	16	20	44
35-49	482	7.8	52	1	2	6	11	16	22	33
50-64	876	9.3	76	2	2	7	13	19	25	45
65+	915	10.3	103	2	2	8	13	20	29	55
GRAND TOTAL	**2527**	**9.1**	**80**	**2**	**2**	**7**	**12**	**18**	**24**	**45**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	3.8	3	1	2	3	5	6	7	8
20-34	146	3.6	4	1	1	3	5	6	7	9
35-49	488	4.3	8	1	2	4	5	7	9	17
50-64	545	4.3	8	1	2	4	5	8	9	14
65+	344	4.5	10	1	2	4	6	8	11	17
B. *Operated*										
0-19 YRS	22	3.3	4	1	1	3	4	7	8	8
20-34	45	3.5	6	<1	1	2	5	7	8	10
35-49	53	4.4	12	1	2	3	6	9	12	16
50-64	61	3.3	6	1	1	2	4	7	9	13
65+	27	4.9	10	2	2	4	6	10	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	102	4.8	12	1	2	4	6	9	12	18
20-34	674	4.8	14	1	2	4	6	8	10	23
35-49	2413	5.3	12	2	2	5	7	9	12	18
50-64	3930	5.8	18	2	2	5	7	10	13	20
65+	4396	6.1	19	2	2	5	8	11	14	23
B. *Operated*										
0-19 YRS	24	7.2	211	1	1	4	6	10	30	74
20-34	107	7.3	100	1	2	5	9	14	16	53
35-49	380	8.3	45	2	2	7	11	16	19	40
50-64	711	8.6	47	2	2	7	10	17	21	33
65+	597	10.6	61	2	3	9	14	20	26	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1567	4.2	8	1	2	4	5	7	9	15
B. *Operated*	208	3.8	8	1	1	3	5	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	11515	5.8	17	2	2	5	7	10	13	21
B. *Operated*	1819	9.1	57	2	2	7	11	17	22	34
1. SINGLE DX	1775	4.2	8	1	2	3	5	7	9	15
2. MULTIPLE DX	13334	6.2	24	2	2	5	8	11	15	25
A. NOT OPERATED	13082	5.6	16	2	2	5	7	10	12	20
B. OPERATED	2027	8.6	55	2	2	7	11	17	21	34
TOTAL 0-19 YRS	192	4.7	34	1	2	4	6	8	10	18
20-34	972	4.8	22	1	2	4	6	9	11	20
35-49	3334	5.5	17	2	2	4	7	10	13	20
50-64	5247	6.0	22	2	2	5	7	11	14	23
65+	5364	6.5	25	2	2	5	8	12	16	27
GRAND TOTAL	**15109**	**6.0**	**22**	**2**	**2**	**5**	**7**	**11**	**14**	**24**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	14	4.4	5	1	2	4	7	7	8	8
35-49	60	5.2	7	1	2	5	7	9	11	11
50-64	93	5.1	11	1	2	4	6	9	13	18
65+	156	6.2	12	2	2	6	8	11	13	17
B. *Operated*										
0-19 YRS										
20-34	2	6.5	1	6	6	6	7	7	7	7
35-49	8	3.4	3	2	2	3	5	6	6	6
50-64	20	4.3	8	1	2	3	7	9	9	10
65+	14	4.9	13	1	2	4	7	10	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	7.3	14	3	3	7	10	13	13	13
20-34	49	5.8	9	2	2	6	7	10	12	14
35-49	418	6.6	16	2	3	6	8	11	14	22
50-64	1301	7.4	24	2	3	6	9	13	16	26
65+	3287	8.2	31	3	3	7	10	15	19	28
B. *Operated*										
0-19 YRS										
20-34	8	9.5	63	2	3	6	14	23	25	25
35-49	111	7.7	28	2	2	7	10	14	16	28
50-64	288	9.3	56	2	2	8	13	19	25	38
65+	454	12.5	113	2	3	10	15	24	32	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	324	5.6	11	2	2	5	7	10	12	16
B. *Operated*	44	4.4	8	1	2	4	6	9	10	12
2. MULTIPLE DX										
A. *Not Operated*	5061	7.9	28	2	3	7	10	14	18	27
B. *Operated*	861	10.8	86	2	2	9	14	21	28	42
1. SINGLE DX	368	5.4	11	2	2	5	7	10	12	15
2. MULTIPLE DX	5922	8.3	38	2	3	7	10	15	20	31
A. NOT OPERATED	5385	7.7	27	2	3	7	9	14	17	27
B. OPERATED	905	10.5	84	2	2	8	13	21	28	42
TOTAL 0-19 YRS	7	7.4	12	3	3	8	10	12	13	13
20-34	73	6.0	15	2	2	5	7	10	13	23
35-49	597	6.6	18	2	2	6	9	12	14	22
50-64	1702	7.6	30	2	2	6	10	14	18	28
65+	3911	8.6	42	2	3	7	10	15	20	33
GRAND TOTAL	**6290**	**8.1**	**36**	**2**	**3**	**7**	**10**	**15**	**19**	**31**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	3.8	4	1	1	4	5	7	7	7
20-34	7	6.9	13	3	3	5	9	12	13	13
35-49	26	5.4	11	1	1	5	7	9	12	14
50-64	18	4.8	6	2	2	4	6	8	10	12
65+	18	10.8	86	2	3	7	15	22	33	39
B. *Operated*										
0-19 YRS	11	6.2	37	1	1	4	7	17	20	20
20-34	24	7.3	43	1	2	5	11	17	21	22
35-49	25	6.7	37	1	1	3	10	17	19	21
50-64	43	4.5	13	1	1	4	6	10	12	17
65+	17	5.1	12	1	2	5	7	10	11	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	5.2	21	1	1	4	6	12	17	20
20-34	54	5.7	31	1	1	5	7	10	13	36
35-49	107	6.5	16	2	2	6	8	11	15	19
50-64	232	8.1	29	2	3	6	11	15	19	25
65+	454	9.2	45	2	3	8	11	17	21	31
B. *Operated*										
0-19 YRS	39	11.8	183	2	2	7	14	34	47	57
20-34	106	10.9	106	2	2	8	15	22	32	54
35-49	154	11.5	167	2	2	7	15	27	36	86
50-64	330	11.5	86	2	3	10	16	24	33	44
65+	366	12.8	110	2	3	10	17	24	34	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	6.4	31	1	2	5	7	12	16	34
B. *Operated*	120	5.8	26	1	1	4	8	13	17	21
2. MULTIPLE DX										
A. *Not Operated*	886	8.2	37	2	3	7	11	16	20	29
B. *Operated*	995	11.9	113	2	2	9	16	24	34	55
1. SINGLE DX	201	6.0	28	1	1	4	8	13	17	23
2. MULTIPLE DX	1881	10.2	81	2	2	8	13	20	27	45
A. NOT OPERATED	967	8.0	36	2	2	6	10	15	20	29
B. OPERATED	1115	11.3	107	2	2	9	15	23	33	51
TOTAL 0-19 YRS	101	7.7	93	1	2	5	8	17	22	54
20-34	191	8.8	79	1	2	6	11	18	26	42
35-49	312	8.9	98	1	2	6	11	17	27	60
50-64	623	9.6	63	2	2	7	12	20	25	41
65+	855	10.7	76	2	3	9	14	21	26	41
GRAND TOTAL	**2082**	**9.8**	**77**	**2**	**2**	**7**	**13**	**20**	**26**	**43**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	10.0	3	7	7	10	12	12	12	12
20-34	50	8.9	14	2	4	9	12	14	14	17
35-49	718	9.4	11	3	5	9	11	13	15	18
50-64	1539	9.9	14	4	6	10	12	14	16	21
65+	1214	10.2	15	4	6	10	12	15	17	23
B. *Operated*										
0-19 YRS										
20-34	23	7.9	22	1	1	9	10	13	16	19
35-49	266	8.5	18	2	2	9	11	14	15	18
50-64	371	9.6	26	2	2	10	12	15	18	27
65+	116	11.2	34	1	2	11	14	18	21	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	11.7	30	4	6	11	13	22	24	25
20-34	137	9.2	17	2	2	10	12	14	16	19
35-49	2183	10.1	18	3	5	10	12	15	17	22
50-64	7515	11.1	26	4	6	11	13	16	19	28
65+	15105	12.2	34	5	7	11	14	19	22	33
B. *Operated*										
0-19 YRS	6	8.7	26	1	1	8	12	16	16	16
20-34	84	9.9	33	2	2	10	13	18	21	24
35-49	1193	10.8	49	2	2	10	14	18	22	37
50-64	3222	13.1	73	2	4	12	16	22	28	47
65+	3034	16.5	99	5	8	14	20	29	36	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3528	9.9	14	4	6	10	12	14	16	21
B. *Operated*	776	9.4	25	2	2	9	12	15	18	25
2. MULTIPLE DX										
A. *Not Operated*	24962	11.6	30	5	6	11	14	18	21	32
B. *Operated*	7539	14.1	84	2	5	12	17	24	31	50
1. SINGLE DX	4304	9.8	16	3	5	10	12	14	16	22
2. MULTIPLE DX	32501	12.2	44	4	6	11	14	19	24	37
A. NOT OPERATED	28490	11.4	29	5	6	11	14	17	21	31
B. OPERATED	8315	13.6	80	2	4	12	17	24	30	49
TOTAL 0-19 YRS	35	10.9	24	3	6	11	12	16	22	25
20-34	294	9.3	21	2	2	10	12	14	17	22
35-49	4360	10.1	26	2	4	10	12	15	18	26
50-64	12647	11.4	38	3	5	11	14	17	21	34
65+	19469	12.7	46	5	7	11	15	20	25	38
GRAND TOTAL	**36805**	**11.9**	**41**	**4**	**6**	**11**	**14**	**19**	**23**	**36**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	3.3	5	1	1	3	5	6	7	7
20-34	94	3.5	5	1	1	3	4	6	8	12
35-49	577	3.3	4	1	1	3	4	6	7	10
50-64	744	3.5	5	1	1	3	5	6	8	10
65+	614	3.9	8	1	1	3	5	7	8	12
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	22	4.1	12	1	2	3	5	8	12	17
35-49	200	3.2	6	1	1	2	4	7	9	11
50-64	301	2.9	6	1	1	2	3	6	9	12
65+	117	3.8	19	1	1	2	3	9	12	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	3.9	5	1	2	3	4	7	10	11
20-34	296	4.3	8	1	2	4	5	8	10	13
35-49	2727	4.4	8	1	2	4	6	8	9	14
50-64	7183	4.8	11	1	2	4	6	9	11	16
65+	11353	5.2	11	2	2	4	7	9	11	17
B. *Operated*										
0-19 YRS	5	4.2	9	2	2	3	6	9	9	9
20-34	80	4.8	18	1	2	3	6	11	13	22
35-49	1478	4.7	19	1	1	3	7	11	13	19
50-64	4716	5.1	25	1	2	3	7	11	15	22
65+	2772	7.0	48	1	2	5	10	15	19	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2038	3.6	5	1	1	3	5	6	8	10
B. *Operated*	641	3.2	9	1	1	2	3	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	21583	5.0	11	[illegible]	2	4	6	9	11	16
B. *Operated*	9051	5.6	32	1	2	3	8	12	16	25
1. SINGLE DX	2679	3.5	6	1	1	3	4	6	8	11
2. MULTIPLE DX	30634	5.2	17	1	2	4	7	10	12	20
A. NOT OPERATED	23621	4.8	10	1	2	4	6	9	11	16
B. OPERATED	9692	5.5	31	1	2	3	8	12	15	24
TOTAL 0-19 YRS	39	3.8	5	1	1	3	5	7	9	11
20-34	492	4.2	9	1	2	3	5	8	11	15
35-49	4982	4.3	11	1	2	3	6	8	10	16
50-64	12944	4.8	16	1	2	4	6	10	12	19
65+	14856	5.5	19	2	2	4	7	10	13	21
GRAND TOTAL	**33313**	**5.0**	**16**	**1**	**2**	**4**	**6**	**10**	**12**	**20**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	37	4.1	5	1	2	4	5	7	8	11
35-49	333	4.0	6	1	2	4	5	7	8	11
50-64	670	4.2	6	1	2	4	5	7	9	12
65+	663	4.5	7	1	2	4	6	7	10	14
B. *Operated*										
0-19 YRS										
20-34	10	4.4	5	1	1	4	6	8	9	9
35-49	105	5.4	17	2	2	4	7	10	14	20
50-64	242	5.4	18	1	2	4	8	12	14	18
65+	110	6.8	23	1	2	6	10	14	17	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	5.9	22	3	3	4	7	14	18	20
20-34	132	5.9	20	2	2	5	7	11	14	24
35-49	2057	5.2	12	2	2	4	7	9	11	17
50-64	6684	5.6	12	2	2	5	7	10	12	18
65+	12577	6.2	16	2	3	5	8	11	13	21
B. *Operated*										
0-19 YRS	6	6.8	17	1	1	7	10	11	11	11
20-34	45	6.5	22	1	2	6	9	13	14	24
35-49	1208	7.3	34	2	2	6	10	14	17	25
50-64	4250	8.5	43	2	2	8	12	16	19	29
65+	3443	10.7	70	2	2	9	14	20	26	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1705	4.3	6	1	2	4	5	7	9	12
B. *Operated*	467	5.7	19	1	2	4	8	12	14	19
2. MULTIPLE DX										
A. *Not Operated*	21469	5.9	14	2	2	5	7	10	13	20
B. *Operated*	8952	9.2	54	2	2	8	12	17	22	35
1. SINGLE DX	2172	4.6	9	1	2	4	6	8	10	16
2. MULTIPLE DX	30421	6.9	28	2	2	5	9	13	16	26
A. NOT OPERATED	23174	5.8	14	2	2	5	7	10	12	19
B. OPERATED	9419	9.0	53	2	2	8	12	17	22	35
TOTAL 0-19 YRS	27	6.0	19	2	3	4	8	11	17	20
20-34	224	5.7	18	1	2	4	7	11	14	23
35-49	3703	5.7	20	2	2	4	7	11	14	21
50-64	11846	6.5	25	2	2	5	9	13	15	23
65+	16793	7.1	30	2	2	6	9	13	17	28
GRAND TOTAL	**32593**	**6.7**	**27**	**2**	**2**	**5**	**9**	**13**	**16**	**26**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	16	4.2	7	1	2	4	5	7	10	12
35-49	129	4.4	16	1	1	3	5	7	9	25
50-64	239	4.3	10	1	1	4	5	8	9	14
65+	223	5.7	40	1	2	4	7	11	14	55
B. *Operated*										
0-19 YRS	7	3.3	4	2	2	2	4	7	7	7
20-34	43	3.8	9	1	2	2	5	9	11	11
35-49	851	4.3	16	1	1	2	6	10	12	17
50-64	2248	4.8	21	1	2	2	8	11	13	20
65+	760	5.2	27	1	1	2	8	13	16	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	3.1	4	1	1	3	5	6	6	6
20-34	83	5.0	13	1	2	4	6	9	11	21
35-49	1009	4.9	10	1	2	4	6	9	11	16
50-64	3444	5.7	15	1	2	5	7	10	13	21
65+	6576	6.8	24	2	3	6	8	12	15	25
B. *Operated*										
0-19 YRS	18	5.6	28	2	2	3	8	13	19	21
20-34	127	5.3	24	1	2	3	8	13	16	20
35-49	2867	5.9	29	1	2	3	9	13	15	24
50-64	9119	6.9	42	1	2	4	10	15	18	29
65+	5448	9.5	80	2	2	8	13	20	25	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	607	4.8	23	1	2	4	6	9	11	28
B. *Operated*	3909	4.8	21	1	1	2	8	11	14	20
2. MULTIPLE DX										
A. *Not Operated*	11126	6.3	21	2	2	5	8	11	14	23
B. *Operated*	17579	7.5	53	1	2	5	11	16	20	34
1. SINGLE DX	4516	4.8	21	1	1	2	7	11	13	20
2. MULTIPLE DX	28705	7.1	41	1	2	5	10	14	18	31
A. NOT OPERATED	11733	6.2	21	2	2	5	8	11	14	23
B. OPERATED	21488	7.0	49	1	2	4	10	15	19	32
TOTAL 0-19 YRS	39	4.3	16	1	2	3	6	9	13	21
20-34	269	4.9	18	1	2	3	7	11	14	18
35-49	4856	5.4	23	1	2	3	8	12	14	21
50-64	15050	6.3	33	1	2	4	9	13	16	26
65+	13007	7.8	50	2	2	6	10	16	20	35
GRAND TOTAL	**33221**	**6.7**	**39**	**1**	**2**	**5**	**9**	**14**	**18**	**30**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	5.9	9	1	1	6	8	10	10	10
20-34	101	7.9	12	2	3	8	10	12	13	18
35-49	133	8.8	13	2	5	9	11	13	16	18
50-64	132	10.3	16	4	6	10	12	15	16	23
65+	126	10.2	16	5	6	10	12	15	17	23
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	24	10.5	37	3	3	10	12	18	25	30
35-49	40	11.5	32	4	5	11	14	19	23	28
50-64	29	10.6	31	5	5	10	13	16	17	33
65+	18	14.4	50	6	9	12	17	27	31	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	10.4	16	5	6	10	14	16	17	17
20-34	223	10.6	39	3	4	10	12	17	22	38
35-49	437	11.0	37	3	5	10	13	18	21	36
50-64	825	11.1	29	4	6	10	13	17	20	31
65+	1793	12.5	42	5	7	11	15	20	24	37
B. *Operated*										
0-19 YRS	5	12.0	48	2	2	14	18	18	18	18
20-34	87	14.2	51	5	7	13	18	23	28	41
35-49	133	12.9	39	5	7	12	15	21	24	33
50-64	287	15.2	79	6	8	13	18	27	32	47
65+	470	16.9	122	7	8	14	20	27	39	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	499	9.3	15	3	5	9	11	14	16	21
B. *Operated*	112	11.5	37	4	5	10	14	18	26	32
2. MULTIPLE DX										
A. *Not Operated*	3291	11.8	38	5	6	11	14	18	23	36
B. *Operated*	982	15.6	93	6	8	13	19	26	33	55
1. SINGLE DX	611	9.7	20	3	5	9	12	15	17	27
2. MULTIPLE DX	4273	12.7	53	5	6	11	15	20	25	41
A. NOT OPERATED	3790	11.5	36	4	6	10	14	18	22	34
B. OPERATED	1094	15.2	89	6	7	13	18	25	32	53
TOTAL 0-19 YRS	26	9.3	24	2	3	8	14	17	18	18
20-34	435	10.7	39	3	4	10	13	18	23	37
35-49	743	11.0	34	4	5	10	13	18	21	30
50-64	1273	12.0	42	5	6	11	14	18	24	37
65+	2407	13.3	59	5	7	12	15	22	26	43
GRAND TOTAL	**4884**	**12.3**	**50**	**5**	**6**	**11**	**15**	**20**	**24**	**39**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	6	6.7	31	<1	<1	6	9	15	16	16
35-49	3	10.7	16	7	7	10	14	15	15	15
50-64	4	23.0	225	5	5	23	34	40	40	40
65+	1	10.0		10	10	10	10	10	10	10
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	19.2	235	<1	2	17	30	43	45	46
20-34	85	21.7	181	2	4	22	30	42	43	55
35-49	50	28.1	206	3	7	29	35	47	52	61
50-64	66	24.3	215	4	5	21	33	45	50	60
65+	119	26.6	199	8	11	25	35	46	56	87
B. *Operated*										
0-19 YRS	8	37.9	316	13	17	36	42	66	75	75
20-34	62	34.0	297	8	12	33	44	60	70	98
35-49	39	34.4	229	16	18	31	43	54	61	83
50-64	41	30.3	280	5	8	29	43	50	59	68
65+	77	33.4	151	15	18	32	42	48	60	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	12.1	110	<1	1	9	16	29	37	40
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	340	24.7	205	3	6	25	33	44	50	63
B. *Operated*	227	33.3	232	10	14	32	43	53	65	87
1. SINGLE DX	15	12.1	110	<1	1	9	16	29	37	40
2. MULTIPLE DX	567	28.2	233	5	8	28	39	47	55	81
A. NOT OPERATED	355	24.2	207	3	6	24	33	44	49	63
B. OPERATED	227	33.3	232	10	14	32	43	53	65	87
TOTAL 0-19 YRS	29	23.9	319	1	3	21	37	44	47	75
20-34	153	26.1	271	3	6	26	38	45	56	83
35-49	92	30.2	229	6	8	29	41	50	56	75
50-64	111	26.5	244	4	5	28	40	47	52	66
65+	197	29.2	191	10	13	28	38	47	56	91
GRAND TOTAL	**582**	**27.8**	**236**	**4**	**8**	**28**	**38**	**47**	**55**	**80**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	3.0	25	<1	1	2	3	5	6	36
20-34	81	2.3	2	<1	1	2	3	4	5	8
35-49	145	2.3	3	<1	1	2	3	4	5	9
50-64	138	2.5	3	<1	1	2	3	5	6	10
65+	101	3.0	4	1	1	2	4	6	7	9
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49	5	3.2	2	2	2	3	4	5	5	5
50-64	3	3.7	1	3	3	3	5	5	5	5
65+	3	5.0	7	2	2	6	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54	2.9	4	1	1	2	4	6	7	8
20-34	141	3.3	5	1	1	3	4	6	8	11
35-49	281	3.7	6	1	1	3	5	7	9	12
50-64	622	4.4	13	1	1	3	6	8	10	17
65+	1097	5.3	15	1	2	4	7	10	12	20
B. *Operated*										
0-19 YRS	4	4.3	10	2	2	3	6	9	9	9
20-34	11	6.2	17	1	2	5	9	13	13	13
35-49	25	5.0	14	1	2	5	6	8	12	19
50-64	59	6.5	17	1	2	6	9	13	14	17
65+	106	10.1	35	3	4	9	13	17	22	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	521	2.6	5	<1	1	2	3	5	6	9
B. *Operated*	12	3.7	3	2	2	3	5	6	7	7
2. MULTIPLE DX										
A. *Not Operated*	2195	4.6	13	1	1	4	6	9	11	17
B. *Operated*	205	8.2	30	2	2	7	11	15	18	25
1. SINGLE DX	533	2.6	5	<1	1	2	3	5	6	9
2. MULTIPLE DX	2400	4.9	15	1	1	4	6	10	12	19
A. NOT OPERATED	2716	4.2	12	1	1	3	5	8	10	16
B. OPERATED	217	7.9	30	2	2	7	11	15	17	25
TOTAL 0-19 YRS	115	3.0	14	<1	1	2	4	5	7	19
20-34	233	3.1	5	1	1	2	4	6	8	13
35-49	456	3.3	6	1	1	3	4	6	8	11
50-64	822	4.2	12	1	1	3	5	8	10	16
65+	1307	5.5	18	1	2	4	7	11	14	22
GRAND TOTAL	**2933**	**4.5**	**14**	**1**	**1**	**4**	**6**	**9**	**11**	**18**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	2.6	11	<1	<1	1	2	8	11	11
20-34	140	2.0	2	<1	1	1	2	4	6	7
35-49	235	2.5	3	<1	1	2	3	5	6	9
50-64	393	3.0	7	<1	1	2	4	6	7	13
65+	394	3.4	7	<1	1	3	4	7	8	12
B. *Operated*										
0-19 YRS										
20-34	4	3.8	6	<1	<1	3	5	7	7	7
35-49	7	4.7	8	1	1	5	7	9	9	9
50-64	24	4.2	12	1	2	3	5	10	13	14
65+	8	4.4	7	1	1	5	6	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	4.0	24	<1	1	2	5	10	13	25
20-34	209	3.1	8	1	1	2	4	6	7	11
35-49	594	3.9	8	1	1	3	5	8	9	13
50-64	2433	4.8	14	1	1	4	6	9	11	18
65+	6995	6.1	21	1	2	5	8	12	15	23
B. *Operated*										
0-19 YRS	5	12.8	289	<1	<1	8	19	42	42	42
20-34	10	4.6	10	1	1	4	7	9	11	11
35-49	53	8.5	89	2	2	6	10	17	22	52
50-64	274	8.7	44	1	2	7	11	16	24	33
65+	784	11.4	72	2	3	9	15	21	25	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1172	2.9	6	<1	1	2	4	6	7	12
B. *Operated*	43	4.3	10	1	1	3	6	9	11	14
2. MULTIPLE DX										
A. *Not Operated*	10268	5.6	19	1	2	5	7	11	13	22
B. *Operated*	1126	10.6	68	2	3	9	14	20	25	42
1. SINGLE DX	1215	2.9	6	<1	1	2	4	6	7	12
2. MULTIPLE DX	11394	6.1	26	1	2	5	8	12	15	25
A. NOT OPERATED	11440	5.3	18	1	1	4	7	10	13	21
B. OPERATED	1169	10.3	67	2	3	9	13	20	25	42
TOTAL 0-19 YRS	52	4.6	49	<1	<1	2	6	11	13	42
20-34	363	2.7	6	<1	1	2	3	5	7	10
35-49	889	3.8	14	1	1	3	5	8	9	16
50-64	3124	4.9	17	1	1	4	6	10	12	21
65+	8181	6.5	28	1	2	5	8	12	16	26
GRAND TOTAL	**12609**	**5.8**	**25**	**1**	**2**	**4**	**7**	**11**	**15**	**25**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	105	2.9	5	<1	1	2	3	5	6	14
20-34	231	3.3	7	1	1	3	4	6	8	14
35-49	382	3.5	7	1	1	3	5	6	8	13
50-64	508	3.8	8	1	1	3	5	7	9	15
65+	458	4.3	10	1	1	3	6	8	10	14
B. *Operated*										
0-19 YRS	42	3.7	10	1	1	2	5	8	10	15
20-34	25	4.9	11	1	2	5	7	8	10	16
35-49	66	3.9	16	<1	1	3	5	8	10	25
50-64	144	5.2	25	1	1	4	7	10	12	18
65+	327	6.3	16	2	2	5	8	12	15	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	218	4.0	13	1	1	3	5	8	9	23
20-34	745	4.0	9	1	1	3	5	7	8	14
35-49	1695	4.6	11	1	1	4	6	9	11	17
50-64	4272	5.6	18	1	2	5	7	10	13	21
65+	10401	6.5	22	2	2	5	8	12	15	23
B. *Operated*										
0-19 YRS	62	8.2	117	1	2	5	9	14	31	69
20-34	91	8.6	101	1	2	6	9	22	28	54
35-49	321	7.2	42	1	2	6	10	15	22	38
50-64	1322	9.0	56	2	2	7	11	17	22	39
65+	5094	10.1	49	3	3	8	13	18	23	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1684	3.7	8	1	1	3	5	7	9	14
B. *Operated*	604	5.6	18	1	2	5	7	10	13	19
2. MULTIPLE DX										
A. *Not Operated*	17331	5.9	19	1	2	5	7	11	14	22
B. *Operated*	6890	9.7	52	2	3	8	12	18	23	36
1. SINGLE DX	2288	4.2	11	1	1	3	5	8	10	17
2. MULTIPLE DX	24221	7.0	32	2	2	6	9	13	17	29
A. NOT OPERATED	19015	5.7	19	1	2	5	7	11	14	21
B. OPERATED	7494	9.4	50	2	3	8	12	18	22	36
TOTAL 0-19 YRS	427	4.3	28	1	1	3	5	8	12	31
20-34	1092	4.2	18	1	1	3	5	8	10	23
35-49	2464	4.8	15	1	1	4	6	9	12	21
50-64	6246	6.2	28	1	2	5	8	12	15	26
65+	16280	7.5	33	2	3	6	9	14	18	30
GRAND TOTAL	**26509**	**6.8**	**30**	**1**	**2**	**5**	**9**	**13**	**17**	**28**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	5.9	23	<1	1	5	8	12	17	18
20-34	13	6.5	20	2	2	5	8	15	16	16
35-49	40	5.6	11	<1	1	5	8	10	11	16
50-64	236	6.2	22	1	2	5	8	11	16	25
65+	1109	6.2	19	2	2	5	8	11	14	23
B. *Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34										
35-49	1	11.0		11	11	11	11	11	11	11
50-64	12	9.3	33	2	2	9	14	17	18	18
65+	22	11.3	55	2	4	10	13	19	30	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	213	6.6	47	1	2	5	7	13	18	40
20-34	174	7.0	25	2	2	6	9	14	18	25
35-49	1266	7.5	28	2	3	6	9	14	18	28
50-64	8316	8.0	32	2	3	7	10	14	18	29
65+	41913	8.6	34	3	3	7	11	15	19	30
B. *Operated*										
0-19 YRS	35	13.3	189	2	3	9	14	33	42	67
20-34	62	9.1	64	2	2	7	12	19	23	45
35-49	215	10.3	89	2	3	7	12	22	32	56
50-64	1272	13.7	122	2	4	11	17	26	35	60
65+	4070	15.4	117	4	5	13	19	29	36	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1410	6.1	20	2	2	5	8	11	14	23
B. *Operated*	37	10.2	46	2	2	9	13	17	24	35
2. MULTIPLE DX										
A. *Not Operated*	51882	8.5	33	3	3	7	10	15	19	30
B. *Operated*	5654	14.8	118	3	5	12	19	28	35	57
1. SINGLE DX	1447	6.2	21	2	2	5	8	11	15	24
2. MULTIPLE DX	57536	9.1	45	3	3	7	11	17	21	35
A. NOT OPERATED	53292	8.4	33	3	3	7	10	15	19	30
B. OPERATED	5691	14.7	118	3	5	12	19	28	35	56
TOTAL 0-19 YRS	262	7.4	69	1	2	5	8	15	20	52
20-34	249	7.5	35	2	2	6	9	16	19	26
35-49	1522	7.8	37	2	3	6	10	15	19	33
50-64	9836	8.7	47	2	3	7	11	16	21	35
65+	47114	9.1	45	3	3	7	11	17	21	34
GRAND TOTAL	**58983**	**9.0**	**45**	**3**	**3**	**7**	**11**	**16**	**21**	**35**

150: Miscellaneous diseases of heart
(415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	93	3.8	4	1	1	4	5	6	7	10
20-34	351	3.8	8	1	1	3	5	7	9	16
35-49	322	4.2	10	1	1	3	5	7	9	20
50-64	246	4.8	9	1	2	4	6	8	10	15
65+	120	6.3	14	2	3	6	8	11	13	21
B. *Operated*										
0-19 YRS	70	3.7	8	1	1	2	6	7	9	13
20-34	92	3.7	9	1	1	2	5	9	10	12
35-49	220	4.1	23	1	1	2	4	10	14	26
50-64	316	4.2	16	1	2	2	5	11	13	18
65+	150	5.2	27	1	2	2	9	12	15	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	231	5.5	24	1	2	4	7	11	13	20
20-34	790	5.5	32	1	2	4	6	10	13	28
35-49	1306	6.0	25	2	2	5	7	11	14	24
50-64	2234	7.3	33	2	2	6	9	14	18	30
65+	3686	8.5	40	2	3	7	10	16	20	32
B. *Operated*										
0-19 YRS	144	6.5	79	1	1	2	7	12	29	44
20-34	241	8.5	63	1	2	6	11	18	24	40
35-49	737	7.8	75	1	2	5	10	15	22	49
50-64	1752	8.7	80	1	2	6	12	19	24	42
65+	1755	11.5	104	2	2	10	16	23	30	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1132	4.4	10	1	2	4	5	8	10	16
B. *Operated*	848	4.3	19	1	1	2	5	10	13	20
2. MULTIPLE DX										
A. *Not Operated*	8247	7.4	36	2	2	6	9	14	18	30
B. *Operated*	4629	9.5	90	1	2	7	13	20	27	47
1. SINGLE DX	1980	4.3	13	1	1	3	5	9	12	19
2. MULTIPLE DX	12876	8.1	56	2	2	6	10	16	22	37
A. NOT OPERATED	9379	7.0	34	2	2	5	9	13	18	29
B. OPERATED	5477	8.7	82	1	2	6	12	19	25	45
TOTAL 0-19 YRS	538	5.2	34	1	1	4	6	10	13	33
20-34	1474	5.5	32	1	2	4	7	10	14	29
35-49	2585	6.1	38	1	2	4	8	12	16	30
50-64	4548	7.5	50	1	2	5	10	15	20	34
65+	5711	9.3	61	2	2	7	12	18	24	40
GRAND TOTAL	**14856**	**7.6**	**52**	**2**	**2**	**6**	**10**	**16**	**21**	**36**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	5.0		5	5	5	5	5	5	5
50-64	6	7.8	56	2	2	5	10	21	22	22
65+	10	4.4	12	<1	<1	3	8	10	11	11
B. *Operated*										
0-19 YRS										
20-34										
35-49	5	2.0		2	2	2	2	2	2	2
50-64	8	4.0	13	2	2	2	5	10	12	12
65+	3	4.0	3	3	3	3	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7	5	1	1	5	5	5	5	5
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	39	5.5	28	1	2	4	7	11	19	26
50-64	209	6.7	30	1	2	5	8	12	18	30
65+	705	7.1	24	2	3	6	9	13	16	25
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34										
35-49	67	5.2	35	1	2	2	8	11	13	31
50-64	209	6.0	53	1	1	3	9	13	19	32
65+	207	8.7	38	2	2	8	12	17	21	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	5.6	27	<1	1	5	8	11	18	22
B. *Operated*	16	3.4	8	2	2	2	3	7	10	12
2. MULTIPLE DX										
A. *Not Operated*	958	6.9	26	2	2	6	9	13	16	26
B. *Operated*	484	7.1	46	1	2	5	10	15	20	31
1. SINGLE DX	33	4.5	19	1	1	3	6	10	12	22
2. MULTIPLE DX	1442	6.9	32	2	2	5	9	14	18	27
A. NOT OPERATED	975	6.9	26	2	2	6	8	13	16	26
B. OPERATED	500	6.9	45	1	2	4	10	15	19	30
TOTAL 0-19 YRS	4	4.3	5	1	1	5	6	6	6	6
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	112	5.2	31	1	2	3	7	11	14	31
50-64	432	6.3	41	1	2	4	8	13	19	31
65+	925	7.4	28	2	2	6	10	14	18	26
GRAND TOTAL	**1475**	**6.9**	**32**	**2**	**2**	**5**	**9**	**14**	**18**	**27**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	4.3	52	<1	<1	1	2	17	19	19
35-49	7	7.0	82	<1	<1	2	13	22	23	23
50-64	5	3.8	33	1	1	1	5	14	14	14
65+	5	9.8	30	5	5	8	12	19	19	19
B. *Operated*										
0-19 YRS	4	9.5	28	2	2	11	13	14	14	14
20-34	22	14.9	54	3	5	14	19	25	29	29
35-49	62	18.0	139	3	8	16	21	30	50	60
50-64	38	16.1	124	1	2	16	22	31	38	49
65+	8	14.1	87	<1	<1	19	21	22	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	5.2	27	1	1	3	11	12	12	12
20-34	11	15.9	652	<1	1	5	15	58	83	85
35-49	15	17.3	572	1	1	8	17	64	78	83
50-64	22	12.3	114	1	2	9	18	25	36	42
65+	54	13.4	85	3	4	9	20	28	30	39
B. *Operated*										
0-19 YRS	3	23.3	310	9	9	18	37	43	43	43
20-34	32	21.6	289	3	5	19	27	51	59	70
35-49	90	26.3	350	5	6	22	34	62	73	99+
50-64	105	27.2	358	3	9	23	35	61	88	99+
65+	94	30.8	354	8	10	28	41	65	75	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	6.2	51	<1	1	2	9	19	21	23
B. *Operated*	134	16.5	115	2	3	16	21	28	36	55
2. MULTIPLE DX										
A. *Not Operated*	108	13.5	208	1	2	8	18	28	39	84
B. *Operated*	324	27.4	350	4	8	23	36	63	73	99+
1. SINGLE DX	157	15.0	119	1	2	14	20	25	35	54
2. MULTIPLE DX	432	23.9	350	3	5	19	32	56	71	99+
A. NOT OPERATED	131	12.2	188	1	1	8	18	26	32	83
B. OPERATED	458	24.2	306	3	6	20	32	55	68	99+
TOTAL 0-19 YRS	13	10.7	125	1	1	10	13	23	39	43
20-34	71	17.2	266	1	2	14	23	34	56	82
35-49	174	21.8	304	2	5	17	27	52	64	98
50-64	170	22.1	309	2	3	18	30	53	67	99+
65+	161	23.5	314	4	6	20	31	55	67	99+
GRAND TOTAL	**589**	**21.5**	**304**	**2**	**4**	**18**	**28**	**51**	**65**	**99+**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	1	98.0		98	98	98	98	98	98	98
35-49	5	57.6	720	33	33	47	81	95	95	95
50-64	3	22.7	144	11	11	22	32	35	35	35
65+										
B. *Operated*										
0-19 YRS	5	48.4	665	23	23	38	75	78	78	78
20-34	4	43.0	673	19	19	38	63	76	76	76
35-49	6	32.5	1096	8	8	31	81	99	99+	99+
50-64	21	39.0	499	13	17	39	50	85	92	99+
65+	11	41.0	484	16	17	34	53	76	78	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	10	46.7	1029	11	12	36	76	96	98	98
B. *Operated*	47	40.0	560	9	16	35	57	82	96	99+
1. SINGLE DX										
2. MULTIPLE DX	57	41.2	632	10	16	35	63	86	97	99+
A. NOT OPERATED	10	46.7	1029	11	12	36	76	96	98	98
B. OPERATED	47	40.0	560	9	16	35	57	82	96	99+
TOTAL 0-19 YRS	6	42.5	741	13	14	33	74	78	78	78
20-34	5	54.0	1110	19	19	51	81	98	98	98
35-49	11	43.9	1008	8	8	36	85	97	99+	99+
50-64	24	37.0	477	10	16	35	47	85	89	99+
65+	11	41.0	484	16	17	34	53	76	78	78
GRAND TOTAL	**57**	**41.2**	**632**	**10**	**16**	**35**	**63**	**86**	**97**	**99+**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	4.0	28	1	1	2	4	13	17	17
20-34	3	7.3	9	4	4	8	9	10	10	10
35-49	4	2.8	8	1	1	2	4	7	7	7
50-64	16	10.4	115	1	2	7	12	31	35	37
65+	56	10.4	53	1	2	10	15	21	24	29
B. *Operated*										
0-19 YRS	15	9.7	21	4	6	8	11	18	20	21
20-34	17	6.1	26	2	2	5	8	11	18	22
35-49	18	10.5	53	2	2	10	14	22	25	26
50-64	32	12.4	117	3	3	9	15	24	42	49
65+	67	12.1	74	3	4	10	14	24	31	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	7.6	53	1	1	6	9	16	27	29
20-34	16	6.8	35	1	2	5	8	12	21	25
35-49	36	10.9	69	2	3	8	13	23	27	39
50-64	117	14.0	136	2	4	10	20	28	35	63
65+	629	12.6	69	3	4	11	17	24	29	41
B. *Operated*										
0-19 YRS	27	11.1	50	3	4	9	17	24	34	99+
20-34	40	18.1	230	2	5	13	20	40	57	68
35-49	72	22.2	406	5	7	14	30	46	77	92
50-64	185	22.4	345	3	6	17	31	58	86	99+
65+	420	20.8	226	5	7	16	27	41	52	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	88	9.3	62	1	1	7	13	20	25	35
B. *Operated*	149	11.1	72	2	3	9	13	22	29	45
2. MULTIPLE DX										
A. *Not Operated*	811	12.5	79	2	3	10	17	25	29	42
B. *Operated*	744	20.8	270	5	6	16	27	45	62	99+
1. SINGLE DX	237	10.4	69	2	2	8	13	21	28	43
2. MULTIPLE DX	1555	16.5	187	3	4	13	21	34	46	86
A. NOT OPERATED	899	12.2	78	2	3	10	17	24	29	41
B. OPERATED	893	19.2	250	4	6	14	25	43	56	99+
TOTAL 0-19 YRS	64	9.1	45	1	2	8	11	21	25	89
20-34	76	12.6	166	2	2	9	14	25	43	65
35-49	130	16.8	287	2	3	12	19	39	47	88
50-64	350	18.1	263	2	4	13	25	44	66	99+
65+	1172	15.4	141	3	4	12	20	30	38	64
GRAND TOTAL	**1792**	**15.7**	**176**	**3**	**4**	**12**	**20**	**32**	**44**	**79**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	21.0	258	6	6	19	34	39	39	39
35-49	10	11.7	229	1	1	4	14	38	48	48
50-64	38	22.3	364	4	5	17	26	46	73	83
65+	266	17.2	137	4	6	14	21	31	38	63
B. *Operated*										
0-19 YRS	6	21.3	126	4	5	23	26	36	37	37
20-34	7	27.4	345	10	10	22	44	54	56	56
35-49	18	32.5	374	7	8	41	51	60	83	99+
50-64	38	30.9	398	8	10	30	53	84	99+	99+
65+	115	28.0	351	8	10	23	35	56	74	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	318	17.7	170	4	6	14	22	33	42	64
B. *Operated*	184	28.8	354	8	10	24	41	61	82	99+
1. SINGLE DX										
2. MULTIPLE DX	502	21.8	266	5	7	17	28	48	62	99+
A. NOT OPERATED	318	17.7	170	4	6	14	22	33	42	64
B. OPERATED	184	28.8	354	8	10	24	41	61	82	99+
TOTAL 0-19 YRS	6	21.3	126	4	5	23	26	36	37	37
20-34	11	25.1	295	6	8	22	37	51	56	56
35-49	28	25.1	415	2	3	14	45	55	65	99+
50-64	76	26.6	395	5	7	21	38	70	91	99+
65+	381	20.4	226	5	7	17	25	38	55	83
GRAND TOTAL	**502**	**21.8**	**266**	**5**	**7**	**17**	**28**	**48**	**62**	**99+**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	9	4.9	13	2	2	4	6	11	12	12
50-64	31	4.2	9	<1	1	3	5	9	10	13
65+	58	4.1	9	1	1	3	5	9	11	13
B. *Operated*										
0-19 YRS	2	10.0	72	4	4	10	16	16	16	16
20-34	12	5.6	11	1	1	5	8	11	11	11
35-49	69	4.6	10	1	1	4	6	8	10	19
50-64	770	5.4	12	2	2	5	7	10	12	17
65+	1174	5.3	12	1	2	5	7	10	12	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	5.5	1	5	5	5	6	6	6	6
20-34	4	7.0	30	3	3	5	10	15	15	15
35-49	28	5.7	15	1	1	5	9	13	18	99+
50-64	213	5.5	17	1	1	4	7	11	14	23
65+	875	6.5	30	1	2	5	8	12	15	25
B. *Operated*										
0-19 YRS	7	6.7	34	1	1	7	10	16	17	17
20-34	19	10.1	159	2	2	5	12	32	44	44
35-49	255	7.8	40	2	2	6	9	17	20	31
50-64	2697	7.8	40	2	2	6	10	14	19	33
65+	6268	8.4	44	2	2	7	10	16	20	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	98	4.2	9	1	1	3	5	10	11	13
B. *Operated*	2027	5.3	12	1	2	5	7	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	1122	6.3	27	1	2	5	8	12	15	25
B. *Operated*	9246	8.2	43	2	2	7	10	15	20	34
1. SINGLE DX	2125	5.3	12	1	2	5	7	10	12	17
2. MULTIPLE DX	10368	8.0	42	2	2	6	10	15	19	33
A. NOT OPERATED	1220	6.2	26	1	2	5	8	11	14	25
B. OPERATED	11273	7.7	39	2	2	6	10	15	19	32
TOTAL 0-19 YRS	11	7.1	30	1	1	6	10	16	17	17
20-34	35	8.2	95	1	2	5	11	14	37	44
35-49	361	7.0	33	1	2	6	9	13	19	30
50-64	3711	7.1	34	2	2	6	9	13	17	29
65+	8375	7.7	39	2	2	6	10	15	19	32
GRAND TOTAL	**12493**	**7.5**	**38**	**2**	**2**	**6**	**9**	**14**	**18**	**31**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	1	14.0		14	14	14	14	14	14	14
35-49	3	15.7	121	3	3	21	22	23	23	23
50-64	20	8.5	35	2	3	6	12	19	20	21
65+	80	12.3	106	3	4	10	14	26	31	58
B. *Operated*										
0-19 YRS	2	5.5	25	2	2	5	9	9	9	9
20-34	6	19.5	188	4	4	19	31	35	36	36
35-49	15	12.3	109	1	2	12	17	29	33	35
50-64	130	11.9	103	2	3	9	15	27	37	65
65+	265	13.6	126	2	3	11	17	25	33	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	105	11.7	92	3	4	9	14	23	28	56
B. *Operated*	418	13.1	119	2	3	10	16	26	35	61
1. SINGLE DX										
2. MULTIPLE DX	523	12.8	114	2	3	10	16	26	33	59
A. NOT OPERATED	105	11.7	92	3	4	9	14	23	28	56
B. OPERATED	418	13.1	119	2	3	10	16	26	35	61
TOTAL 0-19 YRS	3	9.0	49	2	2	9	14	16	16	16
20-34	7	18.7	161	4	5	14	30	35	36	36
35-49	18	12.9	105	1	2	12	21	27	33	35
50-64	150	11.4	95	2	3	9	15	25	35	57
65+	345	13.3	121	3	4	11	16	25	33	60
GRAND TOTAL	**523**	**12.8**	**114**	**2**	**3**	**10**	**16**	**26**	**33**	**59**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3	1	2	2	4	4	4	4	4
20-34	11	4.4	11	1	1	3	8	9	10	10
35-49	21	7.6	37	2	2	6	8	17	23	25
50-64	93	8.2	41	2	2	6	10	15	20	36
65+	313	9.6	59	2	3	8	12	17	22	36
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	10	7.8	21	2	2	7	10	15	16	16
35-49	28	5.6	15	1	2	4	8	12	13	14
50-64	65	9.4	105	1	2	6	11	26	31	53
65+	54	9.0	46	2	2	7	11	19	23	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	8.7	23	2	3	8	12	16	17	17
20-34	37	8.9	23	3	3	9	13	14	16	23
35-49	158	8.8	48	1	2	7	12	15	22	40
50-64	1078	10.3	68	3	3	8	12	20	27	43
65+	5739	11.3	65	3	4	9	14	21	26	42
B. *Operated*										
0-19 YRS	7	5.4	36	1	1	2	11	15	15	15
20-34	20	14.9	275	3	4	11	18	50	87	99+
35-49	138	10.0	95	2	2	7	12	20	25	52
50-64	571	13.1	164	3	3	9	15	26	41	77
65+	1367	14.7	155	3	4	11	18	30	41	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	441	9.1	53	2	3	7	11	17	21	36
B. *Operated*	158	8.5	64	2	2	6	10	19	25	36
2. MULTIPLE DX										
A. *Not Operated*	7027	11.1	65	3	4	9	14	21	26	42
B. *Operated*	2103	14.0	156	3	4	10	17	29	40	69
1. SINGLE DX	599	8.9	56	2	2	7	11	17	22	36
2. MULTIPLE DX	9130	11.8	87	3	4	9	14	22	29	52
A. NOT OPERATED	7468	11.0	64	3	4	9	14	20	26	42
B. OPERATED	2261	13.6	152	2	3	10	17	28	39	68
TOTAL 0-19 YRS	26	7.2	26	1	2	5	11	15	16	17
20-34	78	9.7	95	2	3	8	12	16	28	93
35-49	345	8.9	65	2	2	7	12	17	22	41
50-64	1807	11.1	101	2	3	8	13	22	30	54
65+	7473	11.9	83	3	4	9	15	22	29	50
GRAND TOTAL	**9729**	**11.6**	**86**	**3**	**4**	**9**	**14**	**22**	**29**	**51**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	9.9	40	3	3	8	14	20	21	21
20-34	6	22.3	606	4	4	14	21	66	71	71
35-49	56	15.4	206	2	3	13	18	32	52	74
50-64	432	15.7	164	3	5	12	19	31	40	81
65+	2659	14.7	111	4	5	12	18	28	35	58
B. *Operated*										
0-19 YRS	2	19.0	72	13	13	25	81	99+	99+	99+
20-34	14	18.1	187	3	6	14	21	44	49	50
35-49	30	22.0	344	2	6	15	30	54	63	70
50-64	165	22.6	397	5	6	16	30	52	83	99+
65+	490	21.7	234	6	8	17	28	44	56	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	3163	14.9	121	4	5	12	18	28	36	61
B. *Operated*	701	21.9	274	5	7	17	28	46	60	98
1. SINGLE DX										
2. MULTIPLE DX	3864	16.1	156	4	5	13	20	31	43	71
A. NOT OPERATED	3163	14.9	121	4	5	12	18	28	36	61
B. OPERATED	701	21.9	274	5	7	17	28	46	60	98
TOTAL 0-19 YRS	12	11.4	52	3	3	11	19	40	89	99+
20-34	20	19.4	291	3	5	14	21	46	60	71
35-49	86	17.7	261	2	3	13	21	45	55	73
50-64	597	17.6	237	4	5	13	22	38	49	98
65+	3149	15.8	137	4	5	13	19	30	40	64
GRAND TOTAL	**3864**	**16.1**	**156**	**4**	**5**	**13**	**20**	**31**	**43**	**71**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.8	2	2	2	2	3	5	5	5
20-34	34	2.9	5	1	1	2	4	4	7	13
35-49	103	3.4	3	1	1	3	4	6	7	9
50-64	340	3.5	5	1	1	3	4	6	8	11
65+	878	3.9	7	1	1	3	5	7	9	15
B. *Operated*										
0-19 YRS										
20-34	19	4.4	5	1	1	5	6	7	8	9
35-49	77	4.4	10	1	2	4	6	9	9	17
50-64	224	4.6	9	1	2	4	6	9	10	13
65+	261	4.2	20	1	1	3	5	7	9	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	6.1	20	1	2	5	7	11	13	24
20-34	102	4.2	8	1	1	3	5	9	10	13
35-49	455	5.0	14	1	2	4	6	9	11	16
50-64	2283	5.2	12	1	2	4	7	9	11	19
65+	12054	6.0	18	2	2	5	7	11	14	22
B. *Operated*										
0-19 YRS	8	7.0	15	2	2	7	10	12	13	13
20-34	34	4.7	9	1	2	4	8	9	10	12
35-49	254	6.3	20	2	2	5	8	11	13	22
50-64	1335	7.0	30	2	2	6	9	13	17	25
65+	3031	8.6	46	2	3	7	11	16	21	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1360	3.7	6	1	1	3	5	7	8	14
B. *Operated*	581	4.4	14	1	2	3	6	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	14925	5.8	17	2	2	5	7	10	13	21
B. *Operated*	4662	8.0	40	2	2	6	10	15	19	32
1. SINGLE DX	1941	3.9	9	1	1	3	5	7	9	14
2. MULTIPLE DX	19587	6.3	23	2	2	5	8	12	15	24
A. NOT OPERATED	16285	5.7	16	2	2	5	7	10	13	21
B. OPERATED	5243	7.6	38	2	2	6	10	14	18	31
TOTAL 0-19 YRS	44	5.9	18	1	2	5	7	11	13	24
20-34	189	4.1	8	1	1	3	5	8	10	13
35-49	889	5.1	15	1	2	4	7	10	12	19
50-64	4182	5.6	18	1	2	5	7	10	13	21
65+	16224	6.3	24	2	2	5	8	12	15	25
GRAND TOTAL	**21528**	**6.1**	**22**	**2**	**2**	**5**	**8**	**11**	**14**	**24**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	6.5	16	1	2	6	9	12	15	15
20-34	7	6.9	28	1	1	5	12	14	14	14
35-49	31	6.8	57	1	2	6	8	14	20	40
50-64	126	7.1	30	1	2	6	9	16	19	24
65+	555	8.9	45	2	3	7	11	17	22	36
B. *Operated*										
0-19 YRS	4	4.0	5	2	2	3	5	7	7	7
20-34	5	6.4	4	4	4	6	8	9	9	9
35-49	13	9.2	55	1	2	6	16	19	24	25
50-64	54	9.0	56	2	3	7	10	20	28	34
65+	66	9.7	82	1	2	8	11	20	24	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	8.3	47	1	1	6	13	19	21	23
20-34	22	6.1	16	1	2	5	9	11	14	17
35-49	196	9.2	36	2	3	8	12	16	22	29
50-64	1242	10.6	88	2	3	8	13	21	28	46
65+	7225	10.8	63	3	4	9	14	20	25	42
B. *Operated*										
0-19 YRS	4	6.5	15	1	1	8	32	99+	99+	99+
20-34	20	10.7	63	2	3	9	14	20	28	35
35-49	80	11.6	97	3	5	9	13	22	27	89
50-64	488	13.9	167	3	4	10	16	31	42	69
65+	1281	16.0	158	4	5	12	21	32	42	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	731	8.4	42	2	2	7	11	17	20	36
B. *Operated*	142	9.1	65	1	2	7	11	20	24	41
2. MULTIPLE DX										
A. *Not Operated*	8705	10.8	66	3	4	9	13	20	25	43
B. *Operated*	1873	15.2	158	3	4	11	20	31	42	76
1. SINGLE DX	873	8.5	46	2	2	7	11	17	21	36
2. MULTIPLE DX	10578	11.5	85	3	4	9	14	22	29	51
A. NOT OPERATED	9436	10.6	64	3	4	9	13	19	25	42
B. OPERATED	2015	14.7	154	3	4	11	19	30	41	74
TOTAL 0-19 YRS	40	7.2	31	1	2	6	10	18	21	99+
20-34	54	7.9	37	1	2	7	10	15	19	34
35-49	320	9.5	55	2	3	8	12	19	23	44
50-64	1910	11.2	106	2	3	8	13	22	31	58
65+	9127	11.4	79	3	4	9	14	21	28	48
GRAND TOTAL	**11451**	**11.3**	**83**	**3**	**4**	**9**	**14**	**21**	**28**	**49**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	11.0	218	2	2	3	14	37	45	45
20-34	8	9.1	54	2	3	7	12	22	24	24
35-49	87	13.6	157	2	4	11	18	26	32	78
50-64	497	15.3	195	3	4	11	19	33	43	83
65+	2875	13.9	99	4	5	11	17	26	33	53
B. *Operated*										
0-19 YRS	5	16.6	192	5	5	10	27	38	38	38
20-34	3	7.3	10	5	5	6	10	11	11	11
35-49	30	18.6	188	2	5	16	25	40	41	59
50-64	158	21.3	340	4	5	16	27	49	68	99
65+	459	20.7	230	5	7	16	27	40	53	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	3476	14.0	115	3	5	11	17	27	35	59
B. *Operated*	655	20.6	254	5	6	16	27	41	54	90
1. SINGLE DX										
2. MULTIPLE DX	4131	15.1	142	4	5	12	19	29	39	66
A. NOT OPERATED	3476	14.0	115	3	5	11	17	27	35	59
B. OPERATED	655	20.6	254	5	6	16	27	41	54	90
TOTAL 0-19 YRS	14	13.0	201	2	2	6	23	39	44	45
20-34	11	8.6	41	2	3	7	10	19	24	24
35-49	117	14.9	168	2	4	11	20	29	40	70
50-64	655	16.8	236	4	5	12	20	37	50	90
65+	3334	14.8	122	4	5	12	18	28	37	60
GRAND TOTAL	**4131**	**15.1**	**142**	**4**	**5**	**12**	**19**	**29**	**39**	**66**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	20	4.0	8	1	1	3	5	9	10	10
35-49	77	3.9	7	1	1	3	5	6	8	15
50-64	109	4.0	7	1	1	3	5	8	9	12
65+	222	4.9	23	1	1	4	6	10	13	32
B. *Operated*										
0-19 YRS	5	6.8	35	2	2	4	12	15	15	15
20-34	15	6.3	33	1	2	4	10	17	18	18
35-49	50	6.2	91	1	2	4	7	11	12	68
50-64	96	6.0	34	1	1	3	9	14	19	27
65+	94	5.3	32	1	1	3	7	10	16	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	7.1	41	1	1	5	9	17	23	25
20-34	96	4.8	11	1	1	4	6	9	12	16
35-49	396	6.0	37	2	2	5	7	10	13	36
50-64	1001	6.9	41	2	2	5	8	13	18	35
65+	4278	7.5	33	2	3	6	9	14	18	29
B. *Operated*										
0-19 YRS	6	3.5	11	1	1	2	6	9	9	9
20-34	49	13.1	136	2	3	10	15	31	38	53
35-49	145	11.8	161	2	2	8	14	27	37	66
50-64	434	9.7	89	2	2	7	12	20	26	45
65+	986	10.3	84	2	2	8	14	21	28	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	429	4.4	15	1	1	3	5	8	11	23
B. *Operated*	260	5.8	44	1	1	4	8	12	17	27
2. MULTIPLE DX										
A. *Not Operated*	5803	7.3	35	2	2	6	9	13	18	30
B. *Operated*	1620	10.3	94	2	2	8	13	21	28	52
1. SINGLE DX	689	5.0	26	1	1	3	6	10	13	27
2. MULTIPLE DX	7423	8.0	49	2	2	6	10	15	20	37
A. NOT OPERATED	6232	7.1	34	2	2	6	9	13	18	29
B. OPERATED	1880	9.7	89	2	2	7	12	20	27	50
TOTAL 0-19 YRS	44	6.5	36	1	1	4	9	14	23	25
20-34	180	7.1	60	1	1	5	9	15	18	45
35-49	668	7.0	71	1	2	5	8	12	19	52
50-64	1640	7.4	53	1	2	5	9	15	20	38
65+	5580	7.9	43	2	2	6	10	15	20	33
GRAND TOTAL	**8112**	**7.7**	**48**	**2**	**2**	**6**	**9**	**15**	**20**	**37**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	4	2.5	1	2	2	2	3	4	4	4
50-64	18	4.3	23	1	1	3	4	12	17	19
65+	22	4.3	17	<1	1	3	4	10	16	17
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	6.5	61	1	1	6	12	12	12	12
35-49	49	5.1	13	1	2	4	9	10	11	13
50-64	192	5.0	20	1	1	2	8	12	14	18
65+	182	5.9	36	1	1	3	9	13	16	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7		3	3	4	4	4	4	4
20-34	3	3.0	1	2	2	3	4	4	4	4
35-49	30	4.4	28	1	1	3	5	7	12	29
50-64	187	5.1	23	1	1	4	6	10	15	23
65+	672	7.4	49	2	2	6	9	14	20	33
B. *Operated*										
0-19 YRS	13	9.8	27	2	3	10	15	16	16	16
20-34	17	5.9	32	1	2	3	9	14	19	21
35-49	264	9.5	84	1	2	8	12	18	28	48
50-64	1318	10.5	103	1	2	8	14	22	30	54
65+	2582	13.6	150	2	2	11	17	28	37	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	4.1	17	1	1	3	4	8	15	19
B. *Operated*	426	5.4	26	1	1	3	9	12	14	19
2. MULTIPLE DX										
A. *Not Operated*	895	6.8	44	1	2	5	8	14	19	32
B. *Operated*	4194	12.4	133	2	2	10	16	26	35	59
1. SINGLE DX	472	5.3	25	1	1	3	8	12	14	19
2. MULTIPLE DX	5089	11.4	122	1	2	9	15	24	33	56
A. NOT OPERATED	941	6.6	43	1	2	5	8	13	18	32
B. OPERATED	4620	11.7	127	1	2	9	15	24	34	57
TOTAL 0-19 YRS	17	8.4	28	2	3	6	14	16	16	16
20-34	24	5.4	27	1	1	3	7	14	16	21
35-49	347	8.4	72	1	2	6	11	17	26	41
50-64	1715	9.3	90	1	2	7	12	20	26	48
65+	3458	11.9	132	2	2	9	16	25	34	57
GRAND TOTAL	**5561**	**10.9**	**117**	**1**	**2**	**8**	**14**	**23**	**32**	**54**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	16	1.9	1	1	1	2	3	3	4	4
65+	25	5.1	21	<1	1	4	6	14	16	18
B. *Operated*										
0-19 YRS										
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	8	5.9	27	1	1	5	9	13	15	15
50-64	148	8.6	18	2	2	9	11	13	14	19
65+	202	9.5	25	1	2	10	13	15	18	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	2.0	2	<1	<1	1	3	3	3	3
35-49	7	3.7	6	<1	<1	3	5	8	8	8
50-64	77	5.9	49	1	1	4	7	12	14	42
65+	483	7.0	35	1	2	5	9	14	17	32
B. *Operated*										
0-19 YRS	4	6.3	26	2	2	6	10	12	12	12
20-34	11	12.6	145	1	1	10	15	34	35	35
35-49	44	14.5	119	2	3	11	17	34	40	44
50-64	749	13.7	86	3	7	12	16	24	28	62
65+	2053	15.2	111	2	5	13	18	27	34	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	3.9	15	1	1	3	5	8	14	18
B. *Operated*	360	9.0	23	1	2	10	12	14	17	22
2. MULTIPLE DX										
A. *Not Operated*	570	6.7	36	1	2	5	9	13	17	36
B. *Operated*	2861	14.8	105	2	5	12	17	26	33	61
1. SINGLE DX	401	8.5	24	1	2	9	12	14	16	22
2. MULTIPLE DX	3431	13.4	102	2	3	12	16	24	32	57
A. NOT OPERATED	611	6.6	36	1	1	5	8	13	17	34
B. OPERATED	3221	14.1	99	2	4	12	17	24	32	58
TOTAL 0-19 YRS	5	5.6	21	2	2	3	10	12	12	12
20-34	15	9.8	127	<1	1	5	13	34	35	35
35-49	59	12.0	110	1	2	9	15	29	39	44
50-64	990	12.2	80	2	3	11	14	21	27	51
65+	2763	13.2	102	2	3	12	16	24	31	56
GRAND TOTAL	**3832**	**12.9**	**97**	**2**	**3**	**11**	**16**	**24**	**30**	**55**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	2.3	2	1	1	2	3	4	4	4
50-64	4	4.3	8	2	2	4	6	8	8	8
65+	4	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	5	2.6	3	1	1	2	4	5	5	5
20-34	19	8.3	54	<1	1	6	13	21	23	23
35-49	20	8.9	45	1	2	8	10	16	23	30
50-64	70	6.6	25	1	2	6	9	13	16	24
65+	53	6.5	21	1	2	6	9	12	14	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	4.7	2	3	3	5	6	6	6	6
50-64	8	7.5	29	2	2	7	12	14	15	15
65+	30	5.7	19	1	1	5	8	12	13	19
B. *Operated*										
0-19 YRS	10	13.9	159	2	3	10	14	36	38	38
20-34	20	15.3	156	2	3	10	25	32	41	49
35-49	82	13.0	188	2	2	10	16	25	38	81
50-64	238	11.9	86	2	3	10	15	22	30	48
65+	409	12.9	101	2	3	11	16	24	31	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	2.8	4	1	1	2	3	6	8	8
B. *Operated*	167	6.9	29	1	1	6	9	14	18	25
2. MULTIPLE DX										
A. *Not Operated*	43	6.1	22	1	1	5	9	13	15	19
B. *Operated*	759	12.7	107	2	3	10	15	24	32	58
1. SINGLE DX	179	6.6	28	1	1	6	9	13	17	25
2. MULTIPLE DX	802	12.3	105	2	3	10	15	23	31	57
A. NOT OPERATED	55	5.4	20	1	1	4	8	13	15	19
B. OPERATED	926	11.6	98	2	2	9	14	22	29	52
TOTAL 0-19 YRS	16	10.5	127	1	1	6	14	33	37	38
20-34	40	11.6	116	1	1	8	16	26	32	49
35-49	109	11.6	156	2	2	9	14	23	30	78
50-64	320	10.5	75	2	2	9	13	19	27	46
65+	496	11.7	93	2	3	10	15	22	29	54
GRAND TOTAL	**981**	**11.3**	**96**	**2**	**2**	**9**	**14**	**22**	**29**	**50**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	13	4.8	10	1	1	4	7	9	11	11
35-49	15	5.3	9	2	2	4	8	10	10	10
50-64	34	4.0	16	<1	1	2	5	9	12	20
65+	35	5.4	19	1	1	4	7	11	14	19
B. *Operated*										
0-19 YRS	4	6.0	18	1	1	6	9	10	10	10
20-34	33	6.4	21	<1	1	8	9	11	15	19
35-49	141	6.4	24	1	1	6	10	13	14	24
50-64	498	7.5	37	1	2	7	10	14	18	27
65+	366	7.1	29	1	1	7	10	13	16	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	9.7	22	6	6	8	13	15	15	15
20-34	21	8.8	16	2	4	9	11	14	17	18
35-49	37	7.4	20	2	2	8	9	12	18	20
50-64	148	6.7	33	1	1	6	9	14	16	28
65+	336	8.4	51	1	2	7	11	17	19	32
B. *Operated*										
0-19 YRS	10	6.9	48	1	1	5	9	17	25	25
20-34	63	11.2	142	2	2	9	14	21	34	68
35-49	411	10.0	95	1	2	8	12	19	26	50
50-64	2066	11.5	91	2	2	10	14	22	30	55
65+	3459	13.4	112	2	3	11	17	25	33	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	97	4.8	15	1	1	4	7	10	12	20
B. *Operated*	1042	7.2	32	1	1	7	10	13	17	26
2. MULTIPLE DX										
A. *Not Operated*	545	7.9	43	1	2	7	10	15	18	29
B. *Operated*	6009	12.5	105	2	2	10	16	24	32	57
1. SINGLE DX	1139	7.0	31	1	1	6	10	13	16	25
2. MULTIPLE DX	6554	12.1	102	2	2	10	15	23	31	55
A. NOT OPERATED	642	7.5	40	1	2	6	10	15	18	28
B. OPERATED	7051	11.7	98	2	2	10	15	22	30	52
TOTAL 0-19 YRS	17	7.2	35	1	1	6	9	14	21	25
20-34	130	8.9	83	1	2	8	11	17	21	58
35-49	604	8.9	74	1	2	8	11	17	23	45
50-64	2746	10.4	81	1	2	9	13	20	27	49
65+	4196	12.4	104	2	2	10	16	24	31	53
GRAND TOTAL	**7693**	**11.4**	**95**	**2**	**2**	**9**	**15**	**22**	**29**	**51**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	115	6.2	23	1	2	5	8	12	14	24
20-34	38	4.3	9	1	1	3	6	9	10	12
35-49	38	4.5	11	1	1	4	6	9	12	14
50-64	57	3.9	7	<1	<1	3	5	7	9	13
65+	60	5.9	104	1	1	3	6	11	18	71
B. *Operated*										
0-19 YRS	27	6.5	43	1	1	4	9	13	18	32
20-34	51	5.7	27	1	1	4	7	14	18	25
35-49	133	4.5	21	1	1	3	6	8	10	23
50-64	310	5.1	27	1	1	3	7	11	13	28
65+	263	5.0	28	1	1	3	6	11	14	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	115	6.7	35	1	2	5	9	14	18	34
20-34	86	5.3	15	<1	1	4	7	11	14	18
35-49	169	5.1	20	<1	<1	4	7	9	13	28
50-64	404	6.0	25	1	1	5	8	12	17	24
65+	900	7.1	35	1	2	6	9	13	18	32
B. *Operated*										
0-19 YRS	30	8.0	72	1	2	5	11	18	23	41
20-34	124	11.4	152	1	2	8	15	22	31	72
35-49	365	8.3	63	1	2	6	11	18	23	43
50-64	1441	9.6	102	1	2	7	13	19	29	52
65+	2442	11.7	123	2	2	9	16	25	33	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	308	5.3	33	1	1	4	7	10	14	21
B. *Operated*	784	5.1	27	1	1	3	7	11	14	27
2. MULTIPLE DX										
A. *Not Operated*	1674	6.5	31	1	2	5	8	13	17	29
B. *Operated*	4402	10.7	113	2	2	8	14	23	31	54
1. SINGLE DX	1092	5.1	29	1	1	3	7	11	14	26
2. MULTIPLE DX	6076	9.5	94	1	2	7	12	20	28	50
A. NOT OPERATED	1982	6.3	31	1	2	5	8	12	16	29
B. OPERATED	5186	9.9	104	1	2	7	13	21	30	52
TOTAL 0-19 YRS	287	6.6	35	1	2	5	9	13	17	33
20-34	299	7.7	82	1	2	5	10	17	21	50
35-49	705	6.6	45	1	1	5	9	15	19	33
50-64	2212	8.2	79	1	2	5	11	17	23	48
65+	3665	10.0	100	1	2	7	13	21	30	51
GRAND TOTAL	**7168**	**8.9**	**86**	**1**	**2**	**6**	**11**	**19**	**27**	**48**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	43	6.3	17	2	2	6	9	12	15	18
20-34	462	6.6	14	2	2	6	9	11	13	19
35-49	648	7.4	14	2	3	7	9	12	14	18
50-64	594	7.3	12	3	3	7	9	11	13	18
65+	455	7.9	14	3	4	7	10	13	15	19
B. *Operated*										
0-19 YRS	32	6.4	13	1	2	6	8	11	13	17
20-34	236	7.4	18	2	2	7	10	12	15	19
35-49	276	7.6	22	2	2	7	10	14	17	22
50-64	255	7.0	15	2	2	6	10	12	14	19
65+	194	7.9	13	2	3	8	10	12	14	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	7.8	26	1	2	7	10	15	18	23
20-34	596	8.7	37	2	3	8	11	15	20	32
35-49	1146	8.4	20	3	4	8	10	14	17	24
50-64	1866	8.7	22	3	4	8	11	14	17	24
65+	2969	9.2	25	3	4	8	11	15	18	27
B. *Operated*										
0-19 YRS	25	9.3	35	2	2	10	11	17	23	25
20-34	355	9.5	52	2	3	8	12	17	22	36
35-49	637	9.7	56	2	3	8	12	17	24	43
50-64	1047	9.9	46	3	3	9	12	17	21	38
65+	1461	11.0	46	3	4	10	14	19	23	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2202	7.3	14	2	3	7	9	12	14	18
B. *Operated*	993	7.4	17	2	2	7	10	13	14	20
2. MULTIPLE DX										
A. *Not Operated*	6623	8.9	24	3	4	8	11	14	17	25
B. *Operated*	3525	10.3	49	2	3	9	13	18	23	37
1. SINGLE DX	3195	7.3	15	2	3	7	9	12	14	19
2. MULTIPLE DX	10148	9.4	33	3	4	8	11	16	19	30
A. NOT OPERATED	8825	8.5	22	3	4	8	10	14	17	24
B. OPERATED	4518	9.7	43	2	3	9	12	17	21	35
TOTAL 0-19 YRS	146	7.3	23	2	2	7	10	14	17	23
20-34	1649	8.1	32	2	3	7	10	14	18	29
35-49	2707	8.4	28	2	3	8	10	14	17	27
50-64	3762	8.7	28	3	4	8	11	14	17	26
65+	5079	9.6	30	3	4	9	12	16	19	30
GRAND TOTAL	**13343**	**8.9**	**30**	**3**	**3**	**8**	**11**	**15**	**18**	**28**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	13	5.2	27	<1	1	3	6	14	17	18
35-49	21	6.4	32	<1	1	5	8	14	21	24
50-64	35	6.5	24	1	2	5	8	12	15	24
65+	63	9.8	61	1	3	8	13	18	24	44
B. *Operated*										
0-19 YRS	24	2.7	2	<1	1	3	4	4	5	6
20-34	715	3.4	6	1	1	3	4	5	7	11
35-49	1056	3.7	8	1	1	3	4	6	7	16
50-64	719	4.8	20	1	2	4	5	8	12	24
65+	224	7.1	36	1	2	5	9	17	21	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	8.5	25	5	5	8	12	12	12	12
20-34	31	4.9	20	<1	<1	4	6	9	13	23
35-49	121	9.1	43	1	2	8	12	17	22	36
50-64	245	9.7	52	2	3	8	12	17	23	39
65+	853	10.7	55	3	4	9	14	20	25	38
B. *Operated*										
0-19 YRS	6	12.3	90	1	1	12	19	25	26	26
20-34	235	5.2	25	1	2	4	5	10	16	27
35-49	546	5.7	26	2	2	4	6	11	16	27
50-64	674	8.1	62	2	3	5	9	20	25	42
65+	676	14.9	169	3	3	11	21	31	43	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	133	7.9	46	1	1	6	11	16	21	30
B *Operated*	2738	4.2	14	1	2	3	5	7	10	21
2. MULTIPLE DX										
A. *Not Operated*	1252	10.2	53	2	3	8	13	19	24	38
B. *Operated*	2137	9.3	98	2	2	5	11	22	28	53
1. SINGLE DX	2871	4.4	16	1	2	3	5	7	11	22
2. MULTIPLE DX	3389	9.7	82	2	3	7	12	21	27	46
A. NOT OPERATED	1385	10.0	53	2	3	8	13	19	24	37
B. OPERATED	4875	6.5	57	1	2	4	6	15	22	41
TOTAL 0-19 YRS	33	4.8	32	1	1	3	4	12	18	26
20-34	994	3.9	12	1	1	3	4	6	8	20
35-49	1744	4.8	18	1	2	4	5	9	12	25
50-64	1673	6.9	46	2	2	5	8	14	21	36
65+	1816	11.8	102	2	3	9	15	24	30	54
GRAND TOTAL	**6260**	**7.2**	**58**	**1**	**2**	**5**	**8**	**16**	**23**	**39**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.9	3	1	1	2	4	5	6	7
20-34	78	2.7	3	1	1	3	4	5	6	7
35-49	74	3.2	5	<1	1	3	4	6	7	10
50-64	59	2.9	5	1	1	2	4	5	7	13
65+	32	3.8	13	1	1	3	5	7	13	17
B. *Operated*										
0-19 YRS	23	3.3	4	1	1	3	4	6	8	9
20-34	418	3.9	3	1	2	4	5	6	7	9
35-49	536	4.2	4	1	2	4	5	7	8	11
50-64	314	4.2	4	1	2	4	5	7	9	10
65+	121	4.4	4	1	2	4	5	7	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	3.3	3	1	1	3	4	6	7	8
20-34	152	3.8	8	1	1	3	5	7	8	17
35-49	253	4.0	7	1	1	3	5	7	9	12
50-64	323	4.1	8	1	1	3	5	8	9	12
65+	495	4.7	15	1	2	4	6	8	11	18
B. *Operated*										
0-19 YRS	56	4.5	4	1	2	4	6	7	8	12
20-34	1792	4.5	4	2	2	4	5	7	8	12
35-49	3045	4.8	8	2	2	4	6	8	9	14
50-64	2498	5.2	8	2	3	5	6	8	10	16
65+	1288	6.4	20	2	3	5	8	11	14	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	258	3.1	5	1	1	3	4	6	7	13
B. *Operated*	1412	4.1	4	1	2	4	5	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	1242	4.2	10	1	1	3	5	8	10	16
B. *Operated*	8679	5.1	10	2	2	5	6	8	10	16
1. SINGLE DX	1670	4.0	4	1	2	4	5	6	8	10
2. MULTIPLE DX	9921	5.0	10	2	2	4	6	8	10	16
A. NOT OPERATED	1500	4.0	10	1	1	3	5	7	9	15
B. OPERATED	10091	5.0	9	2	2	4	6	8	10	15
TOTAL 0-19 YRS	113	3.8	4	1	1	4	5	7	8	10
20-34	2440	4.3	5	1	2	4	5	7	8	11
35-49	3908	4.7	8	1	2	4	6	7	9	13
50-64	3194	5.0	8	2	2	4	6	8	10	15
65+	1936	5.8	19	2	2	5	7	10	13	22
GRAND TOTAL	**11591**	**4.9**	**9**	**2**	**2**	**4**	**6**	**8**	**10**	**15**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	61	4.3	15	1	1	3	5	10	13	18
20-34	147	6.6	20	1	2	6	9	12	15	20
35-49	183	6.5	12	1	2	7	9	10	12	18
50-64	186	6.5	19	1	1	6	9	12	14	19
65+	212	6.1	14	1	2	5	8	11	12	18
B. *Operated*										
0-19 YRS	1[illegible]6	2.6	7	1	1	2	3	4	9	13
20-34	355	4.1	16	1	1	2	6	9	11	21
35-49	211	5.8	20	1	1	4	9	12	14	19
50-64	186	7.3	20	1	2	7	11	13	15	18
65+	151	8.7	31	1	2	9	12	15	19	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	122	4.4	43	1	1	3	5	8	10	34
20-34	366	7.2	34	1	1	6	10	14	18	29
35-49	616	7.2	34	1	2	6	9	14	17	32
50-64	1231	7.2	30	1	2	6	9	13	16	26
65+	3200	7.2	23	2	2	6	9	13	16	23
B. *Operated*										
0-19 YRS	103	6.7	75	<1	1	3	8	17	23	46
20-34	584	6.2	48	1	1	3	9	14	18	31
35-49	595	9.2	54	1	2	8	12	18	22	36
50-64	992	10.7	83	2	2	9	13	19	27	53
65+	1510	11.8	89	2	3	10	14	22	28	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	789	6.2	16	1	2	6	9	11	13	18
B. *Operated*	1059	5.4	23	1	1	3	9	12	14	21
2. MULTIPLE DX										
A. *Not Operated*	5535	7.1	27	2	2	6	9	13	16	25
B. *Operated*	3784	10.1	79	1	2	8	13	19	25	46
1. SINGLE DX	1848	5.8	20	1	1	5	9	12	14	20
2. MULTIPLE DX	9319	8.3	50	1	2	7	11	16	20	36
A. NOT OPERATED	6324	7.0	26	1	2	6	9	13	16	24
B. OPERATED	4843	9.1	70	1	2	8	12	18	23	43
TOTAL 0-19 YRS	442	4.3	36	1	1	2	4	9	14	27
20-34	1452	6.0	35	1	1	4	9	13	17	28
35-49	1605	7.7	39	1	2	7	10	15	18	31
50-64	2595	8.5	52	2	2	7	11	15	20	35
65+	5073	8.5	47	2	2	7	11	15	20	36
GRAND TOTAL	**11167**	**7.9**	**46**	**1**	**2**	**7**	**10**	**15**	**19**	**33**

173: Acute URI except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3696	2.6	3	1	1	2	3	5	6	8
20-34	537	3.2	4	1	1	3	4	5	6	8
35-49	191	3.4	3	1	1	3	5	6	7	9
50-64	88	4.1	6	1	2	3	5	8	9	13
65+	62	3.8	6	1	1	4	4	6	8	15
B. *Operated*										
0-19 YRS	556	1.8	2	<1	1	1	2	3	4	7
20-34	184	2.1	3	1	1	2	3	4	5	10
35-49	42	2.9	5	<1	1	2	4	6	7	10
50-64	16	3.1	6	1	1	2	3	8	9	9
65+	6	2.0	2	1	1	1	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8180	3.3	5	1	1	3	4	6	7	11
20-34	1590	3.7	4	1	2	3	4	6	8	11
35-49	901	4.5	7	1	2	4	6	8	10	14
50-64	920	5.2	11	2	2	4	6	9	12	16
65+	1337	6.4	21	2	3	5	8	11	14	24
B. *Operated*										
0-19 YRS	589	3.4	22	1	1	2	3	7	12	31
20-34	186	4.2	13	1	1	3	6	9	11	17
35-49	114	6.3	28	1	2	5	8	12	17	27
50-64	138	8.4	79	1	1	6	10	17	25	49
65+	141	9.1	40	2	2	8	11	17	22	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4574	2.8	3	1	1	2	3	5	6	8
B. *Operated*	804	1.9	2	1	1	2	2	3	5	9
2. MULTIPLE DX										
A. *Not Operated*	12928	3.9	8	1	1	3	5	7	9	14
B. *Operated*	1168	5.1	35	1	1	3	7	12	16	34
1. SINGLE DX	5378	2.7	3	1	1	2	3	5	6	8
2. MULTIPLE DX	14096	4.0	10	1	1	3	5	7	9	16
A. NOT OPERATED	17502	3.6	7	1	1	3	4	6	8	13
B. OPERATED	1972	3.8	24	1	1	2	4	9	13	24
TOTAL 0-19 YRS	13021	3.1	5	1	1	3	4	5	7	11
20-34	2497	3.5	5	1	1	3	4	6	8	12
35-49	1248	4.5	9	1	2	4	5	8	10	16
50-64	1162	5.5	20	1	2	4	7	10	13	23
65+	1546	6.5	23	2	2	5	8	12	15	24
GRAND TOTAL	19474	3.6	9	1	1	3	4	7	8	14

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5880	3.6	6	1	1	3	5	6	7	10
20-34	400	4.1	12	2	2	4	5	6	7	11
35-49	392	4.2	4	2	2	4	5	7	8	11
50-64	274	4.7	5	2	2	4	5	8	9	13
65+	285	5.1	7	2	2	5	6	8	10	13
B. *Operated*										
0-19 YRS	14	6.4	20	1	1	7	8	11	16	18
20-34	7	7.6	48	4	4	5	7	20	23	23
35-49	14	6.2	23	2	2	5	7	13	18	19
50-64	13	6.2	14	1	2	5	10	11	12	12
65+	9	9.2	86	2	2	7	9	24	33	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7593	4.4	7	1	2	4	5	7	9	14
20-34	1532	4.9	11	2	2	4	6	8	11	18
35-49	2003	5.4	9	2	2	5	7	9	11	16
50-64	4157	6.5	17	2	3	6	8	11	14	22
65+	8001	7.1	20	3	3	6	9	12	15	23
B. *Operated*										
0-19 YRS	101	8.3	33	2	3	7	11	16	20	28
20-34	92	8.3	31	2	3	7	11	15	21	25
35-49	201	7.9	28	2	3	7	10	16	19	23
50-64	417	9.8	54	2	3	8	12	18	23	42
65+	587	11.9	76	3	4	10	15	22	29	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7231	3.8	7	1	2	3	5	6	7	10
B. *Operated*	57	6.9	32	1	2	5	9	12	19	32
2. MULTIPLE DX										
A. *Not Operated*	23286	5.8	15	2	2	5	7	10	13	20
B. *Operated*	1398	10.2	59	2	3	8	13	19	24	43
1. SINGLE DX	7288	3.8	7	1	2	3	5	6	8	11
2. MULTIPLE DX	24684	6.1	18	2	2	5	7	11	14	22
A. NOT OPERATED	30517	5.3	14	2	2	4	7	9	12	19
B. OPERATED	1455	10.1	58	2	3	8	13	19	24	43
TOTAL 0-19 YRS	13588	4.1	7	1	2	4	5	7	8	13
20-34	2031	4.9	13	2	2	4	6	8	11	19
35-49	2610	5.4	11	2	2	5	7	9	12	17
50-64	4861	6.7	21	2	3	6	8	12	15	24
65+	8882	7.4	24	2	3	6	9	13	16	27
GRAND TOTAL	31972	5.6	17	2	2	5	7	10	13	21

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	4	2.0	1	1	1	2	3	3	3	3
35-49										
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	484	1.7	1	1	1	2	2	3	3	5
20-34	1076	1.9	1	1	1	2	2	3	4	5
35-49	542	1.9	1	1	1	2	2	3	4	4
50-64	240	2.0	1	1	1	2	3	3	4	5
65+	84	2.3	4	1	1	2	2	4	4	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	1.7	2	<1	<1	1	2	4	5	5
20-34	24	1.4	1	<1	<1	1	2	2	3	4
35-49	20	1.4		<1	<1	1	2	2	3	3
50-64	11	2.2	2	1	1	2	3	5	5	5
65+	7	1.9	1	<1	<1	2	2	4	4	4
B. *Operated*										
0-19 YRS	1201	2.1	1	1	1	2	3	3	4	6
20-34	2948	2.2	2	1	1	2	3	4	4	6
35-49	1977	2.3	2	1	1	2	3	4	4	8
50-64	1144	2.4	3	1	1	2	3	4	5	8
65+	383	2.6	3	1	1	2	3	4	5	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	1.7	1	<1	<1	2	2	3	3	3
B. *Operated*	2426	1.9	1	1	1	2	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	75	1.6	1	<1	<1	1	2	3	4	5
B. *Operated*	7653	2.3	2	1	1	2	3	4	4	7
1. SINGLE DX	2433	1.9	1	1	1	2	2	3	4	5
2. MULTIPLE DX	7728	2.3	2	1	1	2	3	4	4	7
A. NOT OPERATED	82	1.6	1	<1	<1	1	2	3	4	5
B. OPERATED	10079	2.2	2	1	1	2	3	4	4	6
TOTAL 0-19 YRS	1700	2.0	1	1	1	2	3	3	4	6
20-34	4052	2.1	2	1	1	2	3	3	4	6
35-49	2539	2.2	2	1	1	2	3	4	4	7
50-64	1395	2.4	2	1	1	2	3	4	4	7
65+	475	2.5	3	1	1	2	3	4	5	11
GRAND TOTAL	**10161**	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	**6**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	31	2.3	1	<1	1	2	3	4	4	5
20-34	54	2.1	1	1	1	2	2	4	5	6
35-49	69	2.0	1	1	1	2	2	4	4	6
50-64	90	2.1	2	1	1	2	3	4	5	7
65+	61	2.2	2	<1	1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.3	1	1	1	2	3	3	3	3
20-34	6	4.2	1	2	2	4	5	5	5	5
35-49	8	4.4	59	<1	<1	1	3	18	23	23
50-64	9	2.3	2	<1	<1	2	3	4	5	5
65+	4	2.5	4	<1	<1	2	4	5	5	5
B. *Operated*										
0-19 YRS	87	2.3	2	1	1	2	3	4	4	10
20-34	207	2.3	2	1	1	2	3	4	5	6
35-49	292	2.4	2	1	1	2	3	4	5	9
50-64	373	2.7	3	1	1	2	3	5	6	10
65+	217	2.7	3	1	1	2	3	5	6	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.0		1	1	1	1	1	1	1
B. *Operated*	305	2.1	1	<1	1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	31	3.2	16	<1	<1	2	4	5	5	23
B. *Operated*	1176	2.5	3	1	1	2	3	4	5	9
1. SINGLE DX	307	2.1	1	<1	1	2	3	4	5	6
2. MULTIPLE DX	1207	2.6	3	1	1	2	3	4	5	9
A. NOT OPERATED	33	3.1	15	<1	<1	2	4	5	5	23
B. OPERATED	1481	2.5	2	1	1	2	3	4	5	9
TOTAL 0-19 YRS	122	2.3	2	1	1	2	3	4	4	8
20-34	268	2.3	2	1	1	2	3	4	5	6
35-49	369	2.4	3	1	1	2	3	4	5	9
50-64	472	2.6	3	1	1	2	3	4	5	9
65+	283	2.6	3	1	1	2	3	5	6	9
GRAND TOTAL	**1514**	**2.5**	**3**	**1**	**1**	**2**	**3**	**4**	**5**	**9**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	85	1.6	1	<1	<1	1	2	3	4	6
20-34	20	2.0	1	<1	1	2	3	4	4	4
35-49	5	2.0	2	1	1	2	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	16841	1.5	1	<1	1	1	2	2	2	3
20-34	3362	1.7	1	1	1	2	2	3	3	4
35-49	329	1.9	1	1	1	2	2	3	4	6
50-64	61	2.1	2	1	1	2	3	3	4	8
65+	19	2.2	2	<1	1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	357	1.7	3	<1	<1	1	2	4	5	7
20-34	56	2.2	3	<1	<1	2	3	4	6	9
35-49	11	2.2	2	1	1	2	3	4	5	5
50-64	4	3.3	2	2	2	3	4	5	5	5
65+	3	8.0	79	<1	<1	5	15	18	18	18
B. *Operated*										
0-19 YRS	11512	1.5	1	<1	1	1	2	2	3	4
20-34	972	2.1	3	1	1	2	2	4	4	8
35-49	188	2.7	5	1	1	2	3	5	7	12
50-64	43	3.1	6	1	1	2	4	7	9	10
65+	20	3.3	7	1	1	3	4	7	10	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	110	1.7	1	<1	<1	1	2	3	4	6
B. *Operated*	20612	1.5	1	<1	1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	431	1.9	3	<1	<1	1	2	4	5	8
B. *Operated*	12735	1.6	1	<1	1	1	2	2	3	5
1. SINGLE DX	20722	1.5	1	<1	1	1	2	2	3	4
2. MULTIPLE DX	13166	1.6	1	<1	1	1	2	2	3	6
A. NOT OPERATED	541	1.8	3	<1	<1	1	2	4	5	7
B. OPERATED	33347	1.5	1	<1	1	1	2	2	3	4
TOTAL 0-19 YRS	28795	1.5	1	<1	1	1	2	2	2	4
20-34	4410	1.8	2	1	1	2	2	3	4	5
35-49	533	2.2	3	1	1	2	2	4	5	10
50-64	108	2.6	3	1	1	2	3	5	6	10
65+	42	3.1	10	<1	1	2	3	5	10	18
GRAND TOTAL	**33888**	**1.5**	**1**	**<1**	**1**	**1**	**2**	**2**	**3**	**4**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	536	2.9	3	1	1	3	4	5	6	8
20-34	357	3.1	3	1	2	3	4	5	6	9
35-49	161	3.2	4	1	1	3	4	5	7	10
50-64	55	3.8	12	1	1	3	5	9	9	20
65+	47	2.9	4	<1	1	2	4	5	7	10
B. *Operated*										
0-19 YRS	571	2.5	4	1	1	2	3	4	6	11
20-34	822	2.3	2	1	1	2	3	4	5	8
35-49	704	2.2	4	1	1	2	2	4	5	9
50-64	602	2.2	3	1	1	2	2	4	5	10
65+	281	2.3	4	1	1	2	2	4	5	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	718	3.9	7	1	2	3	5	7	9	16
20-34	469	3.9	6	1	2	4	5	7	9	12
35-49	351	4.2	6	1	2	4	5	8	9	12
50-64	325	4.9	15	1	2	4	6	9	11	19
65+	326	5.4	14	1	2	4	8	11	13	16
B. *Operated*										
0-19 YRS	821	3.5	28	1	1	2	3	7	10	25
20-34	1162	2.9	13	1	1	2	3	5	7	15
35-49	1115	3.0	8	1	1	2	3	6	8	15
50-64	1126	3.7	20	1	1	2	4	7	11	23
65+	781	4.4	29	1	1	3	5	9	14	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1156	3.0	3	1	1	3	4	5	6	9
B. *Operated*	2980	2.3	3	1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	2189	4.3	9	1	2	4	5	8	10	15
B. *Operated*	5005	3.4	19	1	1	2	4	7	10	21
1. SINGLE DX	4136	2.5	4	1	1	2	3	4	6	10
2. MULTIPLE DX	7194	3.7	16	1	1	3	4	7	10	19
A. NOT OPERATED	3345	3.9	8	1	1	3	5	7	9	14
B. OPERATED	7985	3.0	13	1	1	2	3	5	8	17
TOTAL 0-19 YRS	2646	3.3	12	1	1	2	4	6	8	16
20-34	2810	2.9	8	1	1	2	4	5	7	12
35-49	2331	2.9	7	1	1	2	4	5	7	13
50-64	2108	3.5	15	1	1	2	4	7	10	19
65+	1435	4.2	21	1	1	3	5	9	13	23
GRAND TOTAL	**11330**	**3.3**	**12**	**1**	**1**	**2**	**4**	**6**	**8**	**16**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10470	4.1	5	1	2	4	5	7	8	11
20-34	1954	4.6	6	2	2	4	6	8	9	13
35-49	1363	5.2	7	2	3	5	6	9	10	14
50-64	1275	5.7	8	2	3	5	7	9	11	15
65+	1620	6.6	14	2	3	6	8	11	13	19
B. *Operated*										
0-19 YRS	33	6.5	20	1	2	6	9	11	16	20
20-34	47	8.6	36	2	3	6	12	18	19	29
35-49	60	8.6	23	2	3	8	11	14	17	29
50-64	92	7.9	36	2	2	7	11	15	18	33
65+	91	7.8	24	2	2	7	10	14	16	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YR	14808	4.9	12	2	2	4	6	8	11	16
20-34	2893	6.0	16	2	3	5	7	11	13	20
35-49	3447	6.8	21	2	3	6	8	11	14	24
50-64	7186	7.8	24	3	3	7	10	13	17	27
65+	25058	9.3	33	3	4	8	11	16	20	30
B. *Operated*										
0-19 YRS	299	13.0	115	3	4	10	16	26	36	90
20-34	339	13.6	164	3	4	10	17	28	34	79
35-49	496	13.9	112	3	4	11	16	25	36	52
50-64	1307	14.5	107	4	5	12	18	28	35	54
65+	2989	16.9	133	5	6	14	21	31	39	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16682	4.6	7	2	2	4	6	8	9	14
B. *Operated*	323	8.0	29	2	2	7	10	15	18	26
2. MULTIPLE DX										
A. *Not Operated*	53392	7.5	28	2	3	6	9	14	17	27
B. *Operated*	5430	15.6	128	4	5	13	20	30	37	59
1. SINGLE DX	17005	4.7	8	2	2	4	6	8	10	14
2. MULTIPLE DX	58822	8.3	43	2	3	7	10	15	20	33
A. NOT OPERATED	70074	6.9	24	2	3	6	9	13	16	25
B. OPERATED	5753	15.2	125	3	5	12	19	29	37	58
TOTAL 0-19 YRS	25610	4.7	11	2	2	4	6	8	10	16
20-34	5233	6.0	26	2	2	5	7	10	14	26
35-49	5366	7.1	31	2	3	6	8	12	16	30
50-64	9860	8.4	39	3	3	7	10	15	20	33
65+	29758	9.9	48	3	4	8	12	18	22	36
GRAND TOTAL	**75827**	**7.5**	**37**	**2**	**3**	**6**	**9**	**14**	**18**	**31**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	338	2.9	4	1	1	2	4	5	6	9
20-34	216	2.9	2	1	1	3	4	5	5	7
35-49	144	3.1	3	1	1	3	4	5	6	8
50-64	94	3.8	5	2	2	3	5	6	7	15
65+	149	4.2	6	2	2	4	6	7	8	12
B. *Operated*										
0-19 YRS	3	3.3	2	2	2	3	4	5	5	5
20-34	7	2.9	5	1	1	3	4	6	7	7
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	619	3.3	4	1	1	3	4	5	7	10
20-34	636	3.5	5	1	1	3	4	6	7	12
35-49	407	4.2	5	1	2	4	5	7	9	12
50-64	602	5.0	10	2	2	4	6	9	11	16
65+	1436	5.9	16	2	2	5	7	11	13	20
B. *Operated*										
0-19 YRS	7	4.3	1	3	3	4	5	6	6	6
20-34	19	6.4	20	1	2	6	8	14	17	17
35-49	14	7.6	92	2	3	4	6	16	34	39
50-64	23	10.7	52	2	3	9	14	22	26	31
65+	56	13.9	144	3	5	10	17	26	38	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	941	3.2	4	1	1	3	4	6	7	9
B. *Operated*	10	3.0	4	1	1	3	4	6	7	7
2. MULTIPLE DX										
A. *Not Operated*	3700	4.7	11	1	2	4	6	9	11	17
B. *Operated*	119	10.8	101	2	3	8	13	21	28	53
1. SINGLE DX	951	3.2	4	1	1	3	4	6	7	9
2. MULTIPLE DX	3819	4.9	15	1	2	4	6	9	12	19
A. NOT OPERATED	4641	4.4	10	1	2	4	5	8	10	17
B. OPERATED	129	10.2	98	2	3	8	13	20	27	50
TOTAL 0-19 YRS	967	3.2	4	1	1	3	4	5	7	9
20-34	878	3.4	5	1	1	3	4	6	7	12
35-49	565	4.0	7	1	2	4	5	7	8	12
50-64	719	5.0	12	2	2	4	6	9	12	18
65+	1641	6.0	22	2	2	5	7	11	14	22
GRAND TOTAL	**4770**	**4.6**	**13**	**1**	**2**	**4**	**6**	**8**	**11**	**18**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1085	3.2	4	1	1	3	4	6	7	9
20-34	142	3.6	4	1	1	3	4	6	7	10
35-49	152	4.0	5	1	2	4	5	6	8	11
50-64	276	5.3	12	2	2	5	6	8	11	18
65+	266	5.8	16	2	2	5	7	10	13	22
B. *Operated*										
0-19 YRS	14	3.3	12	1	1	2	4	7	12	14
20-34	9	5.1	13	1	1	5	7	10	12	12
35-49	27	5.2	32	1	1	4	7	8	22	25
50-64	39	4.8	12	<1	1	4	6	10	12	14
65+	31	4.7	13	1	1	3	8	10	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1754	4.0	6	1	2	3	5	7	8	13
20-34	448	4.6	7	2	2	4	6	8	10	14
35-49	713	5.7	26	2	2	5	7	10	13	21
50-64	1746	6.7	20	2	3	6	8	12	15	24
65+	3527	7.6	30	2	3	6	9	13	17	29
B. *Operated*										
0-19 YRS	24	9.0	246	1	1	4	9	18	39	78
20-34	74	6.6	23	2	2	5	9	13	16	24
35-49	160	8.1	61	1	2	6	10	16	24	57
50-64	367	9.0	74	2	2	7	11	17	26	48
65+	449	10.7	96	2	3	8	13	21	28	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1921	3.9	8	1	1	3	5	7	8	14
B. *Operated*	120	4.7	16	1	1	4	6	10	12	22
2. MULTIPLE DX										
A. *Not Operated*	8188	6.3	23	2	2	5	8	11	15	24
B. *Operated*	1074	9.4	83	2	2	7	11	18	26	47
1. SINGLE DX	2041	4.0	8	1	1	3	5	7	9	14
2. MULTIPLE DX	9262	6.7	31	2	2	5	8	12	16	28
A. NOT OPERATED	10109	5.9	21	2	2	5	7	11	14	23
B. OPERATED	1194	8.9	78	1	2	7	11	17	25	46
TOTAL 0-19 YRS	2877	3.7	8	1	1	3	5	6	8	12
20-34	673	4.6	9	1	2	4	6	8	10	16
35-49	1052	5.8	30	2	2	4	7	10	14	25
50-64	2428	6.9	28	2	3	6	8	12	16	28
65+	4273	7.8	37	2	3	6	9	14	18	32
GRAND TOTAL	**11303**	**6.2**	**28**	**2**	**2**	**5**	**8**	**11**	**15**	**26**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	1.7	1	1	1	1	3	3	3	3
35-49	27	4.0	5	1	1	3	5	6	8	9
50-64	137	6.2	14	2	2	5	8	10	13	20
65+	151	6.3	21	2	2	5	8	11	15	20
B. *Operated*										
0-19 YRS	2	9.5	5	8	8	9	11	11	11	11
20-34	6	10.2	61	2	2	8	10	23	25	25
35-49	12	7.0	7	3	3	7	9	10	11	11
50-64	8	11.6	332	1	2	5	10	42	56	56
65+	4	11.8	6	9	9	11	13	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	6.4	44	1	1	4	8	18	18	18
20-34	14	5.2	8	1	2	4	7	9	11	11
35-49	117	7.2	43	1	2	5	8	14	21	37
50-64	986	8.5	50	2	3	7	10	15	19	34
65+	2125	8.5	43	2	3	7	10	15	19	33
B. *Operated*										
0-19 YRS	7	13.3	39	6	6	11	17	23	24	24
20-34	23	12.0	32	5	6	10	15	22	23	23
35-49	37	14.9	216	3	4	9	18	27	34	86
50-64	139	14.9	183	2	4	11	17	33	43	63
65+	225	14.7	130	4	5	11	19	32	37	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	318	6.0	17	2	2	5	8	10	13	20
B. *Operated*	32	9.5	92	2	3	8	10	13	24	56
2. MULTIPLE DX										
A. *Not Operated*	3247	8.5	45	2	3	7	10	15	19	34
B. *Operated*	431	14.6	147	3	5	11	18	31	39	62
1. SINGLE DX	350	6.3	24	2	2	5	8	10	14	23
2. MULTIPLE DX	3678	9.2	61	2	3	7	11	17	23	40
A. NOT OPERATED	3565	8.2	43	2	3	7	10	15	19	34
B. OPERATED	463	14.3	145	3	4	10	18	30	39	59
TOTAL 0-19 YRS	14	10.3	43	2	3	9	15	19	23	24
20-34	46	9.0	38	1	3	8	11	21	22	25
35-49	193	8.2	80	1	2	6	9	17	24	38
50-64	1270	9.0	67	2	3	7	10	16	22	46
65+	2505	9.0	53	2	3	7	11	17	22	39
GRAND TOTAL	**4028**	**8.9**	**58**	**2**	**3**	**7**	**11**	**17**	**22**	**40**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11492	3.3	3	1	1	3	4	5	7	9
20-34	2313	3.8	4	1	2	3	5	6	8	10
35-49	1800	4.5	7	1	2	4	6	8	9	13
50-64	1499	5.0	8	2	2	4	6	9	10	15
65+	827	5.5	11	2	2	5	7	10	12	18
B. *Operated*										
0-19 YRS	20	5.7	8	1	3	5	7	10	11	12
20-34	17	7.0	14	2	3	6	10	13	14	14
35-49	19	7.9	17	2	3	8	10	12	16	20
50-64	23	7.7	45	1	2	7	8	12	21	35
65+	8	8.6	38	3	3	7	11	19	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8763	3.9	6	1	2	3	5	7	8	12
20-34	2580	4.6	8	2	2	4	6	8	10	15
35-49	3239	5.8	12	2	2	5	7	10	12	19
50-64	5085	6.6	17	2	3	6	8	11	14	21
65+	5695	7.4	23	2	3	6	9	13	16	25
B. *Operated*										
0-19 YRS	123	8.0	54	2	3	6	10	16	19	72
20-34	108	9.1	30	3	4	8	12	18	21	24
35-49	242	9.8	46	3	4	8	12	18	24	38
50-64	347	10.8	52	3	4	9	13	19	25	39
65+	318	12.9	93	3	4	10	16	25	31	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17931	3.7	5	1	2	3	5	6	8	11
B. *Operated*	87	7.2	24	2	3	6	8	12	14	30
2. MULTIPLE DX										
A. *Not Operated*	25362	5.5	15	2	2	5	7	10	12	19
B. *Operated*	1138	10.7	62	3	4	9	13	20	26	47
1. SINGLE DX	18018	3.8	5	1	2	3	5	6	8	11
2. MULTIPLE DX	26500	5.8	18	2	2	5	7	10	13	21
A. NOT OPERATED	43293	4.8	11	1	2	4	6	9	11	17
B. OPERATED	1225	10.5	61	3	4	9	13	19	25	43
TOTAL 0-19 YRS	20398	3.6	5	1	2	3	4	6	7	11
20-34	5018	4.4	7	1	2	4	5	7	9	15
35-49	5300	5.5	13	2	2	5	7	10	12	19
50-64	6954	6.5	18	2	3	5	8	11	14	22
65+	6848	7.4	26	2	3	6	9	13	16	28
GRAND TOTAL	**44518**	**5.0**	**14**	**1**	**2**	**4**	**6**	**9**	**11**	**19**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	3.3	5	<1	1	3	5	6	7	10
20-34	30	4.6	15	1	1	4	6	8	10	21
35-49	121	5.2	14	1	2	4	6	9	13	19
50-64	621	6.2	17	2	2	5	8	11	14	21
65+	801	6.1	15	2	2	5	8	11	14	20
B. *Operated*										
0-19 YRS	3	2.7		2	2	3	3	3	3	3
20-34	6	7.7	20	2	2	7	10	14	15	15
35-49	14	6.1	25	1	2	5	9	11	18	20
50-64	33	8.2	88	1	1	7	9	16	26	50
65+	26	6.8	20	1	2	6	9	13	16	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	5.6	9	2	2	5	7	10	12	14
20-34	109	6.4	28	1	2	5	8	12	15	30
35-49	761	6.4	24	2	3	5	8	11	14	26
50-64	5018	7.6	29	2	3	6	9	14	17	29
65+	9964	8.2	34	2	3	7	10	15	19	30
B. *Operated*										
0-19 YRS	14	8.4	49	1	2	8	11	19	24	26
20-34	18	6.3	18	1	2	5	9	13	15	15
35-49	117	9.3	49	2	3	7	12	19	25	33
50-64	623	12.9	121	3	4	10	16	25	36	67
65+	1031	13.6	123	3	4	11	17	27	34	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1598	6.0	16	2	2	5	7	11	14	20
B. *Operated*	82	7.2	48	1	2	6	9	14	18	43
2. MULTIPLE DX										
A. *Not Operated*	15903	7.9	32	2	3	7	10	14	18	30
B. *Operated*	1803	13.0	117	3	4	10	16	25	34	64
1. SINGLE DX	1680	6.1	17	2	2	5	8	11	14	21
2. MULTIPLE DX	17706	8.4	43	2	3	7	10	15	20	34
A. NOT OPERATED	17501	7.7	31	2	3	6	9	14	18	29
B. OPERATED	1885	12.7	116	3	4	10	16	25	34	62
TOTAL 0-19 YRS	93	5.3	16	1	2	4	7	10	12	23
20-34	163	6.1	24	1	2	5	8	11	15	24
35-49	1013	6.6	27	2	2	5	8	12	15	27
50-64	6295	8.0	40	2	3	6	10	15	19	34
65+	11822	8.5	44	2	3	7	10	16	20	34
GRAND TOTAL	**19386**	**8.2**	**41**	**2**	**3**	**7**	**10**	**15**	**20**	**34**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	70	3.0	4	1	1	2	4	6	7	9
20-34	225	3.0	4	1	1	2	4	5	6	13
35-49	51	3.4	4	1	1	3	4	7	8	9
50-64	15	5.7	36	1	2	4	5	12	22	25
65+	9	8.0	11	3	3	8	10	12	13	13
B. *Operated*										
0-19 YRS	168	6.3	18	2	3	5	8	12	14	23
20-34	713	6.0	12	2	3	5	7	11	13	18
35-49	196	6.2	12	2	3	6	8	10	14	19
50-64	71	6.8	17	2	3	5	8	13	15	19
65+	40	6.5	18	2	2	5	9	11	13	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	3.4	4	1	1	3	5	5	8	9
20-34	90	4.8	22	1	1	3	6	10	13	28
35-49	60	4.7	12	1	1	4	6	9	12	18
50-64	71	7.4	26	2	3	6	10	15	18	26
65+	132	7.9	39	2	3	7	9	13	18	37
B. *Operated*										
0-19 YRS	65	8.9	27	3	4	8	11	16	22	26
20-34	321	9.2	44	3	3	8	11	17	21	38
35-49	193	10.1	59	3	3	8	13	20	26	38
50-64	261	11.6	105	3	4	9	14	22	30	56
65+	397	13.5	124	3	4	10	18	28	34	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	370	3.3	6	1	1	3	4	6	8	13
B. *Operated*	1188	6.1	14	2	3	5	7	11	14	20
2. MULTIPLE DX										
A. *Not Operated*	388	6.2	28	1	2	5	8	12	15	28
B. *Operated*	1237	11.2	87	3	4	8	14	22	29	44
1. SINGLE DX	1558	5.4	13	1	2	5	7	10	13	19
2. MULTIPLE DX	1625	10.0	77	2	3	7	12	20	27	43
A. NOT OPERATED	758	4.8	20	1	1	4	6	9	12	23
B. OPERATED	2425	8.7	57	2	3	6	10	17	22	38
TOTAL 0-19 YRS	338	5.8	20	1	2	5	7	11	14	22
20-34	1349	6.2	23	1	2	5	8	12	15	23
35-49	500	7.2	35	2	2	6	9	15	18	33
50-64	418	9.9	79	3	3	7	12	19	26	46
65+	578	11.7	103	3	3	8	15	24	32	52
GRAND TOTAL	**3183**	**7.8**	**51**	**2**	**2**	**6**	**9**	**16**	**20**	**36**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	675	3.2	5	1	1	3	4	5	7	12
20-34	298	3.2	7	1	1	2	4	6	9	12
35-49	228	3.8	7	1	1	3	5	7	9	13
50-64	203	4.2	15	1	1	3	5	7	11	24
65+	233	5.5	16	1	2	5	7	10	14	20
B. *Operated*										
0-19 YRS	81	5.1	35	<1	1	2	7	14	17	31
20-34	115	5.3	20	1	1	4	8	11	16	20
35-49	191	7.1	32	1	2	6	9	14	17	26
50-64	257	7.0	53	1	1	6	9	13	18	30
65+	192	6.4	31	1	1	5	9	13	17	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1536	4.9	19	1	2	4	6	9	13	22
20-34	708	5.4	29	1	1	4	7	10	14	29
35-49	1088	5.7	30	1	2	4	7	11	15	26
50-64	2409	7.0	34	2	2	6	9	13	16	27
65+	7043	8.5	36	2	3	7	11	16	20	30
B. *Operated*										
0-19 YRS	261	10.6	138	1	1	7	14	25	40	62
20-34	345	11.2	112	2	2	8	15	26	33	72
35-49	627	11.2	104	2	2	8	14	24	32	57
50-64	1433	11.6	124	2	2	9	15	24	33	57
65+	2496	13.5	122	2	3	11	17	27	36	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1637	3.7	9	1	1	3	5	7	9	15
B. *Operated*	836	6.5	37	1	1	5	8	13	17	27
2. MULTIPLE DX										
A. *Not Operated*	12784	7.4	35	2	2	6	9	14	18	29
B. *Operated*	5162	12.4	122	2	2	9	16	26	35	57
1. SINGLE DX	2473	4.7	20	1	1	3	6	9	13	21
2. MULTIPLE DX	17946	8.8	65	2	2	7	11	18	24	42
A. NOT OPERATED	14421	6.9	33	1	2	5	9	14	17	28
B. OPERATED	5998	11.5	114	1	2	9	15	24	33	56
TOTAL 0-19 YRS	2553	5.0	32	1	1	3	6	10	15	29
20-34	1466	6.3	51	1	1	4	8	14	20	38
35-49	2134	7.2	56	1	2	5	9	15	20	41
50-64	4302	8.4	70	1	2	6	10	17	23	43
65+	9964	9.6	62	2	3	8	12	19	24	41
GRAND TOTAL	**20419**	**8.3**	**61**	**1**	**2**	**6**	**10**	**17**	**23**	**41**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	54	3.1	2	<1	1	3	4	5	5	6
20-34	51	3.9	7	1	1	3	5	7	10	12
35-49	23	3.5	8	<1	1	3	4	8	10	11
50-64	11	4.0	8	<1	1	3	5	9	10	10
65+	4	4.0	3	2	2	4	5	6	6	6
B. *Operated*										
0-19 YRS	1155	2.3	3	<1	1	2	3	4	5	7
20-34	1348	2.8	3	1	1	3	4	5	5	8
35-49	627	2.7	2	1	1	2	3	4	5	7
50-64	357	2.7	8	1	1	2	3	4	6	11
65+	102	2.8	8	1	1	2	3	4	6	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	169	3.3	4	<1	1	3	4	6	7	12
20-34	168	3.6	8	<1	1	3	5	6	9	15
35-49	122	3.9	9	<1	1	3	5	8	10	16
50-64	91	4.5	17	1	1	3	5	9	16	21
65+	83	4.3	8	<1	1	3	6	8	10	13
B. *Operated*										
0-19 YRS	1292	2.6	3	1	1	2	3	5	5	8
20-34	1416	3.2	15	1	1	2	4	5	7	16
35-49	1064	2.9	6	1	1	2	3	5	7	13
50-64	1098	3.0	9	1	1	2	3	5	8	16
65+	798	3.6	14	1	1	2	4	7	10	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	143	3.5	5	1	1	3	4	6	8	12
B. *Operated*	3589	2.6	4	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	633	3.8	9	<1	1	3	5	7	9	16
B. *Operated*	5668	3.0	9	1	1	2	4	5	7	15
1. SINGLE DX	3732	2.6	4	1	1	2	3	5	5	8
2. MULTIPLE DX	6301	3.1	9	1	1	2	4	5	7	15
A. NOT OPERATED	776	3.7	8	<1	1	3	5	7	9	15
B. OPERATED	9257	2.9	7	1	1	2	3	5	6	13
TOTAL 0-19 YRS	2670	2.5	3	<1	1	2	3	4	5	8
20-34	2983	3.0	9	1	1	3	4	5	6	12
35-49	1836	2.9	5	1	1	2	4	5	6	11
50-64	1557	3.1	9	1	1	2	3	5	8	16
65+	987	3.6	13	1	1	2	4	7	9	19
GRAND TOTAL	**10033**	**2.9**	**7**	**1**	**1**	**2**	**4**	**5**	**6**	**13**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	116	3.2	3	1	1	3	4	5	6	9
20-34	70	3.8	3	1	2	4	5	6	8	10
35-49	36	3.9	4	1	1	4	6	7	7	8
50-64	34	5.0	14	1	2	4	6	9	15	19
65+	21	5.0	9	1	2	4	6	10	11	12
B. *Operated*										
0-19 YRS	177	2.8	5	<1	1	2	3	6	7	11
20-34	164	2.5	3	1	1	2	3	5	6	10
35-49	179	2.8	4	1	1	2	3	5	6	13
50-64	164	3.2	4	1	1	3	4	5	7	9
65+	126	3.2	4	1	1	3	4	6	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	291	4.1	6	1	2	3	5	7	8	13
20-34	96	5.1	20	1	2	4	6	9	11	28
35-49	82	5.2	17	1	2	4	6	10	14	22
50-64	140	5.9	21	2	2	5	7	10	13	30
65+	231	6.9	20	2	3	6	9	13	15	26
B. *Operated*										
0-19 YRS	150	3.7	9	1	1	3	5	7	9	16
20-34	174	4.6	37	1	1	3	5	8	15	36
35-49	233	4.1	12	1	1	3	5	7	11	18
50-64	311	4.5	13	1	1	3	5	9	11	18
65+	323	6.1	54	1	2	4	6	13	19	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	277	3.8	5	1	2	3	5	6	8	12
B. *Operated*	810	2.9	4	1	1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	840	5.4	16	1	2	4	7	10	13	21
B. *Operated*	1191	4.8	28	1	1	3	5	10	14	27
1. SINGLE DX	1087	3.1	5	1	1	3	4	6	7	11
2. MULTIPLE DX	2031	5.0	23	1	2	4	6	10	13	25
A. NOT OPERATED	1117	5.0	14	1	2	4	6	9	12	18
B. OPERATED	2001	4.0	19	1	1	3	4	8	11	20
TOTAL 0-19 YRS	734	3.6	6	1	1	3	4	6	8	13
20-34	504	3.9	19	1	1	3	4	7	9	23
35-49	530	3.8	10	1	1	3	4	7	10	17
50-64	649	4.5	13	1	1	3	5	9	11	19
65+	701	5.8	34	1	2	4	7	12	15	30
GRAND TOTAL	**3118**	**4.4**	**17**	**1**	**1**	**3**	**5**	**8**	**11**	**20**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	388	3.0	4	1	1	2	4	6	7	11
20-34	206	3.1	4	<1	1	3	4	6	7	11
35-49	248	3.0	4	<1	1	2	4	6	7	10
50-64	217	3.6	8	1	1	3	4	6	8	13
65+	125	4.0	7	1	1	3	5	7	8	14
B. *Operated*										
0-19 YRS	79	6.0	29	1	1	5	8	14	21	78
20-34	98	5.6	17	1	1	5	8	11	13	21
35-49	120	5.9	15	1	2	6	8	10	12	21
50-64	156	5.1	28	1	1	4	7	10	13	30
65+	140	5.2	15	1	1	5	7	10	11	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	621	4.4	15	1	1	3	6	8	10	21
20-34	712	4.6	16	1	1	4	6	8	10	17
35-49	1295	4.5	8	1	2	4	6	8	10	15
50-64	1646	4.7	10	1	2	4	6	8	10	16
65+	2307	5.6	17	2	2	5	7	10	13	22
B. *Operated*										
0-19 YRS	236	11.8	112	1	2	9	16	27	34	50
20-34	324	7.1	33	1	2	5	9	15	20	29
35-49	685	7.5	39	2	2	6	9	14	18	32
50-64	1201	8.1	55	2	2	6	10	15	20	40
65+	2032	9.1	76	2	2	7	11	18	24	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1184	3.2	5	1	1	3	4	6	7	11
B. *Operated*	593	5.5	21	1	1	5	7	10	13	23
2. MULTIPLE DX										
A. *Not Operated*	6581	4.9	14	1	2	4	6	9	11	18
B. *Operated*	4478	8.6	65	2	2	6	11	17	23	43
1. SINGLE DX	1777	4.0	12	1	1	3	5	8	10	17
2. MULTIPLE DX	11059	6.4	37	1	2	5	8	12	17	31
A. NOT OPERATED	7765	4.7	13	1	2	4	6	9	11	17
B. OPERATED	5071	8.2	61	1	2	6	10	16	22	42
TOTAL 0-19 YRS	1324	5.4	39	1	1	3	6	11	17	34
20-34	1340	5.1	20	1	1	4	6	10	13	22
35-49	2348	5.3	20	1	2	4	7	10	13	22
50-64	3220	5.9	31	1	2	5	7	11	15	29
65+	4604	7.1	46	2	2	5	9	14	18	35
GRAND TOTAL	**12836**	**6.1**	**35**	**1**	**2**	**5**	**7**	**12**	**16**	**30**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	4.1	8	1	2	3	5	8	12	13
20-34	102	3.9	5	1	2	3	5	7	8	11
35-49	125	4.0	6	1	2	3	5	7	9	12
50-64	96	3.7	3	1	2	3	5	6	7	8
65+	76	4.8	7	2	2	4	6	8	9	14
B. *Operated*										
0-19 YRS	6	6.3	1	5	5	6	7	8	8	8
20-34	40	6.9	20	2	2	6	9	12	13	25
35-49	101	7.1	19	2	3	7	9	11	13	27
50-64	95	5.8	11	2	2	6	7	9	11	18
65+	66	6.6	13	2	3	6	9	12	13	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	5.3	8	1	2	5	7	9	10	13
20-34	259	5.0	9	1	2	4	6	9	11	16
35-49	448	5.5	11	2	2	5	7	9	12	19
50-64	614	5.9	11	2	3	5	7	10	13	17
65+	997	6.7	21	2	3	5	8	12	15	23
B. *Operated*										
0-19 YRS	12	8.3	27	3	3	7	10	16	20	21
20-34	150	7.5	21	2	3	6	9	14	16	24
35-49	417	8.8	49	2	3	7	11	15	19	34
50-64	668	8.7	37	3	3	7	11	16	20	33
65+	999	9.2	44	3	4	8	11	17	20	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	437	4.1	5	1	2	4	5	7	9	12
B. *Operated*	308	6.6	15	2	2	6	8	11	13	20
2. MULTIPLE DX										
A. *Not Operated*	2364	6.0	15	2	2	5	7	11	13	20
B. *Operated*	2246	8.9	41	3	3	7	11	16	20	33
1. SINGLE DX	745	5.1	11	1	2	4	7	9	11	16
2. MULTIPLE DX	4610	7.4	30	2	3	6	9	14	17	28
A. NOT OPERATED	2801	5.7	14	2	2	5	7	10	13	19
B. OPERATED	2554	8.6	39	2	3	7	11	15	19	32
TOTAL 0-19 YRS	102	5.3	11	1	2	4	7	10	12	17
20-34	551	5.6	14	2	2	5	7	10	13	18
35-49	1091	6.7	29	2	2	6	8	12	15	25
50-64	1473	7.0	25	2	3	6	9	13	16	27
65+	2138	7.8	33	2	3	6	10	14	18	29
GRAND TOTAL	**5355**	**7.1**	**28**	**2**	**2**	**6**	**9**	**13**	**16**	**27**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	3.7	2	2	2	4	5	6	6	6
20-34	49	3.9	8	1	1	4	4	6	7	20
35-49	82	4.7	5	2	2	4	6	8	8	10
50-64	98	4.6	6	2	2	4	6	8	10	13
65+	123	5.6	22	2	3	5	7	9	10	24
B. *Operated*										
0-19 YRS	9	5.0	7	1	1	6	7	8	8	8
20-34	37	6.4	16	2	3	6	8	10	13	23
35-49	75	7.6	11	2	3	7	10	11	14	15
50-64	92	7.6	16	3	3	7	10	13	15	21
65+	94	8.8	30	2	4	8	10	15	20	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	4.5	5	2	2	4	6	8	9	10
20-34	126	5.0	16	2	2	4	6	9	10	25
35-49	246	5.0	7	2	2	4	6	8	10	14
50-64	545	6.0	12	2	3	5	7	10	13	18
65+	1437	7.8	31	3	3	6	9	13	16	30
B. *Operated*										
0-19 YRS	13	11.7	251	2	2	7	10	28	56	62
20-34	88	9.0	56	3	3	7	10	15	22	42
35-49	208	9.6	48	3	3	7	13	20	23	30
50-64	609	10.8	68	3	4	8	14	21	27	50
65+	1593	12.2	87	3	4	10	15	22	29	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	363	4.9	12	2	2	4	6	8	9	13
B. Operated	307	7.7	19	2	3	7	10	13	15	24
2. MULTIPLE DX										
A. Not Operated	2387	6.9	25	2	3	6	8	12	14	26
B. Operated	2511	11.5	80	3	4	9	14	21	28	49
1. SINGLE DX	670	6.2	17	2	2	5	8	10	13	20
2. MULTIPLE DX	4898	9.3	58	3	3	7	11	17	23	44
A. NOT OPERATED	2750	6.6	23	2	3	6	8	11	14	24
B. OPERATED	2818	11.1	75	3	4	9	14	20	27	48
TOTAL 0-19 YRS	66	5.8	59	2	2	4	6	9	10	55
20-34	300	6.2	30	2	2	4	8	11	15	36
35-49	611	6.8	26	2	3	6	8	13	17	25
50-64	1344	8.2	43	2	3	6	10	15	21	40
65+	3247	9.9	64	3	4	8	12	18	24	45
GRAND TOTAL	**5568**	**8.9**	**54**	**2**	**3**	**7**	**11**	**17**	**22**	**42**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	150	3.3	3	1	1	3	4	6	6	8
20-34	563	3.4	4	1	1	3	4	6	7	11
35-49	538	3.9	5	1	2	3	5	7	8	12
50-64	320	3.9	5	1	2	3	5	7	8	11
65+	155	4.2	5	2	2	4	5	7	8	13
B. *Operated*										
0-19 YRS	5	5.4	7	3	3	5	6	10	10	10
20-34	64	8.5	32	3	4	8	9	12	18	39
35-49	118	8.0	22	2	2	7	10	14	18	24
50-64	72	9.0	24	2	3	8	12	17	19	20
65+	21	8.7	35	2	2	7	12	17	21	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	168	4.5	15	1	1	4	6	7	9	14
20-34	938	4.9	9	2	2	4	6	8	10	16
35-49	1371	5.3	12	2	2	5	7	9	11	17
50-64	1438	5.5	13	2	2	5	7	9	12	19
65+	1783	6.4	18	2	3	5	8	11	14	19
B. *Operated*										
0-19 YRS	10	8.0	27	1	1	8	9	15	20	20
20-34	173	9.1	39	2	3	8	11	17	21	35
35-49	425	10.2	65	3	3	8	12	19	28	43
50-64	420	9.9	48	3	4	8	12	18	22	38
65+	479	10.4	63	3	4	8	12	19	26	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1726	3.7	5	1	2	3	5	6	8	11
B. Operated	280	8.4	26	2	3	8	10	14	19	24
2. MULTIPLE DX										
A. Not Operated	5698	5.6	14	2	2	5	7	10	12	18
B. Operated	1507	10.0	57	3	3	8	12	18	23	40
1. SINGLE DX	2006	4.4	10	1	2	4	5	8	10	17
2. MULTIPLE DX	7205	6.5	26	2	2	5	8	12	15	27
A. NOT OPERATED	7424	5.2	12	2	2	4	6	9	11	17
B. OPERATED	1787	9.8	52	2	3	8	12	18	22	40
TOTAL 0-19 YRS	333	4.0	10	1	1	3	5	7	9	14
20-34	1738	5.0	14	1	2	4	6	9	11	21
35-49	2452	6.0	25	2	2	5	7	11	14	25
50-64	2250	6.2	22	2	2	5	8	11	15	23
65+	2438	7.0	29	2	3	6	9	13	16	28
GRAND TOTAL	**9211**	**6.1**	**23**	**2**	**2**	**5**	**7**	**11**	**14**	**24**

193: Nongastric peptic ulcer with hemorrhage or perforation (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	3.3	2	2	2	3	4	5	6	7
20-34	232	3.9	5	1	2	3	5	7	8	11
35-49	277	4.4	5	2	2	4	5	7	8	13
50-64	298	4.7	6	2	2	4	6	8	9	16
65+	265	5.3	6	2	2	5	7	8	10	13
B. *Operated*										
0-19 YRS	12	7.9	14	<1	3	7	10	14	15	15
20-34	60	7.9	9	4	5	8	9	11	13	19
35-49	108	8.2	13	3	4	8	10	13	16	19
50-64	110	8.4	16	3	4	8	10	13	15	22
65+	96	10.1	29	3	4	10	13	18	20	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	4.5	6	2	2	4	6	7	9	13
20-34	330	4.7	7	2	2	4	6	8	9	14
35-49	547	5.4	10	2	3	5	6	9	11	18
50-64	945	6.0	15	2	3	5	7	10	12	20
65+	2179	7.6	24	3	3	7	9	13	16	27
B. *Operated*										
0-19 YRS	12	7.3	10	3	3	7	9	11	14	15
20-34	124	9.4	29	3	4	9	12	15	19	33
35-49	253	10.8	57	3	4	9	13	20	26	50
50-64	539	12.6	93	3	5	10	15	24	31	62
65+	1153	14.8	110	5	6	12	18	27	36	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1106	4.6	6	2	2	4	6	8	9	13
B. *Operated*	386	8.7	18	3	4	8	11	14	17	23
2. MULTIPLE DX										
A. *Not Operated*	4045	6.7	19	2	3	6	8	11	14	24
B. *Operated*	2081	13.4	97	4	5	11	16	25	33	56
1. SINGLE DX	1492	5.6	12	2	2	5	7	10	12	18
2. MULTIPLE DX	6126	8.9	56	3	3	7	11	17	22	39
A. NOT OPERATED	5151	6.2	17	2	3	5	8	11	13	21
B. OPERATED	2467	12.6	87	4	5	10	15	23	31	53
TOTAL 0-19 YRS	102	4.8	8	2	2	4	6	9	10	15
20-34	746	5.5	14	2	2	5	7	10	12	19
35-49	1185	6.6	25	2	3	5	8	12	16	27
50-64	1892	7.8	46	2	3	6	9	14	20	35
65+	3693	9.7	62	3	4	8	11	18	24	42
GRAND TOTAL	**7618**	**8.3**	**49**	**2**	**3**	**6**	**10**	**15**	**21**	**37**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	4.2	6	1	1	4	5	8	8	8
20-34	10	7.0	45	4	4	4	5	18	25	25
35-49	17	5.1	9	2	2	4	6	8	12	14
50-64	23	5.1	6	1	2	5	7	8	10	11
65+	20	6.1	5	2	3	6	8	9	10	10
B. *Operated*										
0-19 YRS	3	6.7	14	4	4	5	9	11	11	11
20-34	18	10.9	16	5	7	11	11	18	19	19
35-49	48	10.1	27	3	6	9	11	20	22	26
50-64	44	11.9	34	3	4	10	16	22	23	24
65+	36	12.9	44	4	4	12	17	23	26	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	8.0	29	3	3	6	12	16	17	17
20-34	22	5.9	14	2	3	5	7	11	15	16
35-49	48	6.9	17	2	2	6	10	13	14	18
50-64	75	7.3	19	2	3	6	10	14	15	20
65+	218	8.3	26	2	3	7	11	15	18	26
B. *Operated*										
0-19 YRS	1	23.0		23	23	23	23	23	23	23
20-34	26	15.8	93	5	6	14	20	34	39	40
35-49	93	14.4	73	4	6	12	19	23	35	41
50-64	150	15.0	83	4	5	14	19	26	33	51
65+	329	17.1	144	5	7	14	21	32	42	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	76	5.5	11	2	2	5	7	9	11	22
B. *Operated*	149	11.3	33	4	5	10	14	21	23	26
2. MULTIPLE DX										
A. *Not Operated*	369	7.8	23	2	3	7	10	14	17	23
B. *Operated*	599	16.1	116	4	6	14	20	28	37	57
1. SINGLE DX	225	9.4	33	2	3	8	11	19	22	26
2. MULTIPLE DX	968	12.9	97	3	4	11	16	24	33	50
A. NOT OPERATED	445	7.4	22	2	3	6	10	14	17	23
B. OPERATED	748	15.1	103	4	6	13	19	27	35	51
TOTAL 0-19 YRS	16	7.3	34	1	2	5	9	16	21	23
20-34	76	10.6	61	3	4	9	14	20	24	40
35-49	206	10.9	56	2	3	9	14	20	24	39
50-64	292	11.8	67	3	3	10	16	22	26	36
65+	603	13.3	109	3	4	11	16	25	33	53
GRAND TOTAL	**1193**	**12.3**	**87**	**3**	**4**	**10**	**16**	**23**	**29**	**46**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	941	2.6	2	1	1	2	3	4	6	8
20-34	1274	3.0	3	1	1	3	4	5	6	9
35-49	832	3.3	4	1	1	3	4	6	7	10
50-64	460	3.4	4	1	1	3	5	6	7	11
65+	231	3.4	4	1	1	3	4	6	7	11
B. *Operated*										
0-19 YRS	17	4.8	5	1	2	5	7	8	8	8
20-34	65	5.4	8	2	3	5	7	9	10	16
35-49	78	5.8	13	2	2	5	7	10	12	21
50-64	63	5.9	15	1	2	5	8	11	14	20
65+	21	7.6	32	2	2	4	12	16	18	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2054	3.2	5	1	1	3	4	5	7	10
20-34	3383	4.2	9	1	2	3	5	7	9	14
35-49	3669	4.9	11	1	2	4	6	9	11	17
50-64	3650	5.1	12	2	2	4	6	9	11	18
65+	4527	6.0	16	2	2	5	7	11	13	21
B. *Operated*										
0-19 YRS	94	5.6	13	2	2	5	7	9	15	18
20-34	538	7.0	24	2	3	6	9	13	15	24
35-49	827	7.8	27	2	3	7	10	14	18	29
50-64	1071	8.6	43	3	3	7	10	15	20	31
65+	1296	9.2	52	3	3	8	11	16	21	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3738	3.0	3	1	1	3	4	5	7	10
B. *Operated*	244	5.8	14	2	2	5	7	10	14	19
2. MULTIPLE DX										
A. *Not Operated*	17283	4.9	12	1	2	4	6	9	11	18
B. *Operated*	3826	8.4	40	2	3	7	10	15	19	32
1. SINGLE DX	3982	3.2	5	1	1	3	4	6	7	11
2. MULTIPLE DX	21109	5.5	19	1	2	4	7	10	13	22
A. NOT OPERATED	21021	4.6	11	1	2	4	6	8	11	17
B. OPERATED	4070	8.2	39	2	3	7	10	15	19	32
TOTAL 0-19 YRS	3106	3.1	5	1	1	3	4	5	7	10
20-34	5260	4.2	10	1	1	3	5	8	9	16
35-49	5406	5.1	14	1	2	4	6	9	12	19
50-64	5244	5.7	20	2	2	5	7	10	13	23
65+	6075	6.6	26	2	2	5	8	12	15	26
GRAND TOTAL	**25091**	**5.2**	**17**	**1**	**2**	**4**	**6**	**10**	**12**	**21**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	156	3.0	5	1	1	2	4	5	7	10
20-34	192	3.3	5	1	1	3	4	6	8	11
35-49	141	3.3	6	<1	1	3	4	5	7	15
50-64	93	4.0	11	1	1	3	5	7	9	20
65+	60	4.8	9	1	1	4	6	9	11	14
B. *Operated*										
0-19 YRS	88	3.9	4	2	2	3	5	7	8	10
20-34	19	8.9	68	1	2	7	12	15	28	38
35-49	32	9.6	33	3	3	8	11	18	24	25
50-64	26	11.5	103	3	4	9	14	19	28	55
65+	23	12.9	253	1	2	8	15	23	45	78
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	333	3.4	7	1	1	3	4	6	8	15
20-34	532	4.6	14	1	1	4	6	8	11	20
35-49	598	4.7	11	1	2	4	6	9	11	17
50-64	632	5.4	18	1	2	4	7	10	14	22
65+	845	6.3	23	2	2	5	8	12	15	23
B. *Operated*										
0-19 YRS	61	7.3	28	1	2	6	8	14	18	26
20-34	109	11.1	72	3	4	9	13	21	30	45
35-49	217	14.3	151	3	5	11	17	29	39	56
50-64	262	14.5	155	3	4	12	17	28	44	80
65+	439	15.9	128	4	5	13	20	30	39	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	642	3.5	7	1	1	3	4	6	8	14
B. *Operated*	188	7.5	70	2	2	5	9	14	19	49
2. MULTIPLE DX										
A. *Not Operated*	2940	5.2	17	1	2	4	6	10	13	20
B. *Operated*	1088	14.3	132	3	4	11	17	28	38	60
1. SINGLE DX	830	4.4	24	1	1	3	5	8	11	22
2. MULTIPLE DX	4028	7.6	64	1	2	5	9	16	22	43
A. NOT OPERATED	3582	4.9	15	1	2	4	6	9	12	20
B. OPERATED	1276	13.3	129	3	3	10	16	26	36	60
TOTAL 0-19 YRS	638	3.8	9	1	1	3	5	7	9	18
20-34	852	5.2	26	1	1	4	6	10	14	29
35-49	988	6.8	58	1	2	4	8	14	20	40
50-64	1013	7.8	72	1	2	5	10	16	22	52
65+	1367	9.4	80	2	2	7	12	20	26	46
GRAND TOTAL	**4858**	**7.1**	**59**	**1**	**2**	**5**	**8**	**15**	**21**	**42**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	53	2.0	1	<1	<1	2	2	3	4	5
20-34	40	2.2	2	1	1	2	3	4	6	6
35-49	11	2.2	2	<1	<1	2	3	4	5	5
50-64	6	2.8	3	1	1	2	3	6	6	6
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	5575	3.4	2	2	2	3	4	5	6	8
20-34	4099	3.5	2	2	2	3	4	5	6	8
35-49	1189	4.0	3	2	2	4	5	6	7	10
50-64	450	4.6	5	2	2	4	6	7	9	12
65+	107	5.3	5	2	3	5	7	8	10	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	2.4	3	1	1	2	3	4	6	8
20-34	24	2.8	8	1	1	2	3	5	8	14
35-49	10	5.1	3	2	2	5	6	7	8	8
50-64	4	4.3	4	3	3	4	5	7	7	7
65+	10	6.7	35	2	2	4	9	16	22	22
B. *Operated*										
0-19 YRS	1160	4.6	8	2	2	4	5	8	10	15
20-34	1069	5.0	8	2	3	4	6	8	10	15
35-49	447	6.1	15	3	3	5	7	10	13	20
50-64	291	6.6	11	3	3	6	8	11	13	18
65+	185	9.6	60	4	4	7	11	17	19	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	111	2.1	2	<1	1	2	3	4	5	6
B. *Operated*	11420	3.6	2	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	82	3.4	10	1	1	3	4	7	8	19
B. *Operated*	3152	5.4	14	2	3	4	6	9	12	19
1. SINGLE DX	11531	3.6	2	2	2	3	4	5	6	9
2. MULTIPLE DX	3234	5.4	14	2	3	4	6	9	12	19
A. NOT OPERATED	193	2.7	6	1	1	2	3	5	6	12
B. OPERATED	14572	4.0	5	2	2	3	5	6	8	13
TOTAL 0-19 YRS	6822	3.6	3	2	2	3	4	5	7	10
20-34	5232	3.8	4	2	2	3	4	6	7	11
35-49	1657	4.5	7	2	2	4	5	7	9	15
50-64	751	5.4	9	2	3	5	7	9	11	15
65+	303	8.0	44	3	3	6	9	13	18	40
GRAND TOTAL	**14765**	**4.0**	**5**	**2**	**2**	**3**	**5**	**6**	**8**	**13**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	5.6	10	<1	<1	7	7	9	9	9
20-34	18	5.1	7	1	2	5	7	8	10	12
35-49	8	7.5	19	3	3	5	12	13	14	14
50-64	13	6.1	9	2	2	6	9	9	10	10
65+	2	20.0	392	6	6	20	34	34	34	34
B. *Operated*										
0-19 YRS	1179	6.7	11	3	3	6	8	10	12	16
20-34	622	6.5	8	3	3	6	8	10	11	16
35-49	410	7.6	14	3	4	7	9	12	13	21
50-64	273	8.1	13	4	4	8	10	12	16	22
65+	112	8.8	10	5	5	8	10	13	16	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	7.3	5	5	5	7	10	10	10	10
35-49	6	9.2	15	4	4	8	12	15	15	15
50-64	8	7.8	13	2	3	8	9	13	14	14
65+	19	11.5	76	2	3	10	13	25	33	36
B. *Operated*										
0-19 YRS	828	9.4	29	4	5	8	11	15	19	31
20-34	474	8.9	27	4	5	8	10	14	17	31
35-49	439	10.0	36	4	5	9	11	15	18	35
50-64	510	11.7	37	5	6	11	14	19	24	33
65+	526	13.9	77	6	7	12	16	23	27	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	6.5	26	1	2	6	8	11	12	34
B. *Operated*	2596	7.0	11	3	3	7	8	11	13	18
2. MULTIPLE DX										
A. *Not Operated*	39	9.7	44	3	4	8	11	16	24	36
B. *Operated*	2777	10.7	44	4	5	9	13	18	22	35
1. SINGLE DX	2644	7.0	11	3	3	7	8	11	13	18
2. MULTIPLE DX	2816	10.7	44	4	5	9	13	18	22	35
A. NOT OPERATED	87	7.9	37	2	2	7	10	13	16	35
B. OPERATED	5373	8.9	31	3	4	8	11	15	18	31
TOTAL 0-19 YRS	2014	7.8	20	3	4	7	9	12	15	23
20-34	1120	7.5	17	3	4	7	9	12	14	22
35-49	863	8.8	27	3	4	8	10	14	17	32
50-64	804	10.4	31	4	5	9	13	17	21	32
65+	659	13.0	70	5	6	11	15	21	26	41
GRAND TOTAL	**5460**	**8.9**	**31**	**3**	**4**	**8**	**11**	**15**	**18**	**31**

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	95	1.9	1	1	1	2	2	3	4	7
20-34	71	2.1	2	1	1	2	3	4	4	8
35-49	29	2.8	3	1	1	2	3	6	7	8
50-64	7	2.9	2	2	2	2	3	5	6	6
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	471	3.9	3	2	2	4	5	6	7	9
20-34	324	4.4	5	2	2	4	5	7	9	12
35-49	94	4.7	5	2	3	4	6	8	10	12
50-64	31	5.4	7	2	3	5	7	9	12	12
65+	10	6.5	21	2	2	5	8	14	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	80	2.6	2	1	1	2	4	4	5	9
20-34	51	2.8	4	1	1	2	3	6	7	10
35-49	26	3.6	4	<1	1	3	5	7	8	8
50-64	18	4.2	3	2	2	4	5	7	7	7
65+	20	4.7	10	1	2	4	6	8	12	15
B. *Operated*										
0-19 YRS	349	4.7	5	2	3	4	6	7	9	12
20-34	318	5.8	12	2	3	5	7	9	12	21
35-49	115	7.6	30	3	4	6	9	12	15	39
50-64	49	7.5	16	3	3	7	10	11	13	24
65+	31	8.6	22	3	4	8	11	16	18	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	203	2.1	2	1	1	2	3	3	5	8
B. *Operated*	930	4.2	4	2	2	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	195	3.1	4	1	1	3	4	6	7	10
B. *Operated*	862	5.8	14	3	3	5	7	10	12	22
1. SINGLE DX	1133	3.9	5	1	2	3	5	6	8	11
2. MULTIPLE DX	1057	5.3	13	2	2	5	6	9	11	19
A. NOT OPERATED	398	2.6	3	1	1	2	3	5	6	9
B. OPERATED	1792	5.0	9	2	2	4	6	8	10	17
TOTAL 0-19 YRS	995	3.9	4	1	2	4	5	6	7	11
20-34	764	4.7	9	1	2	4	6	8	10	18
35-49	264	5.6	19	2	2	5	7	10	12	23
50-64	105	6.0	12	2	2	5	8	11	12	19
65+	62	6.9	20	2	3	6	9	14	16	22
GRAND TOTAL	**2190**	**4.6**	**9**	**1**	**2**	**4**	**6**	**8**	**10**	**15**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	1.5	2	<1	<1	1	1	3	4	7
20-34	29	2.0	2	<1	<1	1	3	4	5	6
35-49	7	3.6	2	<1	<1	4	5	5	5	5
50-64	13	3.4	25	<1	<1	1	3	9	17	19
65+	9	4.4	13	1	1	4	6	10	12	12
B. *Operated*										
0-19 YRS	2888	1.8	1	<1	<1	2	2	3	4	5
20-34	4240	2.8	2	1	1	3	4	4	5	6
35-49	3673	3.1	2	1	1	3	4	5	6	8
50-64	4928	3.4	4	1	1	3	4	5	6	8
65+	3029	3.8	3	1	2	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	136	1.7	2	<1	<1	1	2	3	6	8
20-34	50	2.0	2	<1	<1	1	2	4	5	6
35-49	53	2.6	5	<1	<1	1	4	6	8	10
50-64	102	2.3	4	<1	<1	1	3	5	6	10
65+	178	4.0	14	<1	1	3	5	9	12	21
B. *Operated*										
0-19 YRS	2041	2.0	3	<1	<1	2	2	3	4	9
20-34	1613	3.4	3	1	1	3	4	5	6	10
35-49	2382	3.9	6	1	2	3	5	6	8	14
50-64	4993	4.4	7	1	2	4	5	7	9	15
65+	6248	5.3	14	2	2	4	6	9	12	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	85	2.4	7	<1	<1	1	3	5	7	17
B. *Operated*	18758	3.0	3	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	519	2.7	8	<1	<1	2	3	6	8	14
B. *Operated*	17277	4.3	10	1	1	4	5	8	9	16
1. SINGLE DX	18843	3.0	3	1	1	3	4	5	6	8
2. MULTIPLE DX	17796	4.2	10	1	1	4	5	7	9	16
A. NOT OPERATED	604	2.7	8	<1	<1	2	3	6	8	14
B. OPERATED	36035	3.6	7	1	1	3	4	6	8	13
TOTAL 0-19 YRS	5092	1.9	2	<1	<1	2	2	3	4	7
20-34	5932	3.0	2	1	1	3	4	5	5	8
35-49	6115	3.4	4	1	1	3	4	5	6	10
50-64	10036	3.9	6	1	2	4	5	6	8	12
65+	9464	4.8	11	1	2	4	6	8	10	18
GRAND TOTAL	**36639**	**3.6**	**7**	**1**	**1**	**3**	**4**	**6**	**8**	**13**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	1.1		<1	<1	1	1	1	2	2
20-34	3	1.7	1	1	1	1	3	3	3	3
35-49	5	3.2	9	<1	<1	2	5	8	8	8
50-64	6	1.7		<1	<1	2	2	2	2	2
65+	19	1.6	1	<1	<1	1	2	3	4	5
B. *Operated*										
0-19 YRS	401	1.9	2	<1	1	2	2	4	4	7
20-34	177	3.2	3	1	1	3	4	5	6	7
35-49	121	3.6	3	1	2	3	4	6	6	10
50-64	185	3.9	3	1	2	4	5	6	7	10
65+	275	5.0	6	2	2	5	6	8	10	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	1.8	1	<1	<1	1	2	3	4	4
20-34	4	1.8	2	<1	<1	<1	2	4	4	4
35-49	1	1.0		1	1	1	1	1	1	1
50-64	13	3.1	2	1	1	3	4	5	5	5
65+	80	4.7	13	<1	1	4	7	9	12	16
B. *Operated*										
0-19 YRS	317	2.7	5	<1	1	2	3	5	7	12
20-34	86	3.8	4	2	2	3	5	6	8	13
35-49	98	5.7	16	2	2	5	7	9	12	25
50-64	299	5.9	14	2	3	5	7	9	13	23
65+	1149	8.4	39	3	3	7	10	15	20	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	1.6	2	<1	<1	1	2	3	4	8
B. *Operated*	1159	3.4	5	1	1	3	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	115	3.9	11	<1	1	3	5	8	11	15
B. *Operated*	1949	6.7	32	1	2	5	8	13	17	28
1. SINGLE DX	1212	3.3	5	1	1	3	4	6	7	11
2. MULTIPLE DX	2064	6.6	31	1	2	5	8	13	16	28
A. NOT OPERATED	168	3.2	9	<1	<1	2	4	8	9	15
B. OPERATED	3108	5.5	24	1	1	4	7	11	14	24
TOTAL 0-19 YRS	755	2.2	3	<1	1	2	3	4	5	10
20-34	270	3.4	3	1	1	3	4	5	6	10
35-49	225	4.5	10	1	2	4	5	8	9	18
50-64	503	5.1	11	2	2	4	6	8	10	17
65+	1523	7.5	34	2	3	6	9	14	18	30
GRAND TOTAL	**3276**	**5.3**	**24**	**1**	**1**	**4**	**7**	**11**	**14**	**24**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	1.3		<1	<1	1	1	2	3	3
20-34	1	1.0		1	1	1	1	1	1	1
35-49	4	3.0	11	<1	<1	1	5	8	8	8
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	427	2.0	21	<1	<1	2	2	3	3	6
20-34	207	2.8	3	1	1	2	3	5	6	10
35-49	294	2.9	3	1	1	2	4	5	6	9
50-64	200	3.2	3	1	1	3	4	5	7	10
65+	80	3.8	3	1	2	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	1.6	1	<1	<1	1	2	4	4	4
20-34	10	4.6	18	1	1	3	9	11	12	12
35-49	11	2.9	5	<1	<1	2	5	6	7	7
50-64	15	3.6	3	1	1	4	5	5	7	7
65+	12	6.2	19	1	2	5	10	13	13	13
B. *Operated*										
0-19 YRS	142	2.2	2	<1	<1	2	3	4	5	7
20-34	137	4.4	9	1	2	4	6	7	10	17
35-49	256	4.3	6	1	2	4	5	7	9	12
50-64	339	4.9	15	1	2	4	6	9	12	18
65+	244	5.3	12	2	2	5	7	9	11	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	1.7	3	<1	<1	1	2	3	6	8
B. *Operated*	1208	2.7	10	<1	1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	77	3.3	9	<1	<1	2	4	7	11	13
B. *Operated*	1118	4.5	11	1	1	4	6	8	10	17
1. SINGLE DX	1225	2.6	9	<1	1	2	3	5	6	9
2. MULTIPLE DX	1195	4.4	11	1	1	4	6	8	10	17
A. NOT OPERATED	94	3.0	9	<1	<1	2	4	7	10	13
B. OPERATED	2326	3.5	11	<1	1	3	4	7	8	14
TOTAL 0-19 YRS	608	2.0	15	<1	<1	2	2	3	4	6
20-34	355	3.5	6	1	1	3	4	7	8	13
35-49	565	3.5	5	1	1	3	5	6	8	11
50-64	555	4.3	11	1	2	3	5	8	10	17
65+	337	5.0	11	2	2	4	6	9	11	19
GRAND TOTAL	**2420**	**3.5**	**11**	**<1**	**1**	**3**	**4**	**7**	**8**	**14**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	1.6	1	<1	<1	1	2	4	4	4
35-49	9	3.2	6	<1	<1	3	4	7	9	9
50-64	5	3.0	4	1	1	3	4	6	6	6
65+	8	4.5	15	1	1	3	6	11	13	13
B. *Operated*										
0-19 YRS	97	2.6	8	<1	1	2	3	4	8	17
20-34	396	3.7	5	1	1	3	5	6	8	11
35-49	588	4.4	5	1	2	4	6	7	9	12
50-64	702	4.9	7	1	2	5	6	8	9	13
65+	427	5.4	6	2	3	5	7	8	10	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	1.8	1	1	1	2	2	3	3	3
20-34	15	3.0	8	<1	1	2	3	9	10	10
35-49	51	3.4	15	<1	<1	2	4	7	12	22
50-64	77	5.1	17	<1	1	4	6	11	14	19
65+	122	4.5	12	<1	1	4	6	9	11	19
B. *Operated*										
0-19 YRS	52	4.3	13	1	1	3	6	9	14	15
20-34	328	5.4	12	1	2	5	7	9	11	18
35-49	842	6.2	16	2	3	5	8	10	13	22
50-64	1270	7.3	31	2	3	6	9	12	15	27
65+	1290	8.1	29	3	3	7	10	14	18	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	3.1	7	<1	<1	3	4	7	9	13
B. *Operated*	2210	4.5	6	1	2	4	6	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	271	4.3	14	<1	1	3	5	9	12	20
B. *Operated*	3782	7.1	26	2	3	6	9	12	15	26
1. SINGLE DX	2239	4.5	7	1	2	4	6	8	9	12
2. MULTIPLE DX	4053	6.9	26	2	3	6	8	12	15	26
A. NOT OPERATED	300	4.2	13	<1	1	3	5	9	12	19
B. OPERATED	5992	6.2	20	2	2	5	8	11	14	23
TOTAL 0-19 YRS	155	3.2	10	<1	1	2	3	7	9	15
20-34	746	4.4	9	1	1	4	5	8	9	16
35-49	1490	5.4	12	1	2	5	7	9	11	19
50-64	2054	6.4	24	2	2	5	8	11	13	24
65+	1847	7.2	24	2	3	6	9	13	16	25
GRAND TOTAL	**6292**	**6.1**	**20**	**1**	**2**	**5**	**8**	**11**	**13**	**23**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	29	3.2	5	1	1	3	4	6	8	11
35-49	82	3.6	4	1	1	3	5	6	7	10
50-64	105	3.8	7	1	2	4	5	6	7	16
65+	87	3.8	4	1	2	3	5	6	8	10
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	13	5.6	9	2	2	6	6	9	13	14
35-49	25	6.1	12	2	2	5	8	9	12	18
50-64	61	8.0	8	3	5	8	10	11	13	17
65+	25	8.6	4	4	7	9	10	11	11	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	4.0	3	1	2	4	5	7	7	7
20-34	225	4.3	5	1	2	4	5	7	8	11
35-49	719	4.4	8	1	2	4	6	8	9	14
50-64	1201	4.8	9	2	2	4	6	8	10	15
65+	1869	5.4	15	2	2	5	7	9	12	21
B. *Operated*										
0-19 YRS	26	9.0	30	4	4	7	10	16	23	25
20-34	99	8.2	16	4	4	8	9	12	17	25
35-49	300	9.1	26	3	4	8	11	15	18	32
50-64	499	9.1	40	2	3	8	11	15	20	38
65+	560	10.3	57	2	3	9	12	18	25	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	305	3.7	5	1	1	3	5	6	7	10
B. *Operated*	125	7.5	9	2	3	8	9	11	12	17
2. MULTIPLE DX										
A. *Not Operated*	4032	5.0	11	2	2	4	6	9	11	18
B. *Operated*	1484	9.5	42	3	3	8	11	16	21	38
1. SINGLE DX	430	4.8	9	1	2	4	6	9	10	14
2. MULTIPLE DX	5516	6.2	24	2	2	5	8	11	14	26
A. NOT OPERATED	4337	4.9	11	2	2	4	6	8	10	18
B. OPERATED	1609	9.3	40	2	3	8	11	16	20	38
TOTAL 0-19 YRS	47	6.7	24	2	2	5	8	11	17	25
20-34	366	5.4	11	2	2	5	7	9	11	18
35-49	1126	5.6	17	1	2	5	7	10	13	21
50-64	1866	6.0	21	2	2	5	8	11	13	23
65+	2541	6.5	28	2	2	5	8	12	16	28
GRAND TOTAL	**5946**	**6.1**	**23**	**2**	**2**	**5**	**8**	**11**	**14**	**25**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	7.0		7	7	7	7	7	7	7
35-49	4	5.3	5	3	3	5	7	8	8	8
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	16	2.6	3	<1	1	2	3	6	6	6
20-34	83	3.1	3	1	1	3	4	5	6	10
35-49	108	3.3	4	1	1	3	4	6	6	11
50-64	100	4.1	7	1	2	4	5	7	7	19
65+	83	4.1	4	1	2	4	5	6	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	8	3.9	7	1	1	3	5	8	9	9
35-49	11	5.3	22	<1	<1	3	9	12	14	14
50-64	11	4.9	8	1	1	5	8	9	9	9
65+	21	4.6	6	<1	1	5	6	8	9	10
B. *Operated*										
0-19 YRS	11	3.9	9	<1	1	3	5	9	10	10
20-34	50	4.4	9	1	1	4	5	9	10	15
35-49	71	4.8	11	1	2	4	6	9	12	17
50-64	133	7.6	47	2	2	6	9	14	21	35
65+	196	6.9	34	2	3	6	8	11	14	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	3.8	7	1	1	3	6	8	8	8
B. *Operated*	390	3.6	5	1	1	3	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	53	4.6	9	<1	1	4	6	9	10	14
B. *Operated*	461	6.5	32	2	2	5	8	11	15	29
1. SINGLE DX	399	3.6	5	1	1	3	4	6	7	12
2. MULTIPLE DX	514	6.3	30	1	2	5	8	11	14	29
A. NOT OPERATED	62	4.5	9	<1	1	4	6	9	10	14
B. OPERATED	851	5.1	22	1	2	4	6	9	12	25
TOTAL 0-19 YRS	30	3.1	5	<1	1	2	4	6	9	10
20-34	142	3.6	6	1	1	3	4	7	9	12
35-49	194	4.0	8	1	1	3	5	7	10	15
50-64	246	6.0	32	2	2	5	7	11	16	29
65+	301	6.0	26	2	2	5	7	10	12	24
GRAND TOTAL	**913**	**5.1**	**21**	**1**	**2**	**4**	**6**	**9**	**12**	**23**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	<1	1	1	1	1
20-34	6	2.5	3	<1	<1	2	4	5	5	5
35-49	8	2.4	2	1	1	2	4	4	4	4
50-64	8	3.6	5	1	1	3	5	7	7	7
65+	16	3.7	7	1	1	3	5	8	9	9
B. *Operated*										
0-19 YRS	67	2.2	2	<1	<1	2	3	4	6	7
20-34	136	3.4	4	1	1	3	4	6	8	9
35-49	278	4.0	5	1	2	4	5	7	8	10
50-64	260	5.1	9	2	2	4	6	10	11	15
65+	289	6.4	17	2	2	5	8	12	15	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.4	7	<1	<1	1	3	7	7	7
20-34	11	3.7	6	<1	1	3	5	7	9	9
35-49	29	3.9	7	1	1	3	5	7	9	13
50-64	55	5.0	12	1	1	4	7	9	10	19
65+	210	5.6	15	2	2	5	7	10	11	20
B. *Operated*										
0-19 YRS	29	5.4	20	2	2	4	6	11	16	21
20-34	101	6.3	18	2	2	5	8	12	15	22
35-49	312	7.3	37	2	3	6	9	14	16	36
50-64	606	8.4	41	2	3	7	10	15	18	36
65+	1278	11.1	74	3	4	9	14	20	24	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	3.0	5	<1	1	3	4	6	8	9
B. *Operated*	1030	4.7	11	1	2	4	6	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	310	5.2	14	1	2	4	7	9	11	19
B. *Operated*	2326	9.6	60	2	3	8	12	18	22	41
1. SINGLE DX	1071	4.7	11	1	2	4	6	9	11	16
2. MULTIPLE DX	2636	9.1	57	2	3	7	11	17	21	41
A. NOT OPERATED	351	5.0	13	1	1	4	7	9	11	19
B. OPERATED	3356	8.1	50	2	2	6	10	16	20	39
TOTAL 0-19 YRS	104	3.1	9	<1	<1	2	4	6	8	18
20-34	254	4.5	12	1	1	4	6	8	11	17
35-49	627	5.6	24	1	2	4	7	10	14	24
50-64	929	7.2	33	2	2	6	9	13	16	30
65+	1793	9.6	63	2	3	8	12	18	23	43
GRAND TOTAL	**3707**	**7.8**	**47**	**2**	**2**	**6**	**10**	**15**	**19**	**37**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	209	2.3	2	1	1	2	3	4	5	7
20-34	297	3.9	6	1	1	3	5	7	8	14
35-49	419	4.1	6	1	1	4	5	7	8	13
50-64	438	4.5	6	1	2	4	6	8	9	11
65+	494	5.2	14	1	2	4	6	9	12	20
B. *Operated*										
0-19 YRS	184	5.8	10	2	3	5	8	10	12	15
20-34	183	8.9	15	4	5	8	11	14	16	21
35-49	270	9.9	23	4	5	9	12	15	19	27
50-64	261	10.6	28	5	6	9	13	16	22	32
65+	235	11.9	25	5	7	11	14	18	22	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	217	4.0	11	1	1	3	5	8	10	17
20-34	518	5.1	14	1	2	4	7	9	12	16
35-49	795	5.9	16	2	2	5	8	11	13	20
50-64	1425	6.5	27	2	2	5	8	12	15	27
65+	4309	7.5	28	2	3	6	9	14	17	28
B. *Operated*										
0-19 YRS	259	9.5	86	3	4	8	10	16	21	66
20-34	473	12.8	82	4	6	10	15	23	28	55
35-49	726	14.2	97	5	6	11	17	26	32	56
50-64	1100	16.3	144	6	7	13	19	29	39	73
65+	2674	17.7	119	7	8	15	21	30	38	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1857	4.3	9	1	1	4	5	8	9	15
B. *Operated*	1133	9.7	25	3	4	9	12	16	19	27
2. MULTIPLE DX										
A. *Not Operated*	7264	6.9	26	2	2	6	9	13	16	27
B. *Operated*	5232	16.1	121	5	7	13	20	28	37	64
1. SINGLE DX	2990	6.3	22	1	2	5	8	12	15	23
2. MULTIPLE DX	12496	10.7	86	2	3	8	13	21	28	48
A. NOT OPERATED	9121	6.3	23	1	2	5	8	12	15	25
B. OPERATED	6365	14.9	110	5	6	12	18	27	34	61
TOTAL 0-19 YRS	869	5.6	39	1	1	4	7	10	14	26
20-34	1471	7.8	48	2	2	6	10	15	19	38
35-49	2210	8.8	58	2	2	7	11	17	23	40
50-64	3224	9.9	87	2	3	7	12	19	26	49
65+	7712	11.0	83	2	3	9	14	22	28	46
GRAND TOTAL	**15486**	**9.9**	**77**	**2**	**3**	**8**	**12**	**20**	**26**	**45**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6562	2.7	3	1	1	2	3	5	6	8
20-34	2517	2.7	4	1	1	2	3	5	6	9
35-49	1082	3.2	4	1	1	3	4	6	7	11
50-64	673	3.5	6	1	1	3	4	7	8	12
65+	541	3.6	6	1	1	3	4	6	8	13
B. *Operated*										
0-19 YRS	103	4.3	17	1	2	4	5	6	8	26
20-34	155	4.8	7	1	2	4	6	8	10	17
35-49	74	5.3	9	1	2	5	7	8	11	17
50-64	71	6.0	11	1	2	6	8	10	12	19
65+	18	7.0	15	2	3	6	9	13	15	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14307	3.4	5	1	1	3	4	6	7	11
20-34	4567	3.5	7	1	1	3	4	6	8	13
35-49	2957	4.3	10	1	2	4	5	8	10	15
50-64	3451	4.8	11	1	2	4	6	9	11	17
65+	7270	5.7	18	2	2	5	7	10	13	22
B. *Operated*										
0-19 YRS	260	8.0	98	1	2	5	8	15	31	58
20-34	372	6.7	21	2	3	6	8	11	14	23
35-49	394	8.9	50	3	3	7	10	17	24	36
50-64	462	9.2	51	2	3	7	11	17	22	37
65+	760	11.6	116	3	4	9	13	22	30	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11375	2.8	4	1	1	2	4	5	6	9
B. *Operated*	421	5.1	11	1	2	4	6	9	10	17
2. MULTIPLE DX										
A. *Not Operated*	32552	4.2	10	1	2	3	5	7	10	16
B. *Operated*	2248	9.4	76	2	3	7	11	17	25	50
1. SINGLE DX	11796	2.9	4	1	1	2	4	5	6	10
2. MULTIPLE DX	34800	4.5	16	1	2	4	5	8	11	19
A. NOT OPERATED	43927	3.8	9	1	1	3	5	7	9	15
B. OPERATED	2669	8.7	69	2	3	7	10	16	22	46
TOTAL 0-19 YRS	21232	3.3	6	1	1	3	4	5	7	11
20-34	7611	3.4	7	1	1	3	4	6	8	13
35-49	4507	4.4	14	1	1	4	5	8	10	19
50-64	4657	5.1	16	1	2	4	6	9	12	20
65+	8589	6.1	29	2	2	5	7	11	15	26
GRAND TOTAL	**46596**	**4.1**	**14**	**1**	**1**	**3**	**5**	**7**	**10**	**18**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	4.6	5	<1	<1	5	6	7	7	7
20-34	80	4.0	4	1	1	4	5	7	8	10
35-49	462	5.0	7	2	2	4	6	8	9	13
50-64	852	5.0	9	1	2	5	6	9	10	14
65+	870	4.9	12	1	2	4	6	8	10	16
B. *Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	39	7.9	14	5	5	7	9	11	12	27
35-49	117	10.2	27	3	5	9	12	17	19	30
50-64	241	10.1	16	4	6	10	12	15	18	25
65+	159	11.7	35	2	5	11	15	18	22	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	7.3	24	3	4	5	8	17	19	20
20-34	91	6.1	27	2	2	5	7	10	17	29
35-49	684	5.3	8	2	2	5	7	9	11	15
50-64	2361	5.7	10	2	2	5	7	10	12	16
65+	7041	6.3	18	2	2	5	8	11	14	22
B. *Operated*										
0-19 YRS	13	11.8	112	3	4	9	13	22	40	44
20-34	84	11.0	49	5	6	9	12	18	23	43
35-49	461	11.6	53	4	5	10	14	20	26	42
50-64	1272	13.0	78	3	5	11	15	22	28	48
65+	2633	14.7	101	4	5	12	18	27	34	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2269	4.9	10	1	2	4	6	8	10	15
B. *Operated*	558	10.4	24	3	5	10	12	17	19	27
2. MULTIPLE DX										
A. *Not Operated*	10193	6.1	16	2	2	5	8	11	13	20
B. *Operated*	4463	13.8	89	4	5	12	17	25	31	51
1. SINGLE DX	2827	6.0	17	1	2	5	8	11	13	20
2. MULTIPLE DX	14656	8.4	51	2	3	6	10	16	22	37
A. NOT OPERATED	12462	5.9	15	2	2	5	7	10	13	19
B. OPERATED	5021	13.5	83	4	5	11	16	24	30	48
TOTAL 0-19 YRS	36	8.3	58	2	3	6	9	17	19	44
20-34	294	7.2	32	2	2	6	9	12	17	32
35-49	1724	7.2	29	2	3	6	9	13	17	30
50-64	4726	7.7	40	2	3	6	10	14	18	32
65+	10703	8.3	52	2	3	6	10	16	22	37
GRAND TOTAL	**17483**	**8.1**	**46**	**2**	**3**	**6**	**10**	**15**	**20**	**35**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	2.5	4	<1	1	2	3	5	7	9
20-34	60	2.9	4	1	1	2	4	5	7	9
35-49	45	3.7	8	1	1	3	5	7	9	14
50-64	30	3.7	8	1	1	3	5	5	8	16
65+	13	2.7	5	<1	<1	2	4	6	8	8
B. *Operated*										
0-19 YRS	189	2.8	5	1	1	2	3	5	7	13
20-34	1011	3.0	4	1	1	3	4	5	6	10
35-49	978	3.2	4	1	1	3	4	6	7	11
50-64	464	3.3	5	1	1	3	4	6	7	12
65+	150	3.9	11	1	2	3	4	6	9	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	74	3.2	5	1	1	3	4	7	9	[illegible]
20-34	105	4.8	37	1	1	3	5	8	12	38
35-49	109	4.3	10	1	1	3	6	7	10	17
50-64	106	5.2	18	1	2	4	7	8	12	25
65+	121	6.4	32	2	2	6	8	10	13	31
B. *Operated*										
0-19 YRS	113	4.0	16	1	1	3	5	7	10	25
20-34	1011	4.1	17	1	1	3	5	7	10	22
35-49	1349	4.3	11	1	1	4	5	8	10	17
50-64	1246	5.1	21	1	2	4	6	9	12	25
65+	708	6.8	47	1	2	5	8	14	19	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	178	3.1	6	1	1	2	4	6	8	13
B. *Operated*	2792	3.2	5	1	1	3	4	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	515	4.9	23	1	1	4	6	8	11	20
B. *Operated*	4427	4.9	22	1	1	4	5	9	12	24
1. SINGLE DX	2970	3.2	5	1	1	3	4	5	7	11
2. MULTIPLE DX	4942	4.9	22	1	1	4	6	9	12	24
A. NOT OPERATED	693	4.5	19	1	1	3	6	8	10	18
B. OPERATED	7219	4.2	16	1	1	3	5	7	10	20
TOTAL 0-19 YRS	406	3.2	8	1	1	2	4	6	8	14
20-34	2187	3.6	12	1	1	3	4	6	8	16
35-49	2481	3.8	8	1	1	3	5	7	9	14
50-64	1846	4.6	17	1	2	4	5	8	11	22
65+	992	6.3	40	1	2	5	7	12	18	27
GRAND TOTAL	**7912**	**4.2**	**16**	**1**	**1**	**3**	**5**	**8**	**10**	**20**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	932	3.2	6	1	1	3	4	6	8	11
20-34	1271	4.4	10	1	1	4	5	8	10	17
35-49	781	4.5	10	1	2	4	6	9	10	16
50-64	475	4.1	9	1	1	3	5	8	9	14
65+	472	4.2	13	1	1	3	5	8	11	18
B. *Operated*										
0-19 YRS	319	6.8	43	1	1	5	9	13	21	32
20-34	712	7.6	34	1	2	6	10	15	19	28
35-49	465	7.7	39	1	2	6	10	15	19	32
50-64	370	7.7	35	1	2	7	10	14	18	27
65+	277	8.0	35	1	2	7	11	16	18	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1223	4.1	14	1	1	3	5	8	10	20
20-34	2305	5.3	18	1	2	4	7	10	13	23
35-49	2342	5.5	16	1	2	4	7	10	13	20
50-64	2664	5.9	23	2	2	5	7	11	14	23
65+	5967	6.2	24	1	2	5	8	11	15	24
B. *Operated*										
0-19 YRS	471	9.9	119	2	2	7	11	21	33	71
20-34	1728	10.3	86	2	3	8	12	21	28	47
35-49	1874	11.3	112	2	3	8	14	22	31	61
50-64	2065	12.2	132	2	3	9	15	25	36	63
65+	3477	13.3	131	2	3	10	17	26	36	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3931	4.1	9	1	1	3	5	8	10	15
B. *Operated*	2143	7.6	37	1	2	6	10	15	19	29
2. MULTIPLE DX										
A. *Not Operated*	14501	5.7	21	1	2	5	7	11	14	23
B. *Operated*	9615	11.9	120	2	3	9	15	24	33	60
1. SINGLE DX	6074	5.3	22	1	1	4	7	11	14	23
2. MULTIPLE DX	24116	8.2	70	2	2	6	10	16	23	45
A. NOT OPERATED	18432	5.4	19	1	2	4	7	10	13	22
B. OPERATED	11758	11.2	108	2	3	8	14	22	31	56
TOTAL 0-19 YRS	2945	5.0	37	1	1	3	6	10	13	32
20-34	6016	6.8	43	1	2	5	8	13	19	34
35-49	5462	7.5	58	1	2	5	9	15	20	41
50-64	5574	8.2	72	1	2	6	10	16	23	47
65+	10193	8.6	72	2	2	6	11	17	24	45
GRAND TOTAL	**30190**	**7.6**	**61**	**1**	**2**	**5**	**9**	**15**	**21**	**42**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0		3	3	3	3	3	3	3
20-34	31	5.1	11	2	2	4	6	12	12	14
35-49	37	6.3	24	1	2	5	8	12	16	25
50-64	46	8.5	47	2	2	6	10	19	22	30
65+	14	6.9	11	2	3	7	8	11	13	14
B. *Operated*										
0-19 YRS										
20-34	8	6.6	127	1	1	2	5	26	34	34
35-49	30	5.7	39	1	1	3	7	15	20	26
50-64	16	7.7	121	1	1	3	7	27	36	40
65+	13	4.4	18	1	1	3	6	12	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	221	9.3	77	2	2	6	11	20	26	44
35-49	661	9.3	50	2	3	8	11	17	23	38
50-64	911	10.7	68	2	3	9	14	21	26	44
65+	519	10.1	47	3	4	8	13	19	25	32
B. *Operated*										
0-19 YRS	2	24.0	242	13	13	24	35	35	35	35
20-34	54	11.8	109	1	2	9	16	24	34	55
35-49	240	11.7	114	1	2	9	16	23	30	63
50-64	364	13.5	166	2	2	10	17	28	36	66
65+	174	15.4	146	2	3	12	20	32	42	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	131	6.8	29	2	2	5	8	13	18	29
B. *Operated*	67	6.0	63	1	1	3	7	14	26	39
2. MULTIPLE DX										
A. *Not Operated*	2312	10.0	60	2	3	8	13	19	25	42
B. *Operated*	834	13.3	145	1	2	10	17	27	36	66
1. SINGLE DX	198	6.5	40	1	1	4	8	14	19	32
2. MULTIPLE DX	3146	10.9	84	2	3	8	14	22	28	46
A. NOT OPERATED	2443	9.9	58	2	3	8	12	19	25	41
B. OPERATED	901	12.7	142	1	2	10	17	26	35	65
TOTAL 0-19 YRS	5	11.4	193	3	3	3	18	35	35	35
20-34	314	9.2	80	2	2	6	11	19	26	44
35-49	968	9.7	67	2	3	8	12	19	25	41
50-64	1337	11.4	97	2	3	9	14	22	28	51
65+	720	11.2	76	3	4	9	14	23	29	48
GRAND TOTAL	**3344**	**10.6**	**83**	**2**	**3**	**8**	**14**	**21**	**28**	**46**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.2	1	1	1	2	3	3	3	3
20-34	32	5.2	24	<1	1	4	6	10	15	25
35-49	24	5.9	13	2	2	5	9	12	12	13
50-64	49	7.4	42	1	2	6	9	15	18	32
65+	18	6.9	16	2	3	6	9	13	15	16
B. *Operated*										
0-19 YRS	16	2.6	3	1	1	2	4	6	6	6
20-34	92	2.3	5	1	1	2	2	5	9	10
35-49	79	2.8	8	1	1	2	3	7	9	15
50-64	111	3.3	16	1	1	2	3	7	10	22
65+	52	4.0	23	1	1	2	5	10	17	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	5.8	20	1	1	5	8	13	15	19
20-34	92	6.8	10	2	3	7	8	11	14	16
35-49	226	9.3	78	2	3	7	11	17	25	53
50-64	518	8.9	41	2	3	7	11	17	20	30
65+	575	10.5	69	2	3	8	14	20	26	39
B. *Operated*										
0-19 YRS	24	3.7	15	<1	1	2	4	8	12	18
20-34	92	7.4	87	1	1	5	10	16	25	53
35-49	266	8.7	69	1	1	6	12	20	25	40
50-64	435	9.3	72	1	1	7	14	20	25	41
65+	459	11.9	114	1	2	9	16	24	31	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	128	6.3	28	1	2	5	8	13	16	30
B. *Operated*	350	3.0	12	1	1	2	3	7	9	18
2. MULTIPLE DX										
A. *Not Operated*	1437	9.4	57	2	3	8	12	18	23	39
B. *Operated*	1276	9.9	89	1	1	8	14	21	27	48
1. SINGLE DX	478	3.9	18	1	1	2	5	9	12	20
2. MULTIPLE DX	2713	9.6	72	1	2	8	13	19	25	44
A. NOT OPERATED	1565	9.2	55	2	3	7	11	17	23	38
B. OPERATED	1626	8.4	80	1	1	5	12	19	25	44
TOTAL 0-19 YRS	71	4.1	15	1	1	2	5	9	13	19
20-34	308	5.5	37	1	1	4	8	11	14	27
35-49	595	8.0	66	1	1	6	10	17	23	42
50-64	1113	8.5	53	1	2	7	11	17	22	34
65+	1104	10.7	87	1	2	8	14	22	28	48
GRAND TOTAL	**3191**	**8.8**	**68**	**1**	**1**	**7**	**12**	**18**	**25**	**41**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	80	4.5	6	1	2	4	6	8	9	13
20-34	168	5.2	10	2	2	4	7	10	11	15
35-49	92	5.6	11	2	2	5	7	9	11	18
50-64	77	5.4	9	2	3	5	7	9	11	18
65+	36	5.7	10	2	2	5	7	9	13	16
B. *Operated*										
0-19 YRS	13	5.2	78	<1	1	2	4	12	30	34
20-34	38	4.5	12	1	1	3	7	9	12	13
35-49	45	4.7	20	<1	1	2	8	12	14	16
50-64	37	5.1	35	1	1	3	6	15	20	25
65+	18	5.1	21	1	1	4	7	13	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	75	5.2	13	1	2	4	7	9	11	21
20-34	239	7.1	37	2	2	5	9	14	18	32
35-49	383	8.3	63	2	2	6	10	17	23	40
50-64	639	9.1	56	2	3	7	11	18	24	43
65+	778	9.6	47	3	3	8	12	18	23	34
B. *Operated*										
0-19 YRS	25	10.2	99	1	2	5	17	27	30	31
20-34	88	10.8	145	1	1	9	14	21	32	98
35-49	160	11.8	106	1	2	9	15	23	34	47
50-64	237	13.4	159	1	2	10	17	29	39	66
65+	256	14.0	114	2	3	12	19	29	37	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	453	5.2	9	2	2	5	7	9	11	16
B. *Operated*	151	4.8	26	1	1	3	7	11	15	25
2. MULTIPLE DX										
A. *Not Operated*	2114	8.8	51	2	3	7	11	17	23	37
B. *Operated*	766	12.9	130	1	2	10	17	28	36	62
1. SINGLE DX	604	5.1	14	1	2	4	7	9	12	17
2. MULTIPLE DX	2880	9.9	75	2	3	7	12	20	27	43
A. NOT OPERATED	2567	8.2	46	2	3	6	10	16	21	34
B. OPERATED	917	11.6	122	1	2	9	16	25	34	60
TOTAL 0-19 YRS	193	5.5	28	1	2	4	7	10	14	31
20-34	533	7.0	48	1	2	5	9	14	18	33
35-49	680	8.6	68	2	2	6	11	17	23	40
50-64	990	9.7	82	2	3	7	12	20	27	48
65+	1088	10.5	66	2	3	8	13	21	27	41
GRAND TOTAL	**3484**	**9.1**	**68**	**2**	**2**	**7**	**11**	**18**	**25**	**41**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	54	3.4	6	1	1	3	4	5	9	13
20-34	539	2.7	3	<1	1	2	3	5	7	9
35-49	482	2.9	12	1	1	2	4	5	6	10
50-64	432	3.1	4	1	1	3	4	6	7	10
65+	336	4.2	7	1	1	4	5	8	9	13
B. *Operated*										
0-19 YRS	359	6.1	5	3	4	5	7	9	11	14
20-34	4482	6.0	5	3	4	6	7	9	10	13
35-49	3925	6.3	5	3	4	6	7	9	11	14
50-64	3301	6.8	6	4	4	6	8	10	11	16
65+	1449	8.0	9	4	5	7	9	12	14	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	67	3.9	7	1	1	3	5	8	10	11
20-34	628	3.6	5	1	1	3	5	7	8	11
35-49	759	4.1	7	1	1	4	5	8	9	14
50-64	1431	4.8	10	1	2	4	6	9	11	15
65+	2984	6.1	18	2	2	5	8	11	13	23
B. *Operated*										
0-19 YRS	261	8.8	46	4	4	7	10	14	18	33
20-34	3917	7.6	16	4	4	7	9	12	14	22
35-49	4986	8.1	17	4	5	7	9	13	15	22
50-64	6906	9.2	26	4	5	8	11	15	18	28
65+	7872	11.9	44	5	6	10	14	20	25	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1843	3.2	7	1	1	3	4	6	7	10
B. *Operated*	13516	6.5	6	4	4	6	8	9	11	15
2. MULTIPLE DX										
A. *Not Operated*	5869	5.2	14	1	2	4	7	10	12	18
B. *Operated*	23942	9.6	32	4	5	8	11	16	20	31
1. SINGLE DX	15359	6.1	7	2	3	6	7	9	11	15
2. MULTIPLE DX	29811	8.7	31	3	4	7	11	15	19	29
A. NOT OPERATED	7712	4.7	13	1	1	4	6	9	11	17
B. OPERATED	37458	8.5	25	4	5	7	10	14	17	28
TOTAL 0-19 YRS	741	6.6	23	2	3	6	8	11	13	20
20-34	9566	6.3	11	2	3	6	7	10	12	17
35-49	10152	6.8	14	2	3	6	8	11	13	19
50-64	12070	7.8	21	3	4	7	9	13	16	24
65+	12641	9.9	40	3	4	8	12	17	22	33
GRAND TOTAL	**45170**	**7.8**	**25**	**2**	**4**	**7**	**9**	**13**	**16**	**27**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	59	3.5	3	1	1	3	5	6	7	9
20-34	330	3.2	5	1	1	3	4	6	7	10
35-49	290	3.3	4	1	1	3	4	6	7	9
50-64	202	3.2	3	1	1	3	4	6	7	9
65+	145	4.4	10	1	1	4	6	7	9	17
B. *Operated*										
0-19 YRS	31	6.5	10	3	3	6	8	11	14	15
20-34	353	7.0	11	3	4	6	8	11	13	21
35-49	372	6.8	8	3	4	6	8	10	13	16
50-64	233	7.6	15	4	4	7	9	12	13	19
65+	103	8.5	11	4	5	8	10	13	14	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	3.9	6	1	2	3	5	6	8	15
20-34	451	4.2	6	1	2	4	6	8	9	11
35-49	483	4.8	9	1	2	4	6	8	10	15
50-64	612	5.3	12	1	2	5	7	9	12	17
65+	1066	6.4	19	2	2	5	8	12	14	22
B. *Operated*										
0-19 YRS	60	8.1	20	2	4	7	10	15	18	22
20-34	637	8.5	22	4	4	7	10	14	17	26
35-49	860	8.7	20	4	5	8	10	15	18	25
50-64	869	9.9	28	4	5	9	12	16	20	29
65+	893	13.6	76	5	6	12	16	22	27	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1026	3.4	5	1	1	3	4	6	7	10
B. *Operated*	1092	7.2	11	3	4	6	8	11	13	18
2. MULTIPLE DX										
A. *Not Operated*	2664	5.4	14	1	2	5	7	10	12	18
B. *Operated*	3319	10.3	42	4	5	9	12	17	22	35
1. SINGLE DX	2118	5.4	12	1	2	5	7	9	12	16
2. MULTIPLE DX	5983	8.1	35	2	3	7	10	15	18	29
A. NOT OPERATED	3690	4.9	12	1	2	4	6	9	11	17
B. OPERATED	4411	9.5	36	4	5	8	11	16	20	31
TOTAL 0-19 YRS	202	5.4	14	1	2	5	7	9	14	19
20-34	1771	6.1	17	1	2	5	8	11	14	21
35-49	2005	6.6	17	2	2	6	8	12	15	20
50-64	1916	7.5	25	2	3	6	10	13	16	25
65+	2207	9.3	54	2	3	8	12	17	22	37
GRAND TOTAL	**8101**	**7.4**	**31**	**2**	**2**	**6**	**9**	**14**	**17**	**27**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.5	2	2	2	3	4	5	5	5
20-34	17	3.7	7	1	1	3	5	9	10	10
35-49	35	4.0	5	1	1	3	5	8	8	11
50-64	37	2.9	2	1	1	3	4	5	6	7
65+	60	4.2	8	1	1	3	6	9	10	11
B. *Operated*										
0-19 YRS	13	7.0	8	3	3	8	9	10	10	10
20-34	130	7.5	13	2	3	7	10	12	14	19
35-49	103	6.8	16	2	2	7	9	12	14	19
50-64	142	7.5	28	1	2	7	10	12	14	30
65+	159	9.2	36	1	2	9	13	17	20	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	5.0	9	2	2	4	7	10	10	10
20-34	33	4.5	6	2	2	4	6	8	10	11
35-49	58	4.2	6	1	2	4	5	7	9	12
50-64	104	5.4	11	1	1	5	8	10	11	14
65+	316	6.7	20	2	2	6	8	11	16	24
B. *Operated*										
0-19 YRS	19	11.3	112	2	4	8	13	20	37	50
20-34	150	10.3	64	4	5	9	11	17	20	53
35-49	188	10.8	43	3	5	10	13	18	21	37
50-64	373	11.4	48	3	4	10	14	20	23	36
65+	1129	14.4	80	3	5	13	18	24	31	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	153	3.7	6	1	1	3	5	7	9	11
B. *Operated*	547	7.9	25	1	2	7	10	14	17	22
2. MULTIPLE DX										
A. *Not Operated*	517	6.0	16	1	2	5	8	10	13	22
B. *Operated*	1859	13.1	71	3	5	11	16	22	28	47
1. SINGLE DX	700	7.0	24	1	2	6	10	13	15	22
2. MULTIPLE DX	2376	11.5	68	2	3	10	15	21	26	42
A. NOT OPERATED	670	5.5	15	1	2	5	7	10	12	21
B. OPERATED	2406	11.9	66	2	4	10	15	21	26	43
TOTAL 0-19 YRS	42	8.3	61	2	3	7	10	13	20	50
20-34	330	8.2	40	2	3	7	10	13	17	34
35-49	384	8.1	34	2	2	7	11	15	18	29
50-64	656	9.1	43	1	2	8	11	17	22	31
65+	1664	12.1	74	2	3	11	16	22	28	43
GRAND TOTAL	**3076**	**10.5**	**61**	**2**	**3**	**9**	**14**	**19**	**24**	**39**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	4.1	5	<1	1	3	6	7	7	7
20-34	36	3.3	3	<1	1	3	4	5	7	8
35-49	40	4.6	11	1	1	4	6	8	12	15
50-64	31	4.2	8	1	2	3	5	9	10	13
65+	48	4.7	7	2	2	4	6	8	10	14
B. *Operated*										
0-19 YRS	5	6.4	49	1	1	3	10	18	18	18
20-34	26	5.2	15	1	1	4	8	10	14	15
35-49	38	6.7	31	1	2	5	9	14	21	25
50-64	37	6.4	28	2	2	4	9	13	18	24
65+	37	8.8	42	1	2	6	13	18	20	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	8.1	24	2	3	7	11	15	17	19
20-34	62	6.7	23	1	2	6	9	13	15	26
35-49	116	5.7	25	1	2	4	8	10	13	31
50-64	163	6.7	38	2	2	6	8	11	13	23
65+	415	7.8	38	2	3	6	10	13	17	31
B. *Operated*										
0-19 YRS	12	9.4	62	2	2	8	13	20	27	28
20-34	72	12.0	88	2	3	11	14	23	28	55
35-49	159	12.2	131	1	2	10	15	25	34	47
50-64	196	14.3	147	2	3	12	18	27	34	71
65+	441	16.0	96	3	5	14	21	30	34	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	162	4.2	8	1	1	3	6	8	9	14
B. *Operated*	143	6.9	31	1	2	5	9	15	19	25
2. MULTIPLE DX										
A. *Not Operated*	788	7.2	35	2	2	6	9	13	16	29
B. *Operated*	880	14.5	115	2	3	12	19	28	34	54
1. SINGLE DX	305	5.5	20	1	2	4	7	12	15	24
2. MULTIPLE DX	1668	11.0	91	2	2	9	14	23	29	45
A. NOT OPERATED	950	6.7	31	1	2	5	9	12	15	28
B. OPERATED	1023	13.5	110	2	3	11	18	27	32	51
TOTAL 0-19 YRS	56	7.7	32	1	2	6	11	16	18	27
20-34	196	7.8	53	1	2	6	10	16	22	35
35-49	353	8.6	82	1	2	6	11	18	25	39
50-64	427	10.0	101	2	2	7	13	20	27	50
65+	941	11.5	82	2	3	9	15	24	30	42
GRAND TOTAL	**1973**	**10.2**	**84**	**2**	**2**	**8**	**13**	**22**	**28**	**41**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	114	4.3	8	1	2	4	5	7	9	16
20-34	664	5.2	10	1	2	5	6	9	11	16
35-49	608	5.9	14	2	2	5	7	10	11	19
50-64	358	6.1	17	2	2	5	7	11	13	23
65+	226	6.2	13	2	3	5	7	10	13	18
B. *Operated*										
0-19 YRS	11	9.5	48	2	3	7	14	20	24	24
20-34	74	9.6	108	2	2	6	11	19	36	56
35-49	99	8.4	41	2	2	7	10	16	22	34
50-64	70	10.6	76	2	2	9	15	22	27	45
65+	34	7.6	38	1	2	6	9	18	21	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	135	5.7	11	2	2	5	8	11	12	16
20-34	1689	6.6	19	2	3	6	8	11	15	25
35-49	2457	7.3	24	2	3	6	9	12	15	28
50-64	1797	7.4	22	2	3	6	9	13	15	24
65+	1909	8.2	27	3	3	7	10	14	17	27
B. *Operated*										
0-19 YRS	29	19.4	361	4	5	11	24	51	62	75
20-34	351	14.4	155	3	4	11	17	30	42	84
35-49	601	16.7	186	3	5	13	21	37	46	91
50-64	633	17.0	184	4	5	13	22	35	45	67
65+	649	17.8	215	4	6	14	21	34	50	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1970	5.6	13	2	2	5	7	10	12	20
B. *Operated*	288	9.2	67	2	2	7	11	18	23	41
2. MULTIPLE DX										
A. *Not Operated*	7987	7.3	23	2	3	6	9	13	16	26
B. *Operated*	2263	16.8	192	3	5	13	21	35	47	82
1. SINGLE DX	2258	6.1	21	2	2	5	7	11	14	23
2. MULTIPLE DX	10250	9.4	76	2	3	7	11	18	24	50
A. NOT OPERATED	9957	7.0	22	2	3	6	9	12	15	25
B. OPERATED	2551	15.9	184	3	4	12	20	33	45	80
TOTAL 0-19 YRS	289	6.7	64	2	2	5	7	11	16	51
20-34	2778	7.3	44	2	2	6	9	13	18	38
35-49	3765	8.6	61	2	3	7	10	16	22	44
50-64	2858	9.4	75	2	3	7	11	18	24	47
65+	2818	10.2	87	3	3	8	12	19	25	55
GRAND TOTAL	**12508**	**8.8**	**68**	**2**	**3**	**7**	**10**	**16**	**23**	**46**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	116	2.4	2	1	1	2	3	4	5	8
20-34	145	3.1	3	1	1	3	4	5	6	9
35-49	144	4.1	17	1	1	3	5	7	9	15
50-64	172	4.0	6	1	1	4	5	7	9	12
65+	261	4.9	10	1	2	4	6	9	11	16
B. *Operated*										
0-19 YRS	10	4.2	4	1	1	4	6	7	7	7
20-34	18	5.9	20	2	3	5	6	9	17	22
35-49	14	7.1	17	1	3	7	8	14	15	15
50-64	19	5.7	9	2	2	5	7	11	12	13
65+	39	7.7	23	1	2	7	11	14	18	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	277	3.5	5	1	1	3	5	7	8	10
20-34	603	4.3	8	1	1	4	5	8	10	15
35-49	877	5.3	13	1	2	4	7	9	13	19
50-64	1723	6.1	23	2	2	5	7	10	14	26
65+	6051	7.1	26	2	3	6	9	13	16	25
B. *Operated*										
0-19 YRS	47	5.9	14	1	2	5	7	13	16	99+
20-34	134	9.0	81	2	3	7	11	15	22	60
35-49	260	9.1	78	2	3	6	10	17	23	58
50-64	607	10.3	62	2	3	8	13	21	26	44
65+	1836	11.3	84	3	4	9	14	21	29	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	838	3.9	9	1	1	3	5	7	9	13
B. *Operated*	100	6.6	18	2	2	6	8	13	15	21
2. MULTIPLE DX										
A. *Not Operated*	9531	6.5	23	2	2	5	8	12	15	24
B. *Operated*	2884	10.7	78	3	4	8	13	21	28	50
1. SINGLE DX	938	4.2	11	1	1	3	5	8	10	15
2. MULTIPLE DX	12415	7.5	39	2	2	6	9	14	18	32
A. NOT OPERATED	10369	6.3	23	2	2	5	8	11	15	24
B. OPERATED	2984	10.6	77	3	4	8	13	20	27	50
TOTAL 0-19 YRS	450	3.5	6	1	1	3	5	7	8	13
20-34	900	4.8	22	1	2	4	6	9	12	21
35-49	1295	5.9	29	1	2	5	7	11	15	24
50-64	2521	7.0	35	2	2	5	8	13	18	31
65+	8187	8.0	42	2	3	6	10	15	19	34
GRAND TOTAL	**13353**	**7.2**	**38**	**2**	**2**	**6**	**9**	**14**	**18**	**32**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	106	3.5	6	1	1	3	4	7	8	13
20-34	4	8.0	7	5	5	8	10	11	11	11
35-49	10	4.8	13	1	1	4	7	10	12	12
50-64	7	4.0	2	2	2	4	5	6	6	6
65+	3	12.0	48	4	4	16	16	16	16	16
B. *Operated*										
0-19 YRS	19	3.5	32	<1	1	2	4	6	17	26
20-34	13	6.6	15	1	3	6	9	13	15	15
35-49	9	10.1	71	1	2	9	13	24	28	28
50-64	4	11.8	38	4	4	12	16	19	19	19
65+	3	17.7	281	7	7	9	30	37	37	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	219	5.7	47	1	2	4	7	10	15	36
20-34	32	6.2	21	1	2	5	8	12	14	23
35-49	57	9.1	54	2	3	7	10	15	29	38
50-64	67	8.8	59	2	3	7	10	19	20	50
65+	91	9.9	66	3	4	8	11	18	32	43
B. *Operated*										
0-19 YRS	33	13.9	359	1	2	6	15	40	67	73
20-34	28	11.4	67	4	4	9	14	27	30	34
35-49	58	13.7	142	3	4	10	16	32	43	57
50-64	62	16.5	199	5	5	12	23	28	46	73
65+	90	14.1	99	3	4	12	18	26	30	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	130	4.0	9	1	1	3	5	7	11	16
B. *Operated*	48	7.2	58	1	1	5	9	16	26	37
2. MULTIPLE DX										
A. *Not Operated*	466	7.4	54	2	2	5	9	13	19	37
B. *Operated*	271	14.3	159	3	4	10	18	28	39	69
1. SINGLE DX	178	4.8	24	1	1	3	6	10	14	27
2. MULTIPLE DX	737	9.9	103	2	2	7	11	21	29	57
A. NOT OPERATED	596	6.7	46	1	2	5	8	13	17	36
B. OPERATED	319	13.2	150	2	3	9	17	27	37	69
TOTAL 0-19 YRS	377	5.7	68	1	1	4	6	10	16	52
20-34	77	8.2	41	2	3	6	10	15	23	33
35-49	134	10.8	96	2	3	8	12	21	34	50
50-64	140	12.1	134	2	4	8	15	24	28	69
65+	187	12.1	87	3	4	9	16	24	32	46
GRAND TOTAL	**915**	**8.9**	**92**	**1**	**2**	**6**	**11**	**19**	**27**	**53**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	148	4.3	11	1	1	4	6	8	10	25
20-34	22	4.2	6	1	2	4	5	9	9	9
35-49	9	5.0	4	2	3	5	6	8	9	9
50-64	7	5.1	10	2	2	4	8	10	10	10
65+	15	6.9	9	3	3	7	9	10	13	14
B. *Operated*										
0-19 YRS	76	3.6	8	1	1	2	4	7	9	15
20-34	44	3.5	12	1	1	2	4	8	13	16
35-49	27	4.1	27	1	2	2	3	9	20	23
50-64	20	3.8	13	1	2	2	3	9	12	15
65+	4	6.0	12	3	3	6	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	184	5.5	20	1	1	4	7	12	14	18
20-34	58	6.4	19	1	2	5	8	13	16	21
35-49	72	6.5	30	1	2	5	8	11	15	30
50-64	102	9.4	76	2	2	8	11	16	24	52
65+	192	9.5	53	2	3	8	12	17	22	38
B. *Operated*										
0-19 YRS	80	11.4	267	1	2	6	13	26	60	96
20-34	114	9.8	125	1	1	6	14	22	31	61
35-49	115	7.9	64	1	2	5	11	18	21	41
50-64	125	10.6	122	1	2	7	13	28	37	51
65+	140	11.9	99	2	2	10	16	25	31	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	201	4.6	10	1	1	4	6	9	10	20
B. *Operated*	171	3.7	13	1	1	2	4	8	10	18
2. MULTIPLE DX										
A. *Not Operated*	608	7.6	44	1	2	6	10	14	18	33
B. *Operated*	574	10.3	127	1	2	7	14	23	32	62
1. SINGLE DX	372	4.2	11	1	1	3	6	9	10	19
2. MULTIPLE DX	1182	8.9	86	1	2	6	11	18	26	48
A. NOT OPERATED	809	6.9	37	1	2	5	9	13	17	31
B. OPERATED	745	8.8	108	1	2	5	12	20	29	56
TOTAL 0-19 YRS	488	5.8	62	1	1	4	7	12	17	64
20-34	238	7.3	74	1	1	4	9	16	21	45
35-49	223	6.9	48	1	2	5	9	15	20	37
50-64	254	9.4	95	1	2	7	12	20	31	48
65+	351	10.3	71	2	3	8	13	20	26	42
GRAND TOTAL	**1554**	**7.8**	**72**	**1**	**2**	**5**	**10**	**16**	**23**	**44**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	4.4	6	1	2	4	5	8	10	12
20-34	9	3.0	4	1	1	2	5	6	6	6
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	2	10.0	18	7	7	10	13	13	13	13
65+										
B. *Operated*										
0-19 YRS	9	4.2	7	<1	1	4	5	9	10	10
20-34	4	7.0	36	2	2	6	12	14	14	14
35-49	4	2.5	3	1	1	2	4	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	6.0	15	2	2	5	7	12	15	17
20-34	19	5.4	9	<1	1	6	8	10	10	10
35-49	16	4.8	5	<1	1	5	6	7	8	9
50-64	23	7.0	22	2	3	5	9	15	17	18
65+	45	9.2	36	2	3	9	12	16	18	35
B. *Operated*										
0-19 YRS	13	6.7	16	1	3	5	9	13	15	15
20-34	19	8.4	52	1	1	7	14	18	23	27
35-49	19	9.3	34	2	3	8	13	17	21	24
50-64	24	15.1	187	1	2	11	20	41	44	46
65+	25	14.5	62	4	7	14	19	23	28	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	69	4.3	7	1	2	4	5	8	10	13
B. *Operated*	17	4.5	14	<1	1	3	5	10	13	14
2. MULTIPLE DX										
A. *Not Operated*	160	6.8	22	2	2	5	9	13	16	22
B. *Operated*	100	11.5	87	1	2	9	16	22	32	44
1. SINGLE DX	86	4.4	8	1	2	4	5	9	10	14
2. MULTIPLE DX	260	8.6	52	1	2	7	11	16	21	42
A. NOT OPERATED	229	6.1	19	1	2	5	8	12	15	19
B. OPERATED	117	10.5	83	1	2	8	15	20	26	44
TOTAL 0-19 YRS	135	5.3	11	2	2	4	6	10	13	16
20-34	51	6.2	29	1	1	5	8	14	16	27
35-49	41	6.5	25	1	2	5	8	15	17	24
50-64	49	11.1	116	2	3	7	13	22	41	46
65+	70	11.1	51	3	3	9	14	19	23	41
GRAND TOTAL	**346**	**7.6**	**45**	**1**	**2**	**5**	**10**	**16**	**19**	**41**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	3.1	4	<1	<1	3	3	6	8	8
20-34	9	6.1	22	2	2	5	7	14	17	17
35-49	6	3.7	31	<1	<1	1	3	14	15	15
50-64	6	3.3	15	1	1	2	4	10	11	11
65+	8	4.6	23	<1	<1	3	8	12	13	13
B. *Operated*										
0-19 YRS	25	8.0	21	3	4	7	12	15	16	17
20-34	33	6.8	29	1	2	5	10	15	18	21
35-49	44	6.5	40	1	1	4	9	17	18	30
50-64	28	6.0	32	1	1	3	10	14	16	23
65+	24	5.3	22	1	2	3	7	12	16	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	78	4.9	43	1	1	3	5	9	14	40
20-34	63	4.9	18	<1	1	4	7	10	12	23
35-49	97	5.7	21	1	1	4	8	13	16	19
50-64	170	7.8	44	<1	1	6	10	17	20	30
65+	572	9.3	49	2	3	8	11	17	23	38
B. *Operated*										
0-19 YRS	98	14.2	124	2	3	12	20	29	38	49
20-34	286	12.3	140	1	2	9	17	27	34	60
35-49	321	11.2	95	1	2	9	15	22	32	51
50-64	443	12.2	132	2	3	9	15	26	36	66
65+	509	14.6	172	2	3	11	20	30	40	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	4.2	17	<1	<1	3	5	11	14	17
B. *Operated*	154	6.5	30	1	1	4	10	15	18	23
2. MULTIPLE DX										
A. *Not Operated*	980	8.0	46	1	2	6	10	16	21	34
B. *Operated*	1657	12.9	140	2	3	10	17	27	37	65
1. SINGLE DX	193	6.1	29	1	1	4	10	14	17	22
2. MULTIPLE DX	2637	11.1	110	1	2	8	14	23	31	54
A. NOT OPERATED	1019	7.9	45	1	2	6	10	16	21	34
B. OPERATED	1811	12.3	134	2	2	9	16	26	36	64
TOTAL 0-19 YRS	211	9.5	96	1	2	5	13	21	32	45
20-34	391	10.5	117	1	2	7	14	24	30	51
35-49	468	9.5	80	1	2	7	13	19	27	47
50-64	647	10.7	108	1	2	8	14	22	33	60
65+	1113	11.6	113	2	3	9	14	24	31	54
GRAND TOTAL	**2830**	**10.7**	**106**	**1**	**2**	**8**	**14**	**23**	**31**	**53**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	4.6	14	2	2	4	6	11	11	11
20-34	6	3.8	5	2	2	4	5	7	7	7
35-49	6	3.8	5	<1	<1	3	6	7	7	7
50-64	5	9.8	44	4	4	6	16	18	18	18
65+	15	9.8	41	3	3	9	11	17	25	28
B. *Operated*										
0-19 YRS	4	8.3	30	1	1	9	12	14	14	14
20-34	5	7.4	25	1	1	9	10	14	14	14
35-49	2	9.5	145	1	1	9	18	18	18	18
50-64	6	13.5	170	2	2	9	19	35	37	37
65+	7	6.6	28	1	1	5	11	14	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	4.1	7	<1	1	3	5	9	10	11
20-34	30	5.3	13	1	1	5	7	11	13	13
35-49	65	8.6	40	1	2	7	11	18	22	29
50-64	208	10.1	46	2	3	9	13	18	22	31
65+	1136	11.2	61	3	4	9	14	21	25	38
B. *Operated*										
0-19 YRS	11	12.9	234	2	3	8	13	36	54	56
20-34	59	14.4	186	2	3	11	18	28	39	79
35-49	91	14.1	103	3	4	11	19	28	33	52
50-64	186	17.9	187	3	5	14	24	36	46	82
65+	518	19.1	192	4	6	16	25	36	49	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	7.2	32	2	2	6	9	16	18	28
B. *Operated*	24	9.0	67	1	1	8	13	18	24	37
2. MULTIPLE DX										
A. *Not Operated*	1468	10.7	58	3	4	9	14	20	25	37
B. *Operated*	865	17.9	184	3	5	15	23	34	47	83
1. SINGLE DX	61	7.9	46	1	2	6	10	16	19	36
2. MULTIPLE DX	2333	13.4	117	3	4	10	17	26	33	57
A. NOT OPERATED	1505	10.6	58	3	4	9	14	20	25	36
B. OPERATED	889	17.7	183	3	5	14	23	34	46	83
TOTAL 0-19 YRS	49	6.5	69	1	1	4	8	11	15	56
20-34	100	10.7	134	1	2	7	14	24	32	64
35-49	164	11.5	83	2	3	9	16	22	30	50
50-64	405	13.7	127	2	4	11	17	27	36	61
65+	1676	13.6	115	3	4	11	17	26	34	58
GRAND TOTAL	**2394**	**13.2**	**116**	**3**	**4**	**10**	**17**	**26**	**33**	**57**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	498	4.0	5	2	2	4	5	6	8	10
20-34	681	4.2	3	2	2	4	5	7	7	9
35-49	199	4.5	5	2	2	4	6	7	9	11
50-64	96	4.9	6	2	2	5	6	8	10	14
65+	72	5.2	7	2	3	5	7	9	11	13
B. *Operated*										
0-19 YRS	22	5.5	9	2	3	5	7	8	12	16
20-34	31	6.0	7	2	3	6	7	10	11	11
35-49	15	6.5	4	4	4	6	8	9	10	10
50-64	4	8.3	28	4	4	7	12	15	15	15
65+	4	7.5	19	2	2	8	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	720	4.5	5	2	2	4	5	7	8	12
20-34	1366	5.0	7	2	2	4	6	8	9	14
35-49	588	6.0	13	2	3	5	7	10	12	20
50-64	687	6.8	15	3	3	6	8	12	15	20
65+	1374	7.5	19	3	3	7	9	12	15	23
B. *Operated*										
0-19 YRS	104	7.6	31	3	3	6	9	11	21	33
20-34	193	7.8	22	3	4	7	9	12	17	30
35-49	159	10.1	37	3	4	9	12	17	21	30
50-64	179	10.9	45	4	5	9	13	17	22	41
65+	247	13.0	83	4	5	10	15	23	31	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1546	4.3	5	2	2	4	5	7	8	11
B. *Operated*	76	6.1	8	2	3	6	8	10	11	16
2. MULTIPLE DX										
A. *Not Operated*	4735	6.0	13	2	3	5	7	10	13	19
B. *Operated*	882	10.3	51	3	4	8	12	18	24	41
1. SINGLE DX	1622	4.4	5	2	2	4	5	7	8	11
2. MULTIPLE DX	5617	6.7	22	2	3	6	8	11	15	24
A. NOT OPERATED	6281	5.6	12	2	3	5	7	9	12	19
B. OPERATED	958	9.9	49	3	4	8	12	17	23	40
TOTAL 0-19 YRS	1344	4.6	8	2	2	4	5	7	9	13
20-34	2271	5.0	8	2	2	4	6	8	10	16
35-49	961	6.4	18	2	3	5	8	11	14	22
50-64	966	7.4	23	3	3	6	9	13	16	27
65+	1697	8.2	31	3	3	7	10	14	18	30
GRAND TOTAL	**7239**	**6.2**	**19**	**2**	**3**	**5**	**7**	**11**	**14**	**23**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	368	3.7	3	1	2	3	5	6	7	9
20-34	480	4.1	3	2	2	4	5	6	7	11
35-49	124	4.4	5	2	2	4	6	8	9	11
50-64	75	5.3	11	2	2	5	6	8	9	21
65+	49	4.1	5	1	2	3	5	7	9	11
B. *Operated*										
0-19 YRS	28	6.6	24	2	3	5	9	10	17	25
20-34	33	5.7	14	2	2	5	7	11	12	20
35-49	29	7.9	54	1	2	6	9	14	31	32
50-64	24	10.3	43	2	3	9	14	19	22	27
65+	10	8.7	21	2	3	8	10	15	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	513	4.5	7	2	2	4	5	7	9	13
20-34	893	4.9	8	2	2	4	6	8	10	15
35-49	414	5.8	11	2	3	5	7	9	11	18
50-64	411	6.9	23	2	3	6	8	12	15	28
65+	822	8.0	24	3	4	7	10	13	16	31
B. *Operated*										
0-19 YRS	112	6.7	21	1	2	6	8	11	16	25
20-34	211	9.2	80	2	3	7	11	15	22	51
35-49	151	12.1	135	3	4	9	13	25	42	51
50-64	217	12.6	125	3	4	9	15	26	32	62
65+	323	14.6	101	4	5	11	19	28	34	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1096	4.1	4	2	2	4	5	7	8	11
B. *Operated*	124	7.5	33	2	3	6	9	14	19	31
2. MULTIPLE DX										
A. *Not Operated*	3053	6.0	16	2	2	5	7	10	13	23
B. *Operated*	1014	11.8	105	3	4	9	14	24	31	54
1. SINGLE DX	1220	4.4	8	2	2	4	5	7	9	16
2. MULTIPLE DX	4067	7.5	44	2	3	6	9	14	19	34
A. NOT OPERATED	4149	5.5	14	2	2	5	7	10	12	20
B. OPERATED	1138	11.3	99	3	4	9	14	23	30	52
TOTAL 0-19 YRS	1021	4.5	8	1	2	4	5	7	9	16
20-34	1617	5.2	18	2	2	4	6	9	11	18
35-49	718	7.0	45	2	3	5	8	11	16	43
50-64	727	8.6	60	2	3	6	10	16	23	46
65+	1204	9.6	53	3	4	8	11	17	25	39
GRAND TOTAL	**5287**	**6.8**	**38**	**2**	**2**	**5**	**8**	**12**	**16**	**32**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	84	2.1	1	1	1	2	3	4	5	6
20-34	484	2.2	2	<1	1	2	3	4	5	8
35-49	736	2.0	2	<1	1	2	3	4	5	7
50-64	344	2.3	3	<1	1	2	3	4	5	9
65+	106	2.6	4	1	1	2	3	5	7	12
B. *Operated*										
0-19 YRS	24	5.5	8	2	3	5	7	9	11	14
20-34	239	6.2	13	2	2	6	8	10	12	19
35-49	372	6.6	13	2	2	6	8	11	13	20
50-64	322	6.5	16	1	2	6	9	11	13	17
65+	138	7.4	20	2	3	7	9	13	15	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	3.0	11	1	1	2	4	5	6	24
20-34	468	3.1	11	1	1	2	4	6	8	13
35-49	659	3.2	10	1	1	2	4	6	8	16
50-64	554	3.4	7	1	1	3	5	7	8	14
65+	463	4.5	14	1	1	4	5	8	11	20
B. *Operated*										
0-19 YRS	38	8.4	63	1	2	7	9	19	31	34
20-34	342	8.2	50	2	2	6	11	14	18	29
35-49	578	8.3	41	2	3	7	10	15	20	30
50-64	791	9.0	37	2	3	8	11	17	19	29
65+	669	10.1	64	2	3	8	12	20	25	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1754	2.2	2	<1	1	2	3	4	5	8
B. *Operated*	1095	6.6	14	1	2	6	9	11	13	19
2. MULTIPLE DX										
A. *Not Operated*	2202	3.5	11	1	1	3	4	7	9	16
B. *Operated*	2418	9.0	48	2	3	8	11	17	22	33
1. SINGLE DX	2849	3.9	12	1	1	3	5	9	10	16
2. MULTIPLE DX	4620	6.4	38	1	1	5	8	13	18	29
A. NOT OPERATED	3956	2.9	7	1	1	2	4	6	7	13
B. OPERATED	3513	8.3	39	2	3	7	10	15	19	30
TOTAL 0-19 YRS	204	3.9	22	1	1	3	5	8	10	30
20-34	1533	4.4	23	1	1	3	6	10	12	22
35-49	2345	4.7	22	1	1	3	6	10	13	22
50-64	2011	5.9	27	1	1	5	8	12	16	24
65+	1376	7.4	46	1	2	6	9	15	21	31
GRAND TOTAL	**7469**	**5.4**	**29**	**1**	**1**	**4**	**7**	**11**	**15**	**25**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	198	2.2	2	1	1	2	3	4	4	7
20-34	2040	1.9	1	<1	1	2	2	3	4	6
35-49	2609	2.0	1	<1	1	2	2	3	4	6
50-64	1389	2.1	2	1	1	2	3	4	4	7
65+	357	2.4	2	1	1	2	3	4	5	8
B. *Operated*										
0-19 YRS	119	4.7	8	1	2	4	6	8	9	14
20-34	1178	5.0	10	1	2	4	7	10	11	14
35-49	1571	5.2	11	1	2	5	7	9	11	16
50-64	1069	5.5	13	1	2	5	7	10	13	17
65+	359	6.2	16	1	2	5	8	12	15	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	102	2.7	4	1	1	2	3	5	6	54
20-34	897	2.5	3	1	1	2	3	5	6	8
35-49	1410	2.5	3	1	1	2	3	5	6	9
50-64	1256	2.9	4	1	1	2	4	5	7	10
65+	774	3.4	10	1	1	3	4	6	8	12
B. *Operated*										
0-19 YRS	82	5.6	11	2	2	5	7	10	12	17
20-34	758	6.2	17	2	2	5	8	11	14	20
35-49	1300	6.4	18	2	2	5	9	12	14	21
50-64	1551	7.4	33	2	2	6	10	14	17	24
65+	1148	9.1	42	2	3	8	12	17	21	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6593	2.0	2	<1	1	2	3	4	4	6
B. *Operated*	4296	5.3	12	1	2	5	7	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	4439	2.8	5	1	1	2	4	5	6	10
B. *Operated*	4839	7.3	29	2	2	6	9	14	17	27
1. SINGLE DX	10889	3.3	8	1	1	2	4	7	9	14
2. MULTIPLE DX	9278	5.2	23	1	1	4	7	11	14	22
A. NOT OPERATED	11032	2.3	3	1	1	2	3	4	5	8
B. OPERATED	9135	6.4	22	1	2	5	8	12	15	23
TOTAL 0-19 YRS	501	3.4	7	1	1	3	4	7	9	14
20-34	4873	3.4	9	1	1	2	4	7	10	14
35-49	6890	3.6	10	1	1	3	5	8	10	15
50-64	5265	4.6	19	1	1	3	6	10	13	19
65+	2638	6.1	31	1	1	4	8	13	17	30
GRAND TOTAL	**20167**	**4.2**	**16**	**1**	**1**	**3**	**5**	**9**	**12**	**19**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	60	2.7	5	<1	1	2	3	6	8	11
20-34	39	2.5	3	1	1	2	3	4	7	9
35-49	51	2.9	3	1	1	3	4	5	6	8
50-64	38	2.7	4	1	1	2	3	5	7	11
65+	20	3.3	6	1	1	3	4	7	8	9
B. *Operated*										
0-19 YRS	379	6.1	10	1	2	6	8	10	11	14
20-34	177	6.3	25	1	1	5	9	11	13	32
35-49	147	5.6	17	1	1	5	9	12	13	15
50-64	155	5.1	21	1	1	4	7	11	13	20
65+	103	4.8	14	1	1	3	8	10	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	136	4.3	67	1	1	3	5	9	10	26
20-34	137	4.3	26	1	1	3	5	8	11	35
35-49	145	5.0	19	1	1	4	6	10	14	21
50-64	200	6.1	35	1	1	4	8	12	16	30
65+	491	7.6	36	2	3	6	9	15	20	30
B. *Operated*										
0-19 YRS	591	7.1	23	1	2	7	9	13	15	23
20-34	466	7.6	23	2	2	7	10	14	16	22
35-49	500	7.9	35	1	2	7	10	15	19	32
50-64	785	8.7	58	1	2	7	11	17	22	33
65+	1008	10.3	71	1	2	8	13	21	27	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	208	2.8	4	1	1	2	3	5	7	10
B. *Operated*	961	5.8	16	1	1	5	8	11	12	17
2. MULTIPLE DX										
A. *Not Operated*	1109	6.2	38	1	1	4	8	12	16	30
B. *Operated*	3350	8.6	49	1	2	7	11	17	21	35
1. SINGLE DX	1169	5.2	16	1	1	4	8	10	12	16
2. MULTIPLE DX	4459	8.0	47	1	2	6	10	16	21	34
A. NOT OPERATED	1317	5.6	34	1	1	4	7	11	15	28
B. OPERATED	4311	8.0	43	1	2	7	10	15	20	33
TOTAL 0-19 YRS	1166	6.2	24	1	1	6	8	11	13	20
20-34	819	6.5	26	1	2	6	9	12	15	22
35-49	843	6.7	29	1	2	5	9	13	17	28
50-64	1178	7.6	50	1	2	6	10	15	21	33
65+	1622	9.0	59	1	2	7	12	19	24	39
GRAND TOTAL	**5628**	**7.4**	**42**	**1**	**2**	**6**	**10**	**14**	**20**	**33**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	1.9	1	1	1	1	3	4	4	4
20-34	125	2.0	2	<1	1	2	2	4	5	6
35-49	130	2.1	2	<1	1	2	3	3	5	9
50-64	78	1.9	2	<1	1	1	2	3	5	7
65+	13	3.8	4	1	1	4	5	6	7	7
B. *Operated*										
0-19 YRS	9	3.9	3	1	1	4	5	6	6	6
20-34	51	4.8	13	2	2	3	6	11	12	17
35-49	69	4.9	12	1	2	4	7	10	11	16
50-64	67	4.3	9	1	1	3	6	9	11	14
65+	70	4.4	14	1	1	3	6	10	12	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	5.1	32	<1	1	3	5	14	20	21
20-34	78	2.9	5	1	1	2	4	6	6	14
35-49	89	2.8	5	1	1	2	3	6	8	11
50-64	106	3.5	5	1	1	3	5	7	8	9
65+	79	4.4	16	1	1	4	5	8	11	26
B. *Operated*										
0-19 YRS	24	6.4	43	1	2	4	9	11	19	32
20-34	97	6.7	49	1	2	5	9	12	19	42
35-49	111	6.2	23	1	2	5	8	12	17	24
50-64	219	6.7	34	1	2	5	8	14	19	25
65+	464	8.0	39	2	2	6	10	15	19	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	359	2.1	2	<1	1	2	3	4	5	7
B. *Operated*	266	4.6	12	1	1	3	6	10	11	17
2. MULTIPLE DX										
A. *Not Operated*	364	3.5	9	1	1	3	4	7	8	13
B. *Operated*	915	7.3	37	1	2	6	9	14	19	28
1. SINGLE DX	625	3.1	8	1	1	2	4	7	9	13
2. MULTIPLE DX	1279	6.2	32	1	1	5	8	13	17	26
A. NOT OPERATED	723	2.8	6	<1	1	2	3	5	7	11
B. OPERATED	1181	6.7	33	1	2	5	9	13	17	26
TOTAL 0-19 YRS	58	4.7	27	1	1	3	5	10	12	31
20-34	351	3.9	21	1	1	2	5	8	12	20
35-49	399	3.9	13	1	1	3	5	9	11	19
50-64	470	4.8	22	1	1	3	6	10	14	24
65+	626	7.0	35	1	2	5	9	14	18	27
GRAND TOTAL	**1904**	**5.2**	**26**	**1**	**1**	**4**	**7**	**11**	**15**	**24**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	113	2.6	2	1	1	2	3	4	6	8
20-34	89	2.8	3	1	1	3	4	5	5	9
35-49	39	2.9	3	<1	1	2	4	5	7	8
50-64	37	3.9	8	1	1	3	5	8	10	13
65+	38	3.6	5	<1	1	3	5	6	9	9
B. *Operated*										
0-19 YRS	70	2.5	3	<1	<1	2	3	5	6	8
20-34	144	3.0	7	<1	1	2	4	6	9	11
35-49	115	2.9	5	<1	1	2	4	6	7	11
50-64	163	3.1	6	<1	1	2	4	6	7	13
65+	185	3.1	4	1	1	2	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	208	3.7	6	1	1	3	4	6	7	11
20-34	309	4.3	11	1	2	3	5	8	10	18
35-49	206	4.8	10	1	2	4	6	9	11	17
50-64	313	5.5	14	2	2	5	7	9	11	22
65+	861	6.9	20	2	2	6	9	12	16	24
B. *Operated*										
0-19 YRS	229	3.3	8	1	1	3	4	6	8	15
20-34	483	5.2	30	1	1	4	7	9	13	29
35-49	567	5.1	24	1	1	4	7	10	12	26
50-64	843	5.7	25	1	2	4	7	11	14	27
65+	1735	6.8	34	1	2	5	9	13	17	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	316	3.0	4	1	1	2	4	5	7	10
B. *Operated*	677	3.0	5	<1	1	2	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	1897	5.6	16	1	2	5	7	10	13	21
B. *Operated*	3857	5.9	30	1	1	4	8	12	15	28
1. SINGLE DX	993	3.0	5	<1	1	2	4	6	7	10
2. MULTIPLE DX	5754	5.8	25	1	2	4	7	11	15	26
A. NOT OPERATED	2213	5.3	15	1	2	4	7	10	12	21
B. OPERATED	4534	5.5	27	1	1	4	7	11	14	27
TOTAL 0-19 YRS	620	3.2	6	1	1	3	4	6	7	12
20-34	1025	4.4	19	1	1	3	5	8	10	21
35-49	927	4.6	18	1	1	4	6	9	11	23
50-64	1356	5.3	21	1	1	4	7	10	13	23
65+	2819	6.6	28	1	2	5	8	13	16	27
GRAND TOTAL	**6747**	**5.4**	**23**	**1**	**1**	**4**	**7**	**11**	**14**	**24**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.7	3	1	1	2	3	6	6	6
20-34	3	2.3	2	1	1	2	3	4	4	4
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	5	2.4	1	1	1	2	3	4	4	4
65+	8	4.6	35	1	1	3	4	14	19	19
B. *Operated*										
0-19 YRS	334	1.8	2	<1	<1	1	2	3	4	7
20-34	270	2.6	4	<1	1	2	3	5	6	11
35-49	193	2.9	5	<1	1	2	4	6	8	12
50-64	178	3.0	6	1	1	2	4	5	7	10
65+	226	3.3	7	1	1	3	4	6	8	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	2.8	4	1	1	2	4	5	7	9
20-34	8	3.9	6	<1	<1	4	5	7	8	8
35-49	10	4.3	5	1	1	4	5	7	8	8
50-64	20	3.2	9	<1	<1	2	4	8	11	11
65+	91	4.9	11	1	1	4	6	9	12	15
B. *Operated*										
0-19 YRS	465	2.2	3	<1	<1	2	3	4	6	8
20-34	507	3.4	8	<1	<1	3	4	6	9	14
35-49	516	4.1	13	<1	1	3	5	9	12	17
50-64	707	4.7	23	1	1	3	6	10	12	21
65+	1406	5.4	19	1	2	4	7	10	14	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	3.2	13	1	1	2	3	4	10	19
B. *Operated*	1201	2.6	5	<1	<1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	151	4.3	9	1	1	4	5	9	11	14
B. *Operated*	3601	4.4	16	<1	1	3	6	9	12	19
1. SINGLE DX	1225	2.6	5	<1	1	2	3	5	6	11
2. MULTIPLE DX	3752	4.4	16	<1	1	3	6	9	12	19
A. NOT OPERATED	175	4.1	10	1	1	3	5	8	11	15
B. OPERATED	4802	3.9	14	<1	1	3	5	8	11	18
TOTAL 0-19 YRS	827	2.1	3	<1	<1	2	3	4	5	8
20-34	788	3.1	6	<1	1	2	4	6	8	13
35-49	721	3.8	11	<1	1	3	4	8	11	16
50-64	910	4.3	20	1	1	3	5	9	12	20
65+	1731	5.1	17	1	1	4	6	10	13	21
GRAND TOTAL	**4977**	**3.9**	**14**	**<1**	**1**	**3**	**5**	**8**	**11**	**18**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	709	2.9	3	1	1	3	4	5	6	8
20-34	386	3.1	3	1	1	3	4	5	6	8
35-49	196	3.6	6	1	1	3	5	6	9	13
50-64	140	3.9	5	1	1	4	5	7	8	10
65+	277	5.0	11	1	2	4	7	9	11	15
B. *Operated*										
0-19 YRS	266	2.6	4	<1	<1	2	3	5	7	11
20-34	302	3.0	5	<1	<1	2	4	6	8	11
35-49	274	3.6	10	<1	1	3	5	7	9	17
50-64	361	3.3	6	1	1	3	4	6	9	13
65+	443	3.7	9	1	1	3	4	7	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1889	4.0	7	1	2	3	5	7	9	14
20-34	1482	4.8	22	1	2	4	6	8	11	21
35-49	1060	5.9	27	1	2	5	7	11	13	26
50-64	1828	6.1	19	2	2	5	8	11	13	21
65+	8048	7.7	26	2	3	7	10	14	17	26
B. *Operated*										
0-19 YRS	651	4.5	36	<1	1	3	6	9	11	24
20-34	907	5.8	52	1	1	4	7	11	16	33
35-49	1083	6.4	58	1	1	4	8	13	17	38
50-64	1992	6.8	40	1	2	5	9	14	18	31
65+	5501	8.3	51	2	2	6	10	16	22	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1708	3.4	5	1	1	3	4	6	8	12
B. *Operated*	1646	3.3	7	<1	1	3	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	14307	6.6	24	2	2	5	8	12	15	25
B. *Operated*	10134	7.3	50	1	2	5	9	15	20	34
1. SINGLE DX	3354	3.4	6	1	1	3	4	6	8	12
2. MULTIPLE DX	24441	6.9	35	1	2	5	9	13	17	30
A. NOT OPERATED	16015	6.2	23	1	2	5	8	11	15	23
B. OPERATED	11780	6.8	46	1	1	5	9	14	19	33
TOTAL 0-19 YRS	3515	3.8	12	1	1	3	5	7	9	14
20-34	3077	4.7	28	1	1	4	6	9	11	24
35-49	2613	5.7	38	1	1	4	7	11	15	30
50-64	4321	6.1	28	1	2	5	8	12	15	28
65+	14269	7.7	35	2	2	6	10	14	18	31
GRAND TOTAL	**27795**	**6.5**	**33**	**1**	**2**	**5**	**8**	**12**	**16**	**28**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	4.7	40	1	1	1	9	12	12	12
50-64	18	3.2	5	1	1	3	4	6	8	9
65+	41	3.5	6	<1	1	3	5	6	8	12
B. *Operated*										
0-19 YRS	5	4.8	9	2	2	5	7	9	9	9
20-34	4	1.3		1	1	1	2	2	2	2
35-49	114	3.6	5	<1	1	3	5	6	8	10
50-64	1895	5.0	6	1	2	5	6	8	9	13
65+	2724	5.7	8	2	3	5	7	9	11	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	3.0		3	3	3	3	3	3	3
35-49	14	3.1	2	1	2	3	4	5	6	6
50-64	172	3.8	8	1	1	3	5	8	10	14
65+	594	5.1	20	1	1	4	6	11	14	24
B. *Operated*										
0-19 YRS	20	7.3	22	1	3	6	9	14	19	20
20-34	25	4.2	17	1	1	3	5	10	13	20
35-49	270	4.9	9	1	1	4	6	9	11	14
50-64	5021	6.5	17	2	3	6	8	11	14	21
65+	13489	7.9	26	3	4	7	9	14	17	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	62	3.5	7	1	1	3	5	6	8	12
B. *Operated*	4742	5.4	7	1	2	5	7	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	783	4.8	17	1	1	4	6	10	13	23
B. *Operated*	18825	7.5	24	2	3	6	9	13	16	25
1. SINGLE DX	4804	5.4	7	1	2	5	7	8	10	14
2. MULTIPLE DX	19608	7.4	24	2	3	6	9	13	16	25
A. NOT OPERATED	845	4.7	17	1	1	4	6	10	12	22
B. OPERATED	23567	7.1	21	2	3	6	8	12	15	24
TOTAL 0-19 YRS	25	6.8	20	1	2	6	9	11	18	20
20-34	32	3.7	14	1	1	3	4	7	10	20
35-49	401	4.5	8	1	1	4	6	8	10	14
50-64	7106	6.1	14	2	2	5	7	10	13	19
65+	16848	7.5	24	2	3	6	9	13	16	25
GRAND TOTAL	**24412**	**7.0**	**21**	**2**	**3**	**6**	**8**	**12**	**15**	**24**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	2.2	1	1	1	2	3	4	4	4
20-34	55	3.0	2	1	1	3	4	5	6	7
35-49	50	3.7	4	1	1	3	4	7	8	9
50-64	65	4.1	4	1	2	4	5	7	8	11
65+	23	4.7	3	3	3	4	6	7	8	9
B. *Operated*										
0-19 YRS	4	2.5	9	<1	<1	1	4	7	7	7
20-34	74	2.7	4	<1	<1	2	4	6	7	11
35-49	76	3.0	8	<1	1	2	4	5	8	17
50-64	83	3.4	7	<1	1	3	4	7	9	15
65+	40	2.9	5	<1	1	2	4	5	9	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	4.6	8	2	2	3	6	9	10	10
20-34	90	3.9	5	1	1	3	5	8	9	10
35-49	150	4.8	5	2	2	5	6	8	9	12
50-64	258	4.9	8	2	2	4	6	8	9	15
65+	218	5.3	11	2	2	5	7	9	11	18
B. *Operated*										
0-19 YRS	14	3.3	5	1	1	3	4	6	8	9
20-34	138	4.0	24	<1	1	3	5	7	11	30
35-49	253	4.4	11	1	1	3	6	9	11	15
50-64	386	5.5	20	1	2	5	7	10	14	19
65+	470	6.6	25	1	2	5	8	13	17	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	204	3.7	4	1	1	3	5	6	7	10
B. *Operated*	277	3.0	6	<1	1	2	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	723	4.9	8	2	2	4	6	8	10	13
B. *Operated*	1261	5.5	21	1	1	5	7	11	14	21
1. SINGLE DX	481	3.3	5	<1	1	3	4	6	7	11
2. MULTIPLE DX	1984	5.3	17	1	2	4	7	10	13	20
A. NOT OPERATED	927	4.6	8	1	2	4	6	8	9	13
B. OPERATED	1538	5.0	19	1	1	4	7	10	13	21
TOTAL 0-19 YRS	36	3.1	5	1	1	3	4	7	8	10
20-34	357	3.5	12	<1	1	3	4	7	8	14
35-49	529	4.2	9	1	1	4	6	8	10	13
50-64	792	5.0	14	1	2	4	6	9	11	17
65+	751	6.0	20	1	2	5	8	11	15	21
GRAND TOTAL	**2465**	**4.9**	**15**	**1**	**1**	**4**	**6**	**9**	**12**	**19**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	1.4	1	<1	<1	1	2	3	3	3
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49										
50-64	2	3.0		3	3	3	3	3	3	3
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	284	1.7	1	<1	<1	1	2	3	3	5
20-34	157	2.2	1	1	1	2	3	4	4	7
35-49	181	2.4	2	1	1	2	3	4	5	7
50-64	283	2.7	3	1	1	2	3	4	5	9
65+	168	2.6	3	1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	1.8	2	<1	<1	1	2	4	5	6
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	3	5.3	9	2	2	6	7	8	8	8
50-64	7	4.4	9	<1	<1	4	6	9	9	9
65+	11	3.8	18	<1	<1	2	6	10	14	14
B. *Operated*										
0-19 YRS	307	1.9	2	<1	1	2	2	3	4	7
20-34	102	3.4	4	1	1	3	4	6	7	12
35-49	134	3.2	5	1	1	3	4	6	8	11
50-64	346	4.0	12	1	1	3	5	7	11	20
65+	342	4.5	15	1	2	3	5	8	12	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	2.2	2	<1	<1	1	3	5	5	5
B. *Operated*	1073	2.3	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	51	2.8	8	<1	<1	1	4	7	8	14
B. *Operated*	1231	3.5	10	1	1	3	4	6	9	16
1. SINGLE DX	1086	2.3	2	1	1	2	3	4	5	7
2. MULTIPLE DX	1282	3.4	10	1	1	3	4	6	9	16
A. NOT OPERATED	64	2.6	7	<1	<1	1	3	6	8	13
B. OPERATED	2304	2.9	7	1	1	2	3	5	7	14
TOTAL 0-19 YRS	628	1.8	1	<1	<1	1	2	3	4	6
20-34	262	2.7	3	1	1	2	3	5	6	9
35-49	318	2.7	4	1	1	2	4	5	6	10
50-64	638	3.4	8	1	1	3	4	6	8	15
65+	522	3.9	12	1	1	3	4	7	10	17
GRAND TOTAL	**2368**	**2.9**	**7**	**1**	**1**	**2**	**3**	**5**	**7**	**14**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	135	3.6	6	1	1	3	5	7	8	11
20-34	321	3.9	6	1	1	4	5	7	8	13
35-49	162	4.5	5	2	2	4	6	8	9	13
50-64	105	5.2	4	3	3	5	6	7	10	12
65+	55	5.5	4	3	3	5	7	9	9	10
B. *Operated*										
0-19 YRS	55	2.9	5	<1	1	2	3	7	8	11
20-34	101	3.6	8	1	1	3	5	7	9	14
35-49	80	4.1	10	1	1	3	5	8	10	17
50-64	64	4.1	9	1	1	3	6	9	10	13
65+	33	4.2	9	1	1	3	6	8	11	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	71	4.0	7	1	1	3	5	8	10	13
20-34	184	4.6	6	1	2	4	6	8	9	14
35-49	192	5.4	7	2	2	5	7	9	11	13
50-64	258	6.1	10	2	3	5	8	10	12	17
65+	287	6.4	14	2	3	6	8	11	14	20
B. *Operated*										
0-19 YRS	50	3.5	6	1	1	3	4	7	8	11
20-34	126	5.0	21	1	1	4	7	10	12	22
35-49	111	5.5	36	1	2	4	7	10	13	32
50-64	200	7.0	20	2	2	6	9	12	15	25
65+	234	8.7	32	2	3	7	11	17	20	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	778	4.3	6	1	2	4	5	7	9	12
B. *Operated*	333	3.8	8	1	1	3	5	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	992	5.6	10	2	2	5	7	10	12	17
B. *Operated*	721	6.7	28	1	2	5	9	13	16	25
1. SINGLE DX	1111	4.1	7	1	1	4	5	7	9	13
2. MULTIPLE DX	1713	6.1	18	2	2	5	8	11	14	21
A. NOT OPERATED	1770	5.0	9	1	2	4	6	9	10	16
B. OPERATED	1054	5.8	24	1	1	4	8	11	15	22
TOTAL 0-19 YRS	311	3.6	6	1	1	3	5	7	8	11
20-34	732	4.2	9	1	1	4	5	8	9	14
35-49	545	4.9	13	1	2	4	6	9	10	15
50-64	627	6.0	13	2	2	5	8	10	12	18
65+	609	7.1	21	2	3	6	9	13	17	22
GRAND TOTAL	**2824**	**5.3**	**14**	**1**	**2**	**4**	**7**	**10**	**12**	**19**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	204	1.6	1	<1	<1	1	2	2	3	4
20-34	49	1.7	1	<1	<1	2	2	2	3	5
35-49	28	1.7		<1	<1	2	2	3	3	3
50-64	23	1.6	1	<1	<1	1	2	3	3	3
65+	15	1.7	1	<1	<1	2	2	3	3	3
B. *Operated*										
0-19 YRS	207	1.4		<1	<1	1	2	2	3	3
20-34	54	1.7	1	<1	1	2	2	3	3	4
35-49	51	1.4		<1	<1	1	2	2	3	4
50-64	41	1.5	1	<1	1	1	2	2	3	6
65+	19	2.1	1	<1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	2.3	4	<1	<1	2	2	5	7	10
20-34	25	2.0	2	<1	1	2	2	4	5	5
35-49	39	3.6	12	<1	1	3	4	9	12	16
50-64	47	2.7	4	<1	<1	2	3	6	7	8
65+	64	2.7	5	1	1	2	3	5	6	14
B. *Operated*										
0-19 YRS	99	1.6	1	<1	<1	1	2	3	4	6
20-34	68	2.0	2	<1	1	2	2	4	4	7
35-49	107	3.1	6	1	1	2	4	7	8	12
50-64	162	2.9	5	1	1	2	4	6	8	12
65+	170	3.6	12	1	1	2	4	8	9	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	319	1.6	1	<1	<1	2	2	2	3	4
B. *Operated*	372	1.5	1	<1	<1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	232	2.7	6	<1	1	2	3	5	8	13
B. *Operated*	606	2.8	7	<1	1	2	3	6	8	12
1. SINGLE DX	691	1.6	1	<1	<1	1	2	2	3	4
2. MULTIPLE DX	838	2.8	6	<1	1	2	3	6	8	12
A. NOT OPERATED	551	2.1	3	<1	<1	2	2	4	5	10
B. OPERATED	978	2.3	5	<1	<1	2	3	5	7	11
TOTAL 0-19 YRS	567	1.6	1	<1	<1	1	2	2	3	6
20-34	196	1.9	1	<1	1	2	2	3	4	6
35-49	225	2.6	6	<1	1	2	3	5	7	12
50-64	273	2.5	4	<1	1	2	3	6	7	12
65+	268	3.2	9	1	1	2	3	7	9	15
GRAND TOTAL	**1529**	**2.2**	**4**	**<1**	**<1**	**2**	**2**	**4**	**6**	**10**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	78	2.0	2	<1	1	1	3	4	5	7
20-34	49	2.0	4	<1	<1	1	2	3	7	10
35-49	32	2.8	4	<1	1	2	4	6	8	9
50-64	37	2.2	4	1	1	1	2	5	6	10
65+	15	2.8	6	<1	1	2	4	7	8	8
B. *Operated*										
0-19 YRS	760	1.8	2	1	1	1	2	3	4	7
20-34	445	2.2	3	1	1	2	3	4	5	10
35-49	296	2.8	9	<1	1	2	4	5	7	14
50-64	354	3.1	3	1	1	3	4	5	6	8
65+	135	2.9	3	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	71	3.8	73	<1	1	2	4	7	9	59
20-34	81	4.6	17	1	1	4	6	8	14	22
35-49	89	4.2	20	<1	1	3	5	8	10	27
50-64	102	4.0	11	<1	1	3	6	8	10	17
65+	82	6.2	32	1	1	5	8	12	18	31
B. *Operated*										
0-19 YRS	361	2.7	7	1	1	2	3	5	8	11
20-34	393	3.4	10	1	1	3	4	6	9	17
35-49	460	4.3	30	1	1	3	5	8	10	22
50-64	744	4.7	21	1	2	4	6	8	11	18
65+	494	5.9	52	1	2	4	6	12	18	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	211	2.2	4	<1	1	1	3	5	7	9
B. *Operated*	1990	2.4	4	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	425	4.5	29	1	1	3	6	9	11	22
B. *Operated*	2452	4.4	26	1	1	3	5	8	11	23
1. SINGLE DX	2201	2.4	4	1	1	2	3	4	6	9
2. MULTIPLE DX	2877	4.4	26	1	1	3	5	8	11	23
A. NOT OPERATED	636	3.8	22	<1	1	2	5	8	10	19
B. OPERATED	4442	3.5	17	1	1	2	4	7	9	18
TOTAL 0-19 YRS	1270	2.2	8	1	1	2	2	4	5	9
20-34	968	2.9	7	1	1	2	4	6	8	15
35-49	877	3.8	21	1	1	3	5	7	9	16
50-64	1237	4.1	15	1	1	3	5	7	10	16
65+	726	5.3	41	1	1	4	6	10	17	29
GRAND TOTAL	**5078**	**3.5**	**18**	**1**	**1**	**2**	**4**	**7**	**9**	**18**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	8	2.1	2	1	1	2	3	4	4	4
35-49	17	2.4	9	<1	<1	1	2	5	10	13
50-64	6	1.5	1	1	1	1	2	3	3	3
65+	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
0-19 YRS	35	1.7	1	<1	<1	2	2	3	4	4
20-34	455	2.3	2	<1	1	2	3	4	5	8
35-49	1547	2.3	3	<1	1	2	3	4	5	9
50-64	797	2.1	1	<1	1	2	2	3	4	7
65+	268	2.2	1	1	1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	16	2.6	3	<1	1	2	4	5	6	6
35-49	39	3.9	8	<1	1	3	6	8	10	10
50-64	21	3.0	15	<1	1	1	4	6	12	18
65+	19	4.2	12	1	1	3	5	11	12	12
B. *Operated*										
0-19 YRS	23	2.9	4	<1	<1	2	4	6	7	8
20-34	327	3.4	8	1	1	2	4	7	9	13
35-49	1305	3.1	6	1	1	2	4	6	7	12
50-64	968	3.1	6	1	1	2	4	6	8	13
65+	653	3.3	7	1	1	2	4	6	8	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	2.1	5	<1	1	1	3	4	5	13
B. *Operated*	3102	2.2	2	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	96	3.5	9	<1	1	3	5	7	10	15
B. *Operated*	3276	3.2	6	1	1	2	4	6	8	13
1. SINGLE DX	3136	2.2	2	<1	1	2	3	4	5	8
2. MULTIPLE DX	3372	3.2	6	1	1	2	4	6	8	13
A. NOT OPERATED	130	3.2	9	<1	1	2	4	7	10	14
B. OPERATED	6378	2.7	4	<1	1	2	3	5	7	11
TOTAL 0-19 YRS	60	2.2	2	<1	<1	2	2	4	6	8
20-34	806	2.7	5	<1	1	2	3	5	7	11
35-49	2908	2.7	4	<1	1	2	3	5	7	10
50-64	1792	2.6	4	1	1	2	3	5	6	11
65+	942	3.0	5	1	1	2	3	6	8	12
GRAND TOTAL	**6508**	**2.7**	**4**	**<1**	**1**	**2**	**3**	**5**	**7**	**11**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	3.9	6	2	2	3	5	6	10	13
20-34	64	3.6	5	1	1	3	5	6	9	11
35-49	21	4.7	12	1	1	4	6	10	12	14
50-64	14	3.1	5	<1	<1	2	5	7	7	7
65+	8	1.8	3	<1	<1	1	2	5	6	6
B. *Operated*										
0-19 YRS	447	2.7	3	<1	1	2	3	4	5	7
20-34	591	2.9	3	1	1	3	4	5	6	8
35-49	430	2.9	3	1	1	3	4	5	6	8
50-64	286	3.0	4	1	1	3	4	5	7	11
65+	116	2.4	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	3.4	4	<1	<1	4	5	6	7	7
20-34	59	4.4	10	1	1	4	6	7	12	15
35-49	63	5.2	40	<1	1	4	6	9	12	43
50-64	37	4.1	16	<1	<1	3	5	9	14	17
65+	42	4.7	13	1	1	4	7	9	13	14
B. *Operated*										
0-19 YRS	109	2.9	2	1	1	3	4	5	5	8
20-34	357	3.6	5	1	1	3	4	6	7	14
35-49	503	3.9	9	1	1	3	5	7	9	16
50-64	453	4.0	13	1	1	3	5	7	11	18
65+	334	4.1	16	1	2	3	5	8	10	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	128	3.7	7	<1	1	3	5	7	9	13
B. *Operated*	1870	2.8	3	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	219	4.6	20	<1	1	4	6	8	12	17
B. *Operated*	1756	3.9	10	1	1	3	5	7	9	16
1. SINGLE DX	1998	2.9	3	1	1	3	4	5	6	9
2. MULTIPLE DX	1975	3.9	11	1	1	3	5	7	9	17
A. NOT OPERATED	347	4.2	15	<1	1	3	5	8	11	17
B. OPERATED	3626	3.3	7	1	1	3	4	6	7	13
TOTAL 0-19 YRS	595	2.8	3	1	1	3	4	5	5	8
20-34	1071	3.3	4	1	1	3	4	5	7	12
35-49	1017	3.6	9	1	1	3	4	6	8	14
50-64	790	3.6	10	1	1	3	4	7	9	16
65+	500	3.7	12	1	1	3	4	7	9	16
GRAND TOTAL	**3973**	**3.4**	**8**	**1**	**1**	**3**	**4**	**6**	**8**	**14**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	531	2.4	2	1	1	2	3	4	5	7
20-34	762	2.3	2	1	1	2	3	4	5	7
35-49	148	2.6	3	1	1	2	3	4	5	9
50-64	11	1.7	1	1	1	1	2	3	5	5
65+	3	5.0	19	2	2	3	8	10	10	10
B. *Operated*										
0-19 YRS	547	4.0	5	1	1	4	5	7	8	12
20-34	1579	4.3	6	1	1	4	6	7	8	11
35-49	439	5.1	7	1	2	5	6	8	9	14
50-64	66	5.9	5	2	2	6	7	9	9	12
65+	28	7.4	6	4	5	7	9	12	12	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	384	2.9	3	1	1	2	4	5	6	9
20-34	831	3.0	4	1	1	2	4	6	7	9
35-49	208	3.8	8	1	1	3	5	7	8	16
50-64	20	3.8	5	<1	1	3	5	8	9	9
65+	19	5.7	14	2	2	5	8	11	14	15
B. *Operated*										
0-19 YRS	639	5.0	7	1	2	5	6	8	10	13
20-34	3797	5.6	10	1	2	5	7	9	11	16
35-49	1875	6.7	12	2	4	6	8	10	13	18
50-64	221	7.8	20	4	4	7	8	13	16	25
65+	146	10.6	49	4	5	9	12	17	22	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1455	2.3	2	1	1	2	3	4	5	7
B. *Operated*	2659	4.4	6	1	1	4	6	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	1462	3.1	4	1	1	3	4	6	7	9
B. *Operated*	6678	6.0	13	1	2	6	7	10	12	18
1. SINGLE DX	4114	3.7	6	1	1	3	5	7	8	11
2. MULTIPLE DX	8140	5.5	12	1	2	5	7	9	11	17
A. NOT OPERATED	2917	2.7	3	1	1	2	3	5	6	9
B. OPERATED	9337	5.6	11	1	2	5	7	9	11	17
TOTAL 0-19 YRS	2101	3.7	6	1	1	3	5	7	8	11
20-34	6969	4.6	9	1	1	4	6	8	10	15
35-49	2670	6.0	12	1	2	6	7	10	12	18
50-64	318	7.0	18	2	3	6	8	11	15	23
65+	196	9.6	42	3	4	8	11	15	20	35
GRAND TOTAL	**12254**	**4.9**	**11**	**1**	**1**	**5**	**6**	**8**	**10**	**16**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1249	4.0	4	1	2	4	5	7	8	11
20-34	2971	4.2	5	1	2	4	5	7	8	12
35-49	303	4.7	5	2	2	4	6	8	9	11
50-64	22	5.4	6	2	3	5	7	9	10	11
65+	7	6.1	16	3	3	5	8	13	14	14
B. *Operated*										
0-19 YRS	259	5.2	10	1	2	5	7	9	11	15
20-34	1196	5.1	13	1	1	5	7	9	11	16
35-49	289	5.6	11	1	2	5	7	10	12	16
50-64	46	5.2	10	1	1	5	8	9	10	13
65+	6	5.7	7	3	3	6	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1008	4.7	6	2	2	4	6	8	9	12
20-34	2895	4.9	7	2	2	4	6	8	10	14
35-49	530	5.8	9	2	3	5	7	10	12	16
50-64	67	6.2	10	3	3	5	8	11	13	15
65+	36	7.4	30	2	3	6	9	13	19	29
B. *Operated*										
0-19 YRS	573	6.4	11	2	3	6	8	11	13	17
20-34	4888	6.0	13	1	2	6	7	10	13	18
35-49	1727	7.2	19	2	3	6	8	12	15	24
50-64	208	9.8	55	2	3	8	12	19	22	45
65+	76	14.6	161	2	6	10	18	28	46	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4552	4.2	5	1	2	4	5	7	8	11
B. *Operated*	1796	5.2	12	1	1	5	7	9	11	15
2. MULTIPLE DX										
A. *Not Operated*	4536	5.0	7	2	2	5	6	8	10	14
B. *Operated*	7472	6.5	18	1	2	6	8	11	14	22
1. SINGLE DX	6348	4.5	7	1	2	4	6	8	9	13
2. MULTIPLE DX	12008	5.9	15	2	2	5	7	10	13	19
A. NOT OPERATED	9088	4.6	6	2	2	4	6	8	9	13
B. OPERATED	9268	6.3	17	1	2	6	8	10	13	20
TOTAL 0-19 YRS	3089	4.8	7	1	2	4	6	8	10	14
20-34	11950	5.2	10	1	2	5	6	9	11	16
35-49	2849	6.5	16	2	3	6	8	11	14	21
50-64	343	8.2	41	2	3	7	10	14	19	30
65+	125	11.6	121	3	3	8	14	25	29	61
GRAND TOTAL	**18356**	**5.4**	**13**	**1**	**2**	**5**	**7**	**9**	**11**	**17**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	3.3	4	<1	1	3	5	5	7	9
20-34	60	2.7	3	1	1	2	3	5	7	7
35-49	20	2.7	2	<1	1	2	3	5	6	7
50-64	1	6.0		6	6	6	6	6	6	6
65+										
B. *Operated*										
0-19 YRS	56	3.9	5	1	1	4	5	7	8	11
20-34	1009	4.6	5	1	1	5	6	7	8	10
35-49	591	5.5	4	2	3	6	7	7	8	11
50-64	30	5.4	5	2	2	5	6	9	10	10
65+	5	5.6	6	3	3	5	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	3.3	8	<1	1	3	4	5	10	14
20-34	140	3.5	7	1	1	3	5	6	8	13
35-49	44	4.3	14	<1	<1	3	6	8	9	22
50-64	2	4.5	1	4	4	4	5	5	5	5
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	78	4.3	6	1	1	4	6	7	8	11
20-34	4443	5.6	7	1	2	6	7	8	9	14
35-49	4950	6.5	5	4	4	6	7	9	10	14
50-64	509	7.3	22	4	5	7	8	10	11	17
65+	39	9.2	17	5	5	7	11	16	18	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	100	2.9	3	1	1	2	4	5	7	8
B. *Operated*	1691	4.9	5	1	2	5	6	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	206	3.7	8	<1	1	3	5	7	8	15
B. *Operated*	10019	6.1	7	2	4	6	7	9	10	14
1. SINGLE DX	1791	4.8	5	1	1	5	6	7	8	10
2. MULTIPLE DX	10225	6.1	7	2	3	6	7	9	10	14
A. NOT OPERATED	306	3.4	7	<1	1	3	4	6	8	13
B. OPERATED	11710	6.0	7	2	3	6	7	8	10	14
TOTAL 0-19 YRS	172	4.0	6	1	1	4	5	7	8	12
20-34	5652	5.4	7	1	2	5	7	8	9	13
35-49	5605	6.4	5	3	4	6	7	9	10	14
50-64	542	7.1	21	4	5	7	8	10	11	17
65+	45	8.6	18	3	5	7	11	15	17	22
GRAND TOTAL	**12016**	**5.9**	**7**	**1**	**3**	**6**	**7**	**8**	**10**	**14**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3	2	2	2	3	4	5	5	5
20-34	6	2.8	3	1	1	2	5	5	5	5
35-49	5	4.4	12	1	1	3	6	10	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS	7	2.4	2	<1	<1	2	3	5	5	5
20-34	91	2.7	4	<1	1	2	3	6	6	9
35-49	63	2.7	4	<1	1	2	4	6	7	7
50-64	29	2.3	3	<1	1	2	3	5	6	8
65+	9	1.8	1	<1	<1	2	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	5.5	5	3	3	6	7	8	8	8
20-34	17	4.2	7	1	1	3	7	8	9	9
35-49	5	3.4	2	2	2	4	4	5	5	5
50-64	7	2.1	2	1	1	2	2	4	5	5
65+	2	4.5	25	1	1	4	8	8	8	8
B. *Operated*										
0-19 YRS	22	3.3	6	1	1	3	4	7	8	10
20-34	603	4.5	8	1	1	5	6	8	9	13
35-49	662	5.2	9	1	1	6	7	8	10	14
50-64	173	4.9	11	1	1	5	7	9	10	15
65+	59	5.0	10	1	2	4	7	10	12	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	3.5	6	1	1	3	5	6	9	10
B. *Operated*	199	2.6	3	<1	1	2	3	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	37	3.9	6	1	1	3	6	8	8	9
B. *Operated*	1519	4.9	9	1	1	5	7	8	10	14
1. SINGLE DX	213	2.6	4	<1	1	2	3	6	7	9
2. MULTIPLE DX	1556	4.8	9	1	1	5	7	8	10	14
A. NOT OPERATED	51	3.8	6	1	1	3	5	8	8	10
B. OPERATED	1718	4.6	9	1	1	5	7	8	9	14
TOTAL 0-19 YRS	38	3.5	5	1	1	3	5	7	8	10
20-34	717	4.3	8	<1	1	4	6	8	9	13
35-49	735	5.0	9	1	1	5	7	8	10	14
50-64	209	4.5	10	1	1	3	7	8	9	15
65+	70	4.5	10	1	1	3	7	9	11	14
GRAND TOTAL	**1769**	**4.6**	**9**	**1**	**1**	**5**	**7**	**8**	**9**	**14**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	70	3.6	7	1	1	3	4	7	8	16
20-34	178	3.6	4	1	1	3	5	6	7	11
35-49	35	3.5	3	1	1	3	5	5	7	9
50-64	8	3.5	3	<1	1	3	4	6	7	7
65+	7	4.1	6	1	1	4	6	7	7	7
B. *Operated*										
0-19 YRS	81	2.4	3	1	1	2	3	5	6	9
20-34	407	2.2	2	<1	1	2	3	4	5	7
35-49	202	2.2	3	<1	1	2	3	4	5	9
50-64	61	2.3	7	<1	<1	2	3	4	5	19
65+	23	3.3	6	1	1	2	3	8	9	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	95	4.4	8	1	2	4	6	7	11	15
20-34	256	4.4	7	1	2	4	5	7	9	12
35-49	85	5.0	9	1	2	5	6	9	10	16
50-64	35	7.7	41	2	2	6	9	16	24	28
65+	48	7.0	25	2	2	6	9	14	20	22
B. *Operated*										
0-19 YRS	70	3.4	8	1	1	3	5	7	10	13
20-34	475	4.1	9	1	1	3	6	7	10	15
35-49	283	4.7	17	1	1	4	6	9	12	20
50-64	113	5.6	47	1	1	3	6	11	17	43
65+	111	6.3	36	1	2	5	8	13	19	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	298	3.6	5	1	1	3	5	6	7	11
B. Operated	774	2.3	3	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. Not Operated	519	5.0	12	1	2	4	6	9	11	21
B. Operated	1052	4.6	18	1	1	3	6	9	12	22
1. SINGLE DX	1072	2.6	4	<1	1	2	3	5	6	9
2. MULTIPLE DX	1571	4.7	16	1	1	4	6	9	12	22
A. NOT OPERATED	817	4.5	10	1	2	4	5	8	10	17
B. OPERATED	1826	3.6	13	1	1	2	5	7	10	18
TOTAL 0-19 YRS	316	3.5	7	1	1	3	5	7	9	13
20-34	1316	3.5	7	1	1	3	5	7	8	12
35-49	605	3.8	11	1	1	3	5	7	10	17
50-64	217	4.9	37	<1	1	3	6	10	16	32
65+	189	6.0	29	1	2	5	8	12	18	30
GRAND TOTAL	**2643**	**3.9**	**12**	**1**	**1**	**3**	**5**	**7**	**10**	**18**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	9	3.7	8	<1	<1	4	5	8	9	9
50-64	3	2.3	1	1	1	3	3	3	3	3
65+	3	3.0	4	<1	<1	3	4	5	5	5
B. *Operated*										
0-19 YRS	4	8.8	20	5	5	8	12	14	14	14
20-34	326	5.7	4	3	4	6	7	8	10	12
35-49	649	6.2	5	3	4	6	7	9	10	13
50-64	998	6.7	6	3	4	6	8	10	11	14
65+	793	6.8	6	4	4	7	8	10	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	19	3.5	11	<1	<1	2	4	10	11	11
35-49	45	2.3	3	<1	1	2	3	5	6	7
50-64	65	2.8	7	<1	<1	2	4	6	8	16
65+	94	4.9	20	1	1	4	6	10	11	27
B. *Operated*										
0-19 YRS	13	6.1	5	3	3	6	8	9	9	9
20-34	1615	6.5	5	4	4	6	7	9	10	15
35-49	3389	7.1	7	4	5	7	8	10	12	17
50-64	3173	7.6	9	4	5	7	9	11	13	18
65+	3264	8.4	18	4	5	8	9	12	15	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	3.3	6	<1	<1	3	5	6	8	9
B. Operated	2770	6.5	5	3	4	6	8	9	10	14
2. MULTIPLE DX										
A. Not Operated	223	3.7	13	<1	1	3	5	8	10	19
B. Operated	11454	7.5	11	4	5	7	9	11	13	19
1. SINGLE DX	2785	6.5	6	3	4	6	8	9	10	14
2. MULTIPLE DX	11677	7.4	11	4	5	7	9	11	13	19
A. NOT OPERATED	238	3.6	13	<1	1	3	5	8	10	18
B. OPERATED	14224	7.3	10	4	4	7	8	10	12	18
TOTAL 0-19 YRS	17	6.7	9	3	3	6	9	11	13	14
20-34	1960	6.3	5	3	4	6	7	9	10	14
35-49	4092	6.9	7	3	4	7	8	10	11	16
50-64	4239	7.3	8	4	4	7	8	11	12	17
65+	4154	8.0	16	4	5	7	9	12	14	22
GRAND TOTAL	**14462**	**7.3**	**10**	**4**	**4**	**7**	**8**	**10**	**12**	**18**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	16	1.6	1	<1	<1	1	2	3	4	5
35-49	4	4.5	49	1	1	1	8	15	15	15
50-64										
65+										
B. *Operated*										
0-19 YRS	5	1.8	1	1	1	1	3	3	3	3
20-34	67	1.8	1	<1	1	2	2	3	4	7
35-49	65	1.7	1	<1	<1	1	2	3	4	7
50-64	11	1.5		1	1	1	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	2.7	3	1	1	2	4	5	5	5
20-34	13	2.4	2	1	1	3	3	4	5	5
35-49	12	5.8	164	<1	<1	2	4	19	42	46
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	6	2.7	3	1	1	2	3	6	6	6
20-34	144	3.9	8	<1	1	3	6	7	8	14
35-49	244	4.6	11	<1	1	4	7	8	10	14
50-64	39	4.5	10	<1	1	5	7	9	11	12
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	2.0	9	<1	<1	1	2	4	8	15
B. *Operated*	148	1.7	1	<1	1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	32	3.7	62	<1	1	2	3	5	7	46
B. *Operated*	433	4.3	10	<1	1	4	6	8	9	14
1. SINGLE DX	171	1.8	2	<1	1	1	2	3	4	7
2. MULTIPLE DX	465	4.3	14	<1	1	4	6	8	9	14
A. NOT OPERATED	55	3.0	40	<1	<1	1	3	5	7	44
B. OPERATED	581	3.7	9	<1	1	2	6	7	9	13
TOTAL 0-19 YRS	20	2.3	2	1	1	2	3	4	5	6
20-34	240	3.1	6	<1	1	2	5	7	7	12
35-49	325	4.1	16	<1	1	3	6	8	9	15
50-64	51	3.8	9	1	1	2	6	8	10	12
65+										
GRAND TOTAL	**636**	**3.6**	**12**	**<1**	**1**	**2**	**6**	**7**	**9**	**14**

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	139	1.9	1	<1	1	1	3	4	5	15
20-34	292	1.8	1	<1	<1	1	2	3	4	6
35-49	92	1.9	1	<1	<1	1	2	4	5	6
50-64	10	2.8	14	<1	<1	2	3	8	13	13
65+										
B. *Operated*										
0-19 YRS	191	1.9	2	<1	1	2	2	3	4	8
20-34	1609	2.2	3	<1	<1	2	2	5	6	8
35-49	1504	2.5	4	<1	<1	2	3	6	7	9
50-64	185	2.1	3	<1	<1	1	2	5	6	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	205	2.8	3	1	1	2	4	5	6	10
20-34	497	2.8	5	1	1	2	4	5	7	13
35-49	292	2.6	7	<1	<1	2	3	5	7	12
50-64	29	2.8	10	<1	1	1	3	6	10	15
65+										
B. *Operated*										
0-19 YRS	232	3.0	4	1	1	2	4	6	8	9
20-34	4254	4.4	9	1	1	4	6	8	9	13
35-49	6417	5.0	10	1	1	5	7	8	10	14
50-64	727	4.5	9	1	1	4	7	8	9	13
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	533	1.9	2	<1	1	1	2	3	5	6
B. *Operated*	3489	2.3	3	<1	<1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	1023	2.8	5	<1	1	2	3	5	7	12
B. *Operated*	11630	4.7	10	1	1	5	7	8	9	14
1. SINGLE DX	4022	2.3	3	<1	<1	2	3	5	6	8
2. MULTIPLE DX	12653	4.5	10	1	1	4	6	8	9	13
A. NOT OPERATED	1556	2.5	4	<1	1	2	3	5	6	12
B. OPERATED	15119	4.1	9	<1	1	4	6	8	9	13
TOTAL 0-19 YRS	767	2.5	3	1	1	2	3	5	6	9
20-34	6652	3.6	8	<1	1	3	5	7	8	12
35-49	8305	4.4	10	<1	1	4	6	8	9	14
50-64	951	4.0	9	<1	1	3	6	8	9	13
65+										
GRAND TOTAL	**16675**	**4.0**	**9**	**<1**	**1**	**3**	**6**	**8**	**9**	**13**

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	10	2.5	1	1	1	3	3	4	4	4
50-64	10	2.8	6	1	1	2	3	7	9	9
65+	8	3.1	8	1	1	2	5	8	8	8
B. *Operated*										
0-19 YRS										
20-34	5	3.0	6	<1	<1	2	5	6	6	6
35-49	131	1.6	1	<1	<1	1	2	3	4	6
50-64	481	1.8	2	<1	<1	2	2	3	4	9
65+	180	2.0	2	1	1	2	2	3	4	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	21	5.2	13	1	1	4	7	10	13	15
50-64	57	3.8	8	<1	1	3	5	8	9	13
65+	64	3.9	11	1	1	3	5	8	9	18
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	16	4.6	7	1	1	5	6	9	9	9
35-49	276	3.9	10	<1	1	3	6	8	10	15
50-64	1235	3.6	10	<1	1	2	5	8	10	16
65+	733	3.6	11	1	1	2	5	8	10	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	2.8	5	1	1	2	3	6	8	9
B. *Operated*	797	1.8	2	<1	<1	2	2	3	4	9
2. MULTIPLE DX										
A. *Not Operated*	145	4.0	10	1	1	3	6	8	10	16
B. *Operated*	2261	3.6	11	1	1	2	5	8	10	15
1. SINGLE DX	825	1.9	2	<1	<1	2	2	3	5	9
2. MULTIPLE DX	2406	3.7	11	1	1	2	5	8	10	15
A. NOT OPERATED	173	3.8	9	1	1	3	5	8	9	16
B. OPERATED	3058	3.2	9	<1	1	2	4	7	9	13
TOTAL 0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	23	4.1	6	<1	1	4	6	7	9	9
35-49	438	3.3	8	<1	<1	2	5	7	9	12
50-64	1783	3.1	9	<1	1	2	4	7	9	13
65+	985	3.3	10	1	1	2	4	7	9	14
GRAND TOTAL	**3231**	**3.2**	**9**	**<1**	**1**	**2**	**4**	**7**	**9**	**13**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	62	2.5	4	<1	<1	2	3	4	5	12
20-34	120	2.3	3	<1	<1	2	3	5	6	10
35-49	31	2.7	5	1	1	2	3	6	8	10
50-64	7	1.7		1	1	2	2	2	2	2
65+	10	2.3	1	<1	<1	2	3	4	4	4
B. *Operated*										
0-19 YRS	136	3.1	7	<1	1	2	4	6	7	15
20-34	1156	3.0	6	<1	1	2	4	6	7	12
35-49	831	3.3	7	<1	1	2	5	7	8	12
50-64	417	3.4	10	<1	1	2	5	7	8	18
65+	145	3.0	8	<1	1	2	3	6	8	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	68	3.1	6	1	1	3	4	6	7	14
20-34	183	3.0	5	<1	1	2	4	6	8	10
35-49	100	3.2	6	<1	<1	2	5	6	8	11
50-64	56	4.5	21	<1	1	3	6	10	12	26
65+	105	6.5	26	2	2	5	8	13	18	24
B. *Operated*										
0-19 YRS	177	4.2	10	1	1	4	6	7	9	16
20-34	2241	4.5	10	1	1	4	6	8	9	14
35-49	3207	5.0	11	<1	1	5	7	8	10	14
50-64	1820	5.5	22	1	1	5	7	10	12	23
65+	965	7.0	58	1	1	5	9	16	22	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	230	2.4	3	<1	<1	2	3	5	6	10
B. *Operated*	2685	3.2	7	<1	1	2	5	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	512	3.9	13	<1	1	3	5	8	11	21
B. *Operated*	8410	5.2	19	1	1	5	7	9	11	22
1. SINGLE DX	2915	3.1	7	<1	1	2	4	6	8	13
2. MULTIPLE DX	8922	5.1	19	1	1	5	7	9	11	22
A. NOT OPERATED	742	3.5	11	<1	1	2	4	7	9	16
B. OPERATED	11095	4.7	17	<1	1	4	6	8	11	20
TOTAL 0-19 YRS	443	3.5	8	<1	1	3	5	6	8	15
20-34	3700	3.9	9	1	1	3	6	7	9	13
35-49	4169	4.6	11	<1	1	5	7	8	9	14
50-64	2300	5.0	20	1	1	5	7	9	12	22
65+	1225	6.5	51	1	1	4	8	14	20	34
GRAND TOTAL	**11837**	**4.6**	**16**	**<1**	**1**	**4**	**6**	**8**	**11**	**19**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	270	1.9	2	1	1	1	2	3	4	7
20-34	360	2.2	3	<1	1	2	3	4	6	8
35-49	64	2.5	3	1	1	2	3	5	6	8
50-64	7	3.7	9	1	1	4	6	8	8	8
65+	3	2.3	1	1	1	3	3	3	3	3
B. *Operated*										
0-19 YRS	107	2.8	5	<1	1	2	4	6	8	10
20-34	872	3.7	6	<1	1	3	6	7	8	10
35-49	712	6.0	10	1	2	6	7	9	10	14
50-64	443	6.8	7	3	4	7	8	9	11	16
65+	205	7.1	7	3	4	7	9	11	12	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	220	2.3	3	<1	1	2	3	4	5	10
20-34	528	2.6	4	<1	1	2	3	5	7	10
35-49	150	3.2	7	<1	1	2	4	6	8	14
50-64	38	4.8	31	<1	1	3	7	10	12	31
65+	50	6.3	22	1	2	5	8	12	14	26
B. *Operated*										
0-19 YRS	150	3.4	7	1	1	3	5	7	9	11
20-34	2948	4.9	7	1	1	5	6	8	9	14
35-49	2169	6.7	10	2	3	7	8	10	11	17
50-64	1002	7.8	13	3	4	7	9	12	14	20
65+	622	8.7	20	3	4	8	10	14	17	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	704	2.1	3	<1	1	2	3	4	5	8
B. *Operated*	2339	5.2	10	1	1	5	7	9	10	14
2. MULTIPLE DX										
A. *Not Operated*	986	2.9	7	<1	1	2	3	6	8	13
B. *Operated*	6891	6.2	12	1	2	6	8	10	12	17
1. SINGLE DX	3043	4.5	10	1	1	4	7	8	9	13
2. MULTIPLE DX	7877	5.8	12	1	1	6	8	10	12	17
A. NOT OPERATED	1690	2.6	5	<1	1	2	3	5	7	11
B. OPERATED	9230	6.0	11	1	2	6	8	9	11	17
TOTAL 0-19 YRS	747	2.5	4	<1	1	2	3	5	6	10
20-34	4708	4.2	7	1	1	4	6	8	9	13
35-49	3095	6.3	10	1	2	6	8	9	11	16
50-64	1490	7.4	12	2	4	7	9	11	13	19
65+	880	8.2	18	3	4	8	10	13	16	23
GRAND TOTAL	**10920**	**5.4**	**12**	**1**	**1**	**5**	**7**	**9**	**11**	**16**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.7	1	<1	<1	1	2	4	4	4
20-34	55	2.0	2	<1	1	2	2	4	5	7
35-49	3	4.3	12	<1	<1	6	54	99+	99+	99+
50-64										
65+										
B. *Operated*										
0-19 YRS	177	4.5	2	3	3	5	5	6	7	8
20-34	2157	4.7	2	3	3	5	5	6	7	10
35-49	191	4.9	3	3	3	5	6	7	8	12
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	41	2.8	4	1	1	2	3	6	7	8
35-49	4	3.5	10	1	1	2	5	8	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	149	5.1	3	3	4	5	6	7	8	11
20-34	2213	5.3	4	3	3	5	6	7	8	12
35-49	289	5.9	10	3	4	5	7	8	11	17
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64	2.1	2	<1	<1	2	3	4	6	86
B. *Operated*	2525	4.7	2	3	3	5	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	47	2.9	4	1	1	3	3	7	8	8
B. *Operated*	2651	5.3	5	3	3	5	6	7	9	12
1. SINGLE DX	2589	4.6	3	2	3	5	5	6	7	10
2. MULTIPLE DX	2698	5.3	5	3	3	5	6	7	9	12
A. NOT OPERATED	111	2.4	3	<1	1	2	3	5	7	43
B. OPERATED	5176	5.0	4	3	3	5	6	7	8	11
TOTAL 0-19 YRS	334	4.7	2	3	3	5	5	7	7	9
20-34	4466	4.9	4	3	3	5	6	7	8	11
35-49	487	5.5	7	3	3	5	6	8	10	15
50-64										
65+										
GRAND TOTAL	**5287**	**5.0**	**4**	**3**	**3**	**5**	**6**	**7**	**8**	**11**

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	1.6	1	<1	<1	1	2	3	4	4
20-34	35	1.8	1	<1	1	1	2	3	3	6
35-49	4	1.3		1	1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	99	1.8	1	<1	<1	1	2	3	4	7
20-34	245	1.7	1	<1	<1	1	2	3	4	6
35-49	43	1.7	2	<1	<1	1	2	3	5	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	3.1	7	1	1	2	4	8	9	9
20-34	50	2.8	8	1	1	2	3	5	12	13
35-49	13	2.2	2	<1	1	2	3	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	157	2.0	4	1	1	1	2	4	6	9
20-34	453	2.7	7	1	1	2	3	6	8	14
35-49	118	2.7	6	<1	1	2	3	6	8	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	72	1.7	1	<1	1	1	2	3	3	6
B. *Operated*	387	1.7	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	72	2.8	7	1	1	2	3	5	9	13
B. *Operated*	728	2.6	6	1	1	2	3	5	8	13
1. SINGLE DX	459	1.7	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX	800	2.6	6	1	1	2	3	5	8	13
A. NOT OPERATED	144	2.2	4	<1	1	2	3	4	6	12
B. OPERATED	1115	2.3	5	<1	<1	2	2	4	6	11
TOTAL 0-19 YRS	298	1.9	3	<1	1	1	2	3	5	9
20-34	783	2.4	5	<1	<1	2	3	5	7	13
35-49	178	2.4	5	<1	<1	2	3	5	7	10
50-64										
65+										
GRAND TOTAL	1259	2.3	5	<1	1	2	2	4	6	12

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	4	1.3		1	1	1	2	2	2	2
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	6	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	2	4.0	8	2	2	4	6	6	6	6
1. SINGLE DX	7	1.7	1	1	1	1	2	4	4	4
2. MULTIPLE DX	2	4.0	8	2	2	4	6	6	6	6
A. NOT OPERATED	1	4.0		4	4	4	4	4	4	4
B. OPERATED	8	2.0	3	1	1	2	2	5	6	6
TOTAL 0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	5	2.2	5	1	1	1	3	6	6	6
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
GRAND TOTAL	9	2.2	3	1	1	2	3	5	6	6

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	325	1.6	1	<1	<1	1	2	3	4	5
20-34	1164	1.5	1	<1	<1	1	2	3	3	5
35-49	97	1.5	1	<1	<1	1	2	2	4	7
50-64										
65+										
B. *Operated*										
0-19 YRS	2166	1.5	1	<1	<1	1	2	3	3	5
20-34	11217	1.4	1	<1	<1	1	2	2	3	5
35-49	1399	1.4	1	<1	<1	1	2	2	3	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	66	2.3	22	<1	1	1	2	3	4	34
20-34	249	2.2	3	<1	1	2	3	5	6	8
35-49	35	2.0	2	1	1	2	2	4	5	7
50-64										
65+										
B. *Operated*										
0-19 YRS	390	2.4	3	<1	1	2	3	5	6	8
20-34	2171	2.2	4	<1	1	2	3	4	6	10
35-49	408	2.3	3	<1	1	2	3	5	6	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1586	1.5	1	<1	<1	1	2	3	3	5
B. *Operated*	14782	1.4	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	350	2.2	6	<1	1	2	2	4	6	8
B. *Operated*	2969	2.3	4	<1	1	2	3	4	6	10
1. SINGLE DX	16368	1.4	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX	3319	2.2	4	<1	1	2	3	4	6	10
A. NOT OPERATED	1936	1.6	2	<1	<1	1	2	3	4	6
B. OPERATED	17751	1.6	2	<1	<1	1	2	3	4	7
TOTAL 0-19 YRS	2947	1.6	2	<1	<1	1	2	3	4	6
20-34	14801	1.6	2	<1	<1	1	2	3	4	7
35-49	1939	1.6	2	<1	<1	1	2	3	4	7
50-64										
65+										
GRAND TOTAL	**19687**	**1.6**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**7**

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	83	2.7	3	<1	1	2	4	5	6	8
20-34	337	2.2	3	<1	1	2	3	4	6	10
35-49	35	1.9	2	<1	<1	1	3	4	4	6
50-64										
65+										
B. *Operated*										
0-19 YRS	189	1.9	1	<1	<1	2	2	3	4	7
20-34	1754	1.6	1	<1	<1	1	2	3	3	5
35-49	193	1.6	1	<1	<1	1	2	3	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	3.6	6	1	1	3	5	7	9	11
20-34	149	2.9	5	1	1	2	4	6	6	13
35-49	18	4.2	6	1	2	4	5	8	10	11
50-64										
65+										
B. *Operated*										
0-19 YRS	91	3.5	10	1	1	2	5	7	11	15
20-34	579	2.7	6	<1	1	2	3	5	8	13
35-49	103	2.7	7	<1	<1	2	3	5	7	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	455	2.3	3	<1	1	2	3	4	6	9
B. *Operated*	2136	1.6	1	<1	<1	1	2	3	3	6
2. MULTIPLE DX										
A. *Not Operated*	213	3.2	5	1	1	3	4	6	7	12
B. *Operated*	773	2.8	7	<1	1	2	3	6	8	14
1. SINGLE DX	2591	1.7	1	<1	<1	1	2	3	4	7
2. MULTIPLE DX	986	2.9	6	<1	1	2	3	6	8	13
A. NOT OPERATED	668	2.6	4	<1	1	2	3	5	6	10
B. OPERATED	2909	1.9	3	<1	<1	1	2	3	5	9
TOTAL 0-19 YRS	409	2.6	5	<1	1	2	3	5	6	12
20-34	2819	1.9	3	<1	<1	1	2	4	5	9
35-49	349	2.1	3	<1	<1	2	2	4	5	11
50-64										
65+										
GRAND TOTAL	**3577**	**2.0**	**3**	**<1**	**<1**	**1**	**2**	**4**	**5**	**9**

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	365	2.1	2	<1	1	2	3	4	5	7
20-34	2227	2.2	2	<1	1	2	3	4	5	7
35-49	149	2.4	2	<1	1	2	3	5	5	8
50-64										
65+										
B. *Operated*										
0-19 YRS	12	2.6	3	<1	<1	2	4	5	6	6
20-34	50	1.9	1	<1	<1	1	2	4	4	5
35-49	3	4.3	16	2	2	2	7	9	9	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	114	3.2	4	1	1	3	4	5	7	11
20-34	629	3.2	6	1	1	3	4	6	7	11
35-49	50	3.4	6	1	1	3	4	7	9	12
50-64										
65+										
B. *Operated*										
0-19 YRS	4	2.3	2	1	1	2	3	4	4	4
20-34	51	3.8	7	1	1	3	6	8	8	11
35-49	3	2.3	1	1	1	3	3	3	3	3
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2741	2.2	2	<1	1	2	3	4	5	7
B. *Operated*	65	2.1	2	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	793	3.2	5	1	1	3	4	6	7	11
B. *Operated*	58	3.7	6	1	1	3	5	7	8	11
1. SINGLE DX	2806	2.2	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	851	3.2	5	1	1	3	4	6	8	11
A. NOT OPERATED	3534	2.4	3	<1	1	2	3	4	5	9
B. OPERATED	123	2.8	5	<1	1	2	4	6	8	11
TOTAL 0-19 YRS	495	2.4	2	<1	1	2	3	4	5	7
20-34	2957	2.4	3	<1	1	2	3	4	5	9
35-49	205	2.7	4	1	1	2	3	5	7	9
50-64										
65+										
GRAND TOTAL	**3657**	**2.5**	**3**	**<1**	**1**	**2**	**3**	**4**	**5**	**9**

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	2.2	3	<1	<1	2	3	4	6	8
20-34	106	1.9	1	<1	<1	2	3	3	4	6
35-49	3	1.7		1	1	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.3	1	1	1	2	3	3	3	3
20-34	60	2.6	4	<1	1	2	3	6	7	9
35-49	3	2.3	1	1	1	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	128	1.9	1	<1	<1	2	3	3	4	7
B. *Operated*	3	3.0	1	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	67	2.6	4	<1	1	2	3	6	6	9
B. *Operated*	4	2.0	2	1	1	2	3	4	4	4
1. SINGLE DX	131	2.0	1	<1	<1	2	3	3	4	7
2. MULTIPLE DX	71	2.6	4	1	1	2	3	6	6	9
A. NOT OPERATED	195	2.2	2	<1	1	2	3	4	6	8
B. OPERATED	7	2.4	2	1	1	2	4	4	4	4
TOTAL 0-19 YRS	26	2.3	2	<1	<1	2	3	4	5	8
20-34	170	2.2	2	<1	1	2	3	4	6	8
35-49	6	2.0	1	1	1	2	3	3	3	3
50-64										
65+										
GRAND TOTAL	**202**	**2.2**	**2**	**<1**	**1**	**2**	**3**	**4**	**5**	**8**

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	334	2.9	3	1	1	2	3	5	6	10
20-34	1829	3.1	4	1	1	3	4	5	6	11
35-49	106	3.5	6	<1	1	3	4	6	8	14
50-64										
65+										
B. *Operated*										
0-19 YRS	40	3.8	12	<1	1	2	4	10	13	13
20-34	174	3.5	7	<1	1	3	4	6	9	14
35-49	17	2.7	2	1	1	2	3	5	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	122	3.1	4	<1	1	3	4	6	7	11
20-34	594	3.4	6	1	1	3	4	6	8	14
35-49	73	4.4	12	<1	1	3	6	10	12	16
50-64										
65+										
B. *Operated*										
0-19 YRS	23	4.3	9	<1	1	4	5	7	10	15
20-34	139	3.4	11	<1	<1	2	5	8	10	16
35-49	16	4.6	8	<1	<1	5	7	7	9	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2269	3.1	4	1	1	3	4	5	7	11
B. *Operated*	231	3.5	7	<1	1	3	4	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	789	3.5	6	1	1	3	4	6	8	13
B. *Operated*	178	3.7	10	<1	<1	3	5	8	10	16
1. SINGLE DX	2500	3.1	4	1	1	3	4	5	7	11
2. MULTIPLE DX	967	3.5	7	<1	1	3	4	7	9	14
A. NOT OPERATED	3058	3.2	4	1	1	3	4	5	7	11
B. OPERATED	409	3.5	9	<1	1	3	5	7	9	14
TOTAL 0-19 YRS	519	3.1	4	1	1	3	4	5	7	12
20-34	2736	3.2	5	1	1	3	4	5	7	12
35-49	212	3.8	8	<1	1	3	5	7	9	14
50-64										
65+										
GRAND TOTAL	**3467**	**3.2**	**5**	**1**	**1**	**3**	**4**	**6**	**7**	**12**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	568	3.3	4	1	1	3	4	5	7	12
20-34	2890	3.8	6	1	2	3	5	6	8	12
35-49	97	4.6	6	1	2	4	5	8	10	13
50-64										
65+										
B. *Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	16	5.5	45	<1	<1	3	8	13	22	26
35-49	2	13.5	181	4	4	13	23	23	23	23
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	346	3.9	8	1	1	3	5	7	10	15
20-34	1341	4.3	19	1	2	3	5	8	9	16
35-49	55	4.3	5	1	2	4	6	7	8	11
50-64										
65+										
B. *Operated*										
0-19 YRS	9	4.2	13	<1	<1	4	6	10	11	11
20-34	43	9.2	98	1	2	5	11	22	33	42
35-49	1	7.0		7	7	7	7	7	7	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3555	3.7	6	1	2	3	4	6	8	12
B. *Operated*	20	5.9	54	<1	<1	3	8	18	24	26
2. MULTIPLE DX										
A. *Not Operated*	1742	4.2	16	1	2	3	5	7	9	15
B. *Operated*	53	8.3	85	1	1	5	9	20	31	42
1. SINGLE DX	3575	3.7	6	1	2	3	4	6	8	12
2. MULTIPLE DX	1795	4.3	19	1	2	3	5	8	10	19
A. NOT OPERATED	5297	3.9	9	1	2	3	5	7	8	13
B. OPERATED	73	7.6	77	<1	1	4	9	20	28	41
TOTAL 0-19 YRS	925	3.5	6	1	1	3	4	6	8	13
20-34	4290	4.0	11	1	2	3	5	7	9	15
35-49	155	4.6	8	1	2	4	6	8	10	14
50-64										
65+										
GRAND TOTAL	**5370**	**3.9**	**10**	**1**	**2**	**3**	**5**	**7**	**9**	**14**

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2194	1.1	1	<1	<1	<1	1	1	2	4
20-34	8568	1.1	1	<1	<1	<1	1	1	2	4
35-49	405	1.2	1	<1	<1	1	1	1	2	4
50-64										
65+										
B. *Operated*										
0-19 YRS	296	1.2	1	<1	<1	<1	1	1	2	4
20-34	1098	1.2	1	<1	<1	<1	1	1	2	5
35-49	55	1.5	11	<1	<1	<1	1	1	2	24
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	251	1.5	1	<1	<1	1	2	3	4	5
20-34	945	1.6	3	<1	<1	1	2	3	4	9
35-49	47	1.2	1	<1	<1	1	1	2	3	5
50-64										
65+										
B. *Operated*										
0-19 YRS	42	2.0	4	<1	<1	1	2	4	7	10
20-34	178	2.2	8	<1	<1	1	2	4	6	17
35-49	10	1.0		<1	<1	1	1	1	1	1
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11167	1.1	1	<1	<1	<1	1	1	2	4
B. *Operated*	1449	1.2	1	<1	<1	<1	1	1	2	5
2. MULTIPLE DX										
A. *Not Operated*	1243	1.6	3	<1	<1	1	2	3	4	8
B. *Operated*	230	2.1	7	<1	<1	1	2	4	6	15
1. SINGLE DX	12616	1.1	1	<1	<1	<1	1	1	2	4
2. MULTIPLE DX	1473	1.7	4	<1	<1	1	2	3	4	9
A. NOT OPERATED	12410	1.2	1	<1	<1	<1	1	1	2	4
B. OPERATED	1679	1.3	2	<1	<1	<1	1	2	3	6
TOTAL 0-19 YRS	2783	1.2	1	<1	<1	<1	1	1	2	4
20-34	10789	1.2	1	<1	<1	<1	1	1	2	5
35-49	517	1.2	2	<1	<1	1	1	1	2	4
50-64										
65+										
GRAND TOTAL	**14089**	**1.2**	**1**	**<1**	**<1**	**<1**	**1**	**1**	**2**	**5**

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	86	2.6	4	<1	1	2	4	4	6	12
20-34	669	3.1	10	<1	1	2	4	6	7	18
35-49	69	3.0	13	<1	1	2	3	6	8	24
50-64										
65+										
B. *Operated*										
0-19 YRS	5	1.2		<1	<1	1	1	2	2	2
20-34	53	3.5	15	<1	1	2	4	8	15	16
35-49	6	5.8	28	1	1	4	6	15	16	16
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	2.8	3	<1	<1	3	4	5	6	9
20-34	219	4.1	18	1	1	3	5	7	9	28
35-49	27	3.5	8	1	1	3	5	8	9	12
50-64										
65+										
B. *Operated*										
0-19 YRS	7	4.9	9	1	1	4	7	9	10	10
20-34	32	5.2	26	1	1	4	6	11	18	24
35-49	4	4.0	3	2	2	4	5	6	6	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	824	3.0	9	<1	1	2	4	5	7	17
B. *Operated*	64	3.5	16	<1	1	2	4	7	15	16
2. MULTIPLE DX										
A. *Not Operated*	272	3.9	16	1	1	3	5	7	9	28
B. *Operated*	43	5.0	21	1	1	4	6	10	15	24
1. SINGLE DX	888	3.1	10	<1	1	2	4	6	7	16
2. MULTIPLE DX	315	4.1	17	1	1	3	5	8	10	27
A. NOT OPERATED	1096	3.2	11	<1	1	2	4	6	8	20
B. OPERATED	107	4.1	18	<1	1	3	5	10	15	21
TOTAL 0-19 YRS	124	2.7	4	<1	<1	2	4	5	6	11
20-34	973	3.4	13	<1	1	3	4	6	8	21
35-49	106	3.3	12	<1	1	2	4	7	8	21
50-64										
65+										
GRAND TOTAL	**1203**	**3.3**	**12**	**<1**	**1**	**2**	**4**	**6**	**8**	**20**

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	189	1.7	1	<1	<1	1	2	3	4	7
20-34	936	2.1	4	<1	<1	1	2	4	5	12
35-49	55	1.8	1	<1	<1	1	3	3	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	20	1.6	1	<1	<1	1	2	3	4	4
20-34	89	1.9	2	<1	<1	1	2	3	4	8
35-49	11	1.3		<1	<1	1	1	2	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	79	2.5	5	<1	<1	2	3	4	7	13
20-34	324	2.9	9	<1	1	2	4	6	8	15
35-49	23	2.8	4	<1	1	2	3	6	8	9
50-64										
65+										
B. *Operated*										
0-19 YRS	8	3.1	11	1	1	2	3	9	11	11
20-34	42	4.9	31	<1	1	3	5	13	18	27
35-49	3	1.7		<1	<1	2	2	2	2	2
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1180	2.0	4	<1	<1	1	2	4	5	11
B. *Operated*	120	1.8	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	426	2.8	8	<1	1	2	3	6	8	14
B. *Operated*	53	4.4	27	<1	1	3	5	11	18	27
1. SINGLE DX	1300	2.0	4	<1	<1	1	2	3	5	10
2. MULTIPLE DX	479	3.0	10	<1	1	2	3	6	9	18
A. NOT OPERATED	1606	2.2	5	<1	<1	1	3	4	6	12
B. OPERATED	173	2.6	11	<1	<1	2	3	4	8	19
TOTAL 0-19 YRS	296	1.9	3	<1	<1	1	2	4	4	10
20-34	1391	2.3	6	<1	<1	1	3	4	6	13
35-49	92	2.0	2	<1	<1	2	3	3	4	8
50-64										
65+										
GRAND TOTAL	**1779**	**2.2**	**6**	**<1**	**<1**	**1**	**3**	**4**	**6**	**12**

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	416	3.0	3	<1	1	3	4	5	6	9
20-34	918	2.8	3	<1	1	3	4	5	6	8
35-49	27	2.8	2	<1	1	3	4	5	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	38	2.0	3	<1	<1	1	2	5	6	6
20-34	65	2.7	5	<1	<1	2	4	5	7	11
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	594	3.4	4	<1	1	3	5	6	7	9
20-34	1199	3.3	5	<1	1	3	4	6	7	12
35-49	41	3.0	5	<1	<1	2	4	6	8	9
50-64										
65+										
B. *Operated*										
0-19 YRS	37	3.2	4	<1	<1	3	5	6	7	8
20-34	110	4.1	9	<1	1	4	6	8	10	16
35-49	7	4.1	6	<1	<1	4	6	8	8	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1361	2.8	3	<1	1	3	4	5	6	8
B. *Operated*	104	2.4	4	<1	<1	1	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	1834	3.4	5	<1	1	3	4	6	7	10
B. *Operated*	154	3.9	8	<1	1	3	5	8	9	14
1. SINGLE DX	1465	2.8	3	<1	<1	3	4	5	6	8
2. MULTIPLE DX	1988	3.4	5	<1	1	3	4	6	7	11
A. NOT OPERATED	3195	3.1	4	<1	1	3	4	6	6	9
B. OPERATED	258	3.3	7	<1	<1	3	5	7	8	11
TOTAL 0-19 YRS	1085	3.2	4	<1	<1	3	4	6	6	9
20-34	2292	3.1	5	<1	1	3	4	6	7	10
35-49	76	3.0	4	<1	<1	3	4	6	7	9
50-64										
65+										
GRAND TOTAL	**3453**	**3.2**	**4**	**<1**	**1**	**3**	**4**	**6**	**7**	**10**

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	97	3.4	9	<1	1	3	4	6	7	20
20-34	700	3.6	10	<1	1	3	4	7	8	13
35-49	76	4.1	7	1	1	3	5	8	9	13
50-64										
65+										
B. *Operated*										
0-19 YRS	13	2.3	3	<1	<1	2	3	5	6	6
20-34	44	3.9	12	<1	<1	3	5	10	11	15
35-49	6	2.7	4	<1	<1	2	4	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	451	3.5	21	<1	<1	2	4	7	9	24
20-34	2604	3.7	12	<1	1	3	5	7	9	18
35-49	238	4.2	9	1	1	4	6	8	11	16
50-64										
65+										
B. *Operated*										
0-19 YRS	48	6.1	80	<1	1	4	7	10	16	61
20-34	312	5.1	25	<1	1	4	7	10	14	29
35-49	20	5.8	14	<1	1	5	9	11	12	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	873	3.6	9	<1	1	3	4	7	8	14
B. *Operated*	63	3.5	9	<1	<1	2	5	7	10	15
2. MULTIPLE DX										
A. *Not Operated*	3293	3.7	13	<1	1	3	5	7	9	18
B. *Operated*	380	5.3	32	<1	1	4	7	11	14	30
1. SINGLE DX	936	3.6	9	<1	1	3	4	7	8	14
2. MULTIPLE DX	3673	3.9	16	<1	1	3	5	8	10	19
A. NOT OPERATED	4166	3.7	13	<1	1	3	5	7	9	17
B. OPERATED	443	5.0	29	<1	1	4	7	10	13	28
TOTAL 0-19 YRS	609	3.7	24	<1	<1	3	4	7	9	24
20-34	3660	3.8	13	<1	1	3	5	7	10	19
35-49	340	4.2	9	1	1	4	6	8	11	14
50-64										
65+										
GRAND TOTAL	**4609**	**3.8**	**14**	**<1**	**1**	**3**	**5**	**7**	**10**	**18**

268: Miscellaneous complications of pregnancy without delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1280	2.1	5	<1	<1	1	3	4	5	12
20-34	5236	2.2	7	<1	<1	1	3	4	6	12
35-49	245	2.7	14	<1	<1	1	3	6	7	12
50-64										
65+										
B. *Operated*										
0-19 YRS	268	2.3	3	<1	<1	2	3	5	6	8
20-34	2171	2.5	10	<1	<1	2	3	4	6	15
35-49	165	2.3	4	<1	<1	2	3	5	6	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	663	2.7	5	<1	<1	2	3	5	7	12
20-34	2692	3.1	17	<1	<1	2	4	6	8	19
35-49	195	4.2	71	<1	<1	2	4	8	11	61
50-64										
65+										
B. *Operated*										
0-19 YRS	180	3.0	10	<1	<1	2	4	6	8	18
20-34	1150	3.4	20	<1	<1	2	4	7	10	22
35-49	87	3.6	10	<1	<1	3	5	8	10	17
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6761	2.2	7	<1	<1	1	3	4	6	12
B. *Operated*	2604	2.5	9	<1	<1	2	3	5	6	14
2. MULTIPLE DX										
A. *Not Operated*	3550	3.1	18	<1	<1	2	4	6	8	18
B. *Operated*	1417	3.4	18	<1	<1	2	4	7	10	21
1. SINGLE DX	9365	2.3	7	<1	<1	1	3	4	6	12
2. MULTIPLE DX	4967	3.2	18	<1	<1	2	4	6	9	19
A. NOT OPERATED	10311	2.5	11	<1	<1	2	3	5	7	14
B. OPERATED	4021	2.8	12	<1	<1	2	3	5	8	17
TOTAL 0-19 YRS	2391	2.4	6	<1	<1	2	3	5	6	12
20-34	11249	2.6	11	<1	<1	2	3	5	7	15
35-49	692	3.1	28	<1	<1	2	4	6	8	17
50-64										
65+										
GRAND TOTAL	**14332**	**2.6**	**11**	**<1**	**<1**	**2**	**3**	**5**	**7**	**15**

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	113	2.9	1	2	2	3	3	4	4	7
20-34	519	3.0	1	2	2	3	3	4	5	7
35-49	31	3.5	4	2	2	3	4	6	8	10
50-64										
65+										
B. *Operated*										
0-19 YRS	44	3.7	5	2	2	3	4	6	7	15
20-34	340	3.8	3	2	2	3	5	6	6	10
35-49	34	3.9	3	2	2	4	5	6	7	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	223	3.2	2	2	2	3	4	4	5	8
20-34	1001	3.3	7	1	2	3	4	4	6	11
35-49	52	3.8	7	2	2	3	4	6	8	17
50-64										
65+										
B. *Operated*										
0-19 YRS	232	5.6	58	2	2	4	5	9	17	40
20-34	1947	5.4	29	2	3	4	6	8	11	37
35-49	195	5.5	35	2	3	5	6	8	10	41
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	663	3.0	1	2	2	3	3	4	5	7
B. Operated	418	3.8	3	2	2	3	5	6	6	11
2. MULTIPLE DX										
A. Not Operated	1276	3.3	6	2	2	3	4	4	6	12
B. Operated	2374	5.4	32	2	3	4	6	8	12	37
1. SINGLE DX	1081	3.3	2	2	2	3	4	5	6	9
2. MULTIPLE DX	3650	4.7	24	2	2	4	5	7	9	33
A. NOT OPERATED	1939	3.2	5	2	2	3	4	4	5	8
B. OPERATED	2792	5.2	28	2	2	4	5	7	11	35
TOTAL 0-19 YRS	612	4.1	24	2	2	3	4	6	8	28
20-34	3807	4.4	18	2	2	3	5	6	8	29
35-49	312	4.9	24	2	2	4	5	7	9	20
50-64										
65+										
GRAND TOTAL	**4731**	**4.4**	**19**	**2**	**2**	**3**	**5**	**6**	**8**	**28**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8796	2.7	1	1	2	3	3	4	4	5
20-34	55827	2.8	1	1	2	3	3	4	4	5
35-49	2664	2.8	1	1	2	3	3	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	2532	2.8	1	2	2	3	3	4	4	5
20-34	15483	2.9	1	2	2	3	3	4	4	5
35-49	759	3.0	1	2	2	3	4	4	5	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	348	2.9	1	2	2	3	3	4	5	7
20-34	1889	3.1	2	1	2	3	4	4	5	7
35-49	140	3.0	2	1	1	3	4	4	5	7
50-64										
65+										
B. *Operated*										
0-19 YRS	222	3.1	1	2	2	3	4	4	5	7
20-34	7188	3.5	1	2	2	3	4	5	5	6
35-49	805	3.6	1	2	2	3	4	5	5	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	67287	2.8	1	1	2	3	3	4	4	5
B. Operated	18774	2.9	1	2	2	3	3	4	4	5
2. MULTIPLE DX										
A. Not Operated	2377	3.0	2	1	2	3	4	4	5	7
B. Operated	8215	3.5	1	2	2	3	4	5	5	6
1. SINGLE DX	86061	2.8	1	1	2	3	3	4	4	5
2. MULTIPLE DX	10592	3.4	1	2	2	3	4	5	5	7
A. NOT OPERATED	69664	2.8	1	1	2	3	3	4	4	5
B. OPERATED	26989	3.0	1	2	2	3	4	4	5	6
TOTAL 0-19 YRS	11898	2.7	1	1	2	3	3	4	4	5
20-34	80387	2.9	1	1	2	3	3	4	4	5
35-49	4368	3.0	1	1	2	3	4	4	5	6
50-64										
65+										
GRAND TOTAL	**96653**	**2.9**	**1**	**1**	**2**	**3**	**3**	**4**	**4**	**5**

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	32	3.0	1	1	2	3	3	4	4	7
35-49	2	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	12	4.9	3	2	2	5	6	7	7	7
20-34	261	7.8	73	3	4	5	7	12	23	53
35-49	34	9.9	107	4	5	6	7	22	39	45
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	2.3	1	1	1	2	3	4	4	4
20-34	42	5.5	31	2	3	4	5	11	16	32
35-49	2	12.0	242	1	1	12	23	23	23	23
50-64										
65+										
B. *Operated*										
0-19 YRS	44	6.2	8	3	4	6	8	10	12	16
20-34	576	9.2	117	3	4	6	8	18	33	64
35-49	102	9.9	134	4	4	6	9	25	36	62
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	2.9	1	1	1	3	3	4	4	7
B. *Operated*	307	7.9	75	3	4	5	7	13	25	52
2. MULTIPLE DX										
A. *Not Operated*	51	5.3	33	1	2	3	4	11	20	32
B. *Operated*	722	9.1	113	3	4	6	8	17	32	63
1. SINGLE DX	343	7.4	69	3	3	5	7	12	22	51
2. MULTIPLE DX	773	8.8	109	3	3	6	8	17	31	62
A. NOT OPERATED	87	4.3	21	1	1	3	4	7	13	29
B. OPERATED	1029	8.7	102	3	4	6	7	16	29	59
TOTAL 0-19 YRS	65	5.4	8	2	2	5	7	8	10	16
20-34	911	8.4	98	3	3	5	7	15	28	59
35-49	140	9.8	126	3	4	6	8	23	37	56
50-64										
65+										
GRAND TOTAL	**1116**	**8.4**	**97**	**3**	**3**	**5**	**7**	**15**	**28**	**56**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	2.3	1	<1	1	2	3	4	4	4
20-34	298	2.9	4	1	1	3	3	4	5	9
35-49	15	3.0	2	1	1	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	50	4.0	5	1	1	4	5	7	7	11
20-34	322	4.3	7	1	2	4	5	6	7	13
35-49	11	4.1	3	2	2	4	5	6	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	2.9	2	1	2	3	3	5	6	7
20-34	254	3.3	6	1	1	3	4	5	6	13
35-49	22	3.0	2	1	1	3	4	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	152	4.6	4	2	2	4	6	7	8	11
20-34	1030	5.1	19	2	2	5	6	7	9	21
35-49	108	5.4	13	2	3	5	6	8	13	21
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	364	2.8	3	1	1	3	3	4	5	8
B. *Operated*	383	4.2	6	1	2	4	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	316	3.2	5	1	1	3	4	5	6	12
B. *Operated*	1290	5.1	17	2	2	5	6	7	9	20
1. SINGLE DX	747	3.5	5	1	1	3	4	6	6	10
2. MULTIPLE DX	1606	4.7	15	2	2	4	5	7	9	20
A. NOT OPERATED	680	3.0	4	1	1	3	3	4	5	10
B. OPERATED	1673	4.9	14	2	2	4	6	7	9	20
TOTAL 0-19 YRS	293	3.9	4	1	2	3	5	6	7	11
20-34	1904	4.4	13	1	2	4	5	7	8	19
35-49	156	4.8	11	2	2	4	6	7	11	20
50-64										
65+										
GRAND TOTAL	**2353**	**4.3**	**12**	**1**	**2**	**4**	**5**	**7**	**8**	**18**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.5	1	1	1	2	3	4	4	4
20-34	60	2.7	1	1	2	3	3	4	5	6
35-49	2	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	119	2.6	1	1	2	3	3	4	4	5
20-34	816	2.8	1	1	1	3	3	4	5	6
35-49	51	3.2	1	2	2	3	4	5	5	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	2.3	1	1	1	2	3	3	3	3
20-34	26	3.1	2	1	1	3	4	5	6	7
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	62	3.1	1	1	2	3	4	4	5	6
20-34	574	3.3	2	2	2	3	4	5	6	9
35-49	53	3.5	3	1	1	3	4	6	6	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	68	2.7	1	1	2	3	3	4	5	6
B. *Operated*	986	2.8	1	1	2	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	35	2.9	2	1	1	3	4	5	6	7
B. *Operated*	689	3.3	2	1	2	3	4	5	6	8
1. SINGLE DX	1054	2.8	1	1	2	3	3	4	4	6
2. MULTIPLE DX	724	3.3	2	1	2	3	4	5	6	8
A. NOT OPERATED	103	2.8	1	1	2	3	3	4	5	7
B. OPERATED	1675	3.0	1	1	2	3	4	4	5	7
TOTAL 0-19 YRS	194	2.8	1	1	2	3	3	4	4	6
20-34	1476	3.0	2	1	2	3	4	4	5	7
35-49	108	3.3	2	1	2	3	4	5	6	8
50-64										
65+										
GRAND TOTAL	**1778**	**3.0**	**1**	**1**	**2**	**3**	**4**	**4**	**5**	**7**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	43	2.9	1	1	2	3	4	4	4	4
20-34	276	2.9	1	1	1	3	3	4	5	5
35-49	13	2.6	1	<1	1	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	37	2.9	1	1	2	3	3	4	4	5
20-34	167	3.2	2	1	2	3	4	5	5	6
35-49	7	3.6	1	3	3	3	4	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	3.2	1	1	1	3	4	5	5	5
20-34	173	3.3	6	2	2	3	4	4	5	9
35-49	9	2.7	1	2	2	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	53	3.2	1	2	2	3	4	4	5	6
20-34	287	3.6	3	2	2	3	4	5	6	11
35-49	16	3.0	1	1	1	3	4	4	5	5
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	332	2.9	1	1	1	3	3	4	4	5
B. *Operated*	211	3.2	2	1	2	3	4	5	5	6
2. MULTIPLE DX										
A. *Not Operated*	211	3.3	5	2	2	3	4	4	5	8
B. *Operated*	356	3.5	2	2	2	3	4	5	6	9
1. SINGLE DX	543	3.0	1	1	2	3	4	4	5	6
2. MULTIPLE DX	567	3.4	4	2	2	3	4	5	5	9
A. NOT OPERATED	543	3.0	3	1	2	3	4	4	5	5
B. OPERATED	567	3.4	2	2	2	3	4	5	5	8
TOTAL 0-19 YRS	162	3.1	1	1	2	3	4	4	5	5
20-34	903	3.3	3	1	2	3	4	5	5	8
35-49	45	2.9	1	1	1	3	3	4	5	5
50-64										
65+										
GRAND TOTAL	**1110**	**3.2**	**3**	**1**	**2**	**3**	**4**	**4**	**5**	**7**

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	3.2		3	3	3	4	4	4	4
20-34	150	3.4	1	2	2	3	4	5	5	6
35-49	4	2.8	4	1	1	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	8	[illegible]	18	1	1	3	6	12	14	14
20-34	105	[illegible]	3	3	3	4	5	7	8	11
35-49	10	[illegible]	4	2	2	4	4	7	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	2.6	1	1	1	3	3	4	4	4
20-34	168	4.3	9	2	2	4	5	6	10	20
35-49	11	3.6	2	1	2	4	4	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	89	5.7	16	2	3	5	7	9	14	25
20-34	958	5.9	25	3	3	5	6	8	10	28
35-49	97	6.5	60	3	3	5	6	10	17	52
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	163	3.4	1	1	2	3	4	5	5	6
B. *Operated*	123	4.4	4	2	3	4	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	193	4.1	9	1	2	4	5	6	10	19
B. *Operated*	1144	5.9	28	3	3	5	6	8	11	29
1. SINGLE DX	286	3.8	3	2	2	4	4	5	7	9
2. MULTIPLE DX	1337	5.7	25	2	3	5	6	8	11	28
A. NOT OPERATED	356	3.8	5	1	2	3	4	5	6	14
B. OPERATED	1267	5.8	26	3	3	5	6	8	10	28
TOTAL 0-19 YRS	120	5.1	14	1	2	4	6	8	13	21
20-34	1381	5.3	20	2	3	5	6	8	9	24
35-49	122	5.9	50	2	3	5	6	8	14	42
50-64										
65+										
GRAND TOTAL	**1623**	**5.3**	**22**	**2**	**3**	**5**	**6**	**8**	**10**	**25**

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	2.5	1	1	1	3	3	4	4	4
20-34	259	2.8	1	1	1	3	3	4	4	5
35-49	23	2.8	1	1	2	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	313	4.7	1	3	3	5	5	6	7	8
20-34	2256	4.7	2	3	3	5	5	6	7	7
35-49	118	5.1	3	2	3	5	6	7	8	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	2.9	5	1	1	2	3	6	8	9
20-34	122	2.8	2	1	1	3	3	4	5	7
35-49	7	4.1	1	3	3	4	5	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	327	5.1	4	2	3	5	6	7	8	13
20-34	2820	5.1	5	3	3	5	6	7	8	12
35-49	267	5.1	4	2	3	5	6	7	8	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	301	2.8	1	1	1	3	3	4	4	5
B. *Operated*	2687	4.7	2	3	3	5	5	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	146	2.9	2	1	1	3	3	4	5	9
B. *Operated*	3414	5.1	5	2	3	5	6	7	8	12
1. SINGLE DX	2988	4.5	2	2	3	5	5	6	7	8
2. MULTIPLE DX	3560	5.0	5	2	3	5	6	7	8	12
A. NOT OPERATED	447	2.8	1	1	1	3	3	4	4	6
B. OPERATED	6101	4.9	4	3	3	5	6	7	7	11
TOTAL 0-19 YRS	676	4.8	3	2	3	5	5	7	8	12
20-34	5457	4.8	4	2	3	5	6	6	7	10
35-49	415	4.9	4	2	3	5	6	7	8	11
50-64										
65+										
GRAND TOTAL	**6548**	**4.8**	**4**	**2**	**3**	**5**	**6**	**7**	**7**	**10**

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	88	3.7	81	1	2	3	3	4	4	56
20-34	699	2.9	1	2	2	3	3	4	4	5
35-49	41	2.9	1	1	2	3	3	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	177	3.7	3	2	2	3	5	6	6	8
20-34	1305	3.9	2	2	2	4	5	6	6	8
35-49	83	4.3	3	2	2	4	5	7	7	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	3.6	19	1	2	3	4	5	7	32
20-34	476	3.0	1	2	2	3	3	4	5	7
35-49	25	3.0	1	1	2	3	4	5	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	690	4.5	3	2	3	4	5	7	8	11
20-34	4755	4.5	5	2	3	4	5	6	7	10
35-49	380	5.1	6	2	3	5	6	7	8	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	828	3.0	9	2	2	3	3	4	4	5
B. *Operated*	1565	3.9	2	2	2	4	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	559	3.1	3	1	2	3	3	4	5	7
B. *Operated*	5825	4.5	5	2	3	4	5	6	7	10
1. SINGLE DX	2393	3.6	5	2	2	3	4	5	6	8
2. MULTIPLE DX	6384	4.4	5	2	3	4	5	6	7	10
A. NOT OPERATED	1387	3.0	7	2	2	3	3	4	4	6
B. OPERATED	7390	4.4	4	2	3	4	5	6	7	10
TOTAL 0-19 YRS	1013	4.2	11	2	2	4	5	6	7	11
20-34	7235	4.1	4	2	2	4	5	6	7	9
35-49	529	4.7	5	2	2	5	6	7	8	12
50-64										
65+										
GRAND TOTAL	**8777**	**4.2**	**5**	**2**	**2**	**4**	**5**	**6**	**7**	**10**

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	2.9	1	1	2	3	3	4	6	6
20-34	87	3.2	1	1	2	3	4	4	5	8
35-49	5	3.2	1	2	2	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	455	5.2	2	3	4	5	6	7	7	9
20-34	2215	5.3	2	4	4	5	6	7	7	9
35-49	81	5.6	1	4	4	6	6	7	8	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	4.4	3	2	2	4	5	7	8	8
20-34	39	3.6	1	2	2	4	4	5	6	6
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	1317	5.8	4	4	4	5	6	8	9	14
20-34	6362	5.6	4	4	4	5	6	7	8	11
35-49	352	5.8	4	4	4	6	6	7	8	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	105	3.2	1	1	2	3	4	4	5	8
B. *Operated*	2751	5.3	2	4	4	5	6	7	7	9
2. MULTIPLE DX										
A. *Not Operated*	49	3.7	2	2	2	4	4	5	6	8
B. *Operated*	8031	5.6	4	4	4	5	6	7	8	11
1. SINGLE DX	2856	5.2	2	3	4	5	6	7	7	9
2. MULTIPLE DX	8080	5.6	4	4	4	5	6	7	8	11
A. NOT OPERATED	154	3.3	2	2	2	3	4	5	6	8
B. OPERATED	10782	5.5	4	4	4	5	6	7	8	11
TOTAL 0-19 YRS	1794	5.6	3	3	4	5	6	8	9	13
20-34	8703	5.5	4	3	4	5	6	7	8	10
35-49	439	5.7	4	4	4	6	6	7	8	10
50-64										
65+										
GRAND TOTAL	**10936**	**5.5**	**4**	**3**	**4**	**5**	**6**	**7**	**8**	**11**

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	135	3.1	1	2	2	3	4	4	5	6
20-34	914	3.1	1	2	2	3	4	4	5	5
35-49	43	3.4	1	2	2	3	4	5	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	223	4.1	3	2	2	4	5	6	7	9
20-34	1560	4.0	2	2	2	4	5	6	6	8
35-49	66	4.4	8	2	3	4	5	6	7	21
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	81	3.4	1	2	2	3	4	5	6	7
20-34	557	3.3	1	2	2	3	4	4	5	7
35-49	17	3.4	1	2	2	3	4	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	676	4.6	4	2	3	4	5	7	8	12
20-34	4091	4.4	3	2	3	4	5	6	7	10
35-49	249	5.1	12	2	3	5	6	7	8	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1092	3.1	1	2	2	3	4	4	5	6
B. *Operated*	1849	4.0	2	2	2	4	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	655	3.3	1	2	2	3	4	4	5	7
B. *Operated*	5016	4.5	4	2	3	4	5	7	7	10
1. SINGLE DX	2941	3.7	2	2	2	3	4	5	6	7
2. MULTIPLE DX	5671	4.4	3	2	3	4	5	6	7	10
A. NOT OPERATED	1747	3.2	1	2	2	3	4	4	5	6
B. OPERATED	6865	4.4	3	2	3	4	5	6	7	10
TOTAL 0-19 YRS	1115	4.2	4	2	2	4	5	6	7	11
20-34	7122	4.1	3	2	2	4	5	6	7	9
35-49	375	4.7	10	2	3	4	5	7	8	12
50-64										
65+										
GRAND TOTAL	**8612**	**4.1**	**3**	**2**	**2**	**4**	**5**	**6**	**7**	**9**

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	2.9	2	1	1	3	3	5	6	7
20-34	165	3.1	1	2	2	3	4	4	5	6
35-49	14	3.1	1	1	2	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	54	4.1	3	2	2	4	5	6	7	10
20-34	509	4.2	3	2	2	4	5	6	7	9
35-49	24	4.7	4	1	2	5	6	7	8	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	3.1	1	2	2	3	4	4	5	5
20-34	107	3.0	5	1	1	3	4	4	5	13
35-49	5	2.4	1	1	1	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	171	5.0	4	2	3	5	6	7	8	12
20-34	1448	5.1	8	2	3	5	6	7	8	13
35-49	169	5.8	33	2	3	5	7	8	9	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	196	3.1	1	1	2	3	4	4	5	7
B. *Operated*	587	4.2	3	2	2	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	126	3.0	4	1	1	3	4	4	5	10
B. *Operated*	1788	5.2	10	2	3	5	6	7	8	13
1. SINGLE DX	783	3.9	3	2	2	4	5	6	7	9
2. MULTIPLE DX	1914	5.0	10	2	3	5	6	7	8	13
A. NOT OPERATED	322	3.0	2	1	2	3	4	4	5	7
B. OPERATED	2375	4.9	8	2	3	5	6	7	8	12
TOTAL 0-19 YRS	256	4.6	4	2	2	5	6	7	8	11
20-34	2229	4.6	7	2	2	5	6	7	7	12
35-49	212	5.4	27	2	3	5	6	8	9	15
50-64										
65+										
GRAND TOTAL	**2697**	**4.7**	**8**	**2**	**2**	**5**	**6**	**7**	**8**	**12**

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.4	1	1	1	3	3	3	3	3
20-34	145	3.0	2	1	2	3	3	5	6	8
35-49	9	3.3	3	1	1	3	5	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	579	5.3	1	4	4	5	6	7	7	8
20-34	9412	5.3	2	3	4	5	6	7	7	8
35-49	528	5.5	2	4	4	5	6	7	7	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	3.3	1	2	2	3	4	5	6	6
20-34	74	3.2	2	1	2	3	4	5	6	7
35-49	8	3.3	1	2	2	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	405	5.7	13	3	4	5	6	7	9	16
20-34	10884	5.6	5	4	4	5	6	7	8	11
35-49	1113	5.9	3	4	4	6	7	8	8	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	159	3.0	2	1	2	3	3	5	6	8
B. *Operated*	10519	5.3	2	3	4	5	6	7	7	8
2. MULTIPLE DX										
A. *Not Operated*	91	3.2	2	1	2	3	4	5	6	7
B. *Operated*	12402	5.6	5	4	4	5	6	7	8	11
1. SINGLE DX	10678	5.3	2	3	4	5	6	7	7	8
2. MULTIPLE DX	12493	5.6	5	4	4	5	6	7	8	11
A. NOT OPERATED	250	3.1	2	1	2	3	4	5	6	8
B. OPERATED	22921	5.5	3	4	4	5	6	7	7	10
TOTAL 0-19 YRS	998	5.4	6	3	4	5	6	7	8	11
20-34	20515	5.4	3	3	4	5	6	7	7	10
35-49	1658	5.7	3	4	4	6	6	7	8	11
50-64										
65+										
GRAND TOTAL	**23171**	**5.4**	**4**	**3**	**4**	**5**	**6**	**7**	**7**	**10**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	236	3.2	2	2	2	3	4	4	5	8
20-34	1483	3.2	2	2	2	3	4	4	5	7
35-49	85	3.7	18	1	2	3	4	5	7	30
50-64										
65+										
B. *Operated*										
0-19 YRS	198	3.5	3	2	2	3	4	5	6	8
20-34	1468	3.3	2	2	2	3	4	5	5	7
35-49	82	3.2	2	1	2	3	4	5	5	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	209	3.6	6	2	2	3	4	5	6	15
20-34	1131	3.5	4	2	2	3	4	5	6	9
35-49	64	4.0	11	1	2	3	4	5	8	21
50-64										
65+										
B. *Operated*										
0-19 YRS	692	4.5	7	2	2	4	5	7	8	14
20-34	4784	4.4	8	2	2	4	5	6	7	13
35-49	415	4.8	6	2	3	4	6	7	8	16
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1804	3.2	3	2	2	3	4	4	5	7
B. *Operated*	1748	3.3	2	2	2	3	4	5	5	7
2. MULTIPLE DX										
A. *Not Operated*	1404	3.5	5	2	2	3	4	5	6	10
B. *Operated*	5891	4.4	8	2	2	4	5	6	8	13
1. SINGLE DX	3552	3.3	2	2	2	3	4	4	5	7
2. MULTIPLE DX	7295	4.3	8	2	2	4	5	6	7	13
A. NOT OPERATED	3208	3.4	4	2	2	3	4	5	5	9
B. OPERATED	7639	4.2	7	2	2	4	5	6	7	12
TOTAL 0-19 YRS	1335	4.0	6	2	2	3	5	6	7	12
20-34	8866	[illegible]	6	2	2	3	4	6	7	11
35-49	646	[illegible]	8	2	2	4	5	7	8	16
50-64										
65+										
GRAND TOTAL	**10847**	**3.9**	**6**	**2**	**2**	**3**	**5**	**6**	**7**	**11**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1007	2.8	1	1	2	3	3	4	4	5
20-34	7892	2.9	2	1	2	3	3	4	4	5
35-49	389	3.0	1	2	2	3	3	4	4	6
50-64										
65+										
B. *Operated*										
0-19 YRS	508	2.9	1	2	2	3	3	4	4	5
20-34	3559	3.0	1	2	2	3	3	4	4	6
35-49	173	3.2	1	2	2	3	4	4	5	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	243	2.9	2	1	2	3	3	4	5	6
20-34	1760	3.0	2	2	2	3	3	4	5	6
35-49	113	3.1	4	1	2	3	4	4	5	13
50-64										
65+										
B. *Operated*										
0-19 YRS	569	3.2	3	2	2	3	4	5	5	7
20-34	4705	3.4	4	2	2	3	4	5	6	7
35-49	356	3.7	2	2	2	3	4	5	6	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9288	2.9	2	1	2	3	3	4	4	5
B. *Operated*	4240	3.0	1	2	2	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	2116	3.0	2	1	2	3	3	4	5	6
B. *Operated*	5630	3.4	3	2	2	3	4	5	6	7
1. SINGLE DX	13528	2.9	2	2	2	3	3	4	4	5
2. MULTIPLE DX	7746	3.3	3	2	2	3	4	5	5	7
A. NOT OPERATED	11404	2.9	2	1	2	3	3	4	4	5
B. OPERATED	9870	3.2	2	2	2	3	4	4	5	7
TOTAL 0-19 YRS	2327	2.9	2	2	2	3	3	4	4	6
20-34	17916	3.0	2	2	2	3	3	4	5	6
35-49	1031	3.3	2	2	2	3	4	5	5	7
50-64										
65+										
GRAND TOTAL	**21274**	**3.0**	**2**	**2**	**2**	**3**	**3**	**4**	**5**	**6**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	170	2.5	1	1	2	3	3	3	4	4
20-34	1213	2.6	1	1	1	3	3	4	4	5
35-49	81	2.6	1	1	1	3	3	4	4	8
50-64										
65+										
B. *Operated*										
0-19 YRS	1408	2.6	1	1	2	3	3	4	4	5
20-34	11200	2.7	1	1	2	3	3	4	4	5
35-49	758	2.7	1	1	2	3	3	4	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	2.6	1	1	1	3	3	4	4	4
20-34	354	2.8	2	1	1	3	3	4	4	7
35-49	15	3.1	1	2	2	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	762	3.0	2	2	2	3	3	4	5	7
20-34	6764	3.1	2	2	2	3	4	4	5	7
35-49	612	3.2	2	1	2	3	4	5	5	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1464	2.6	1	1	1	3	3	4	4	5
B. *Operated*	13366	2.7	1	1	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	429	2.8	2	1	1	3	3	4	4	6
B. *Operated*	8138	3.1	2	2	2	3	4	4	5	7
1. SINGLE DX	14830	2.7	1	1	2	3	3	4	4	5
2. MULTIPLE DX	8567	3.1	2	1	2	3	4	4	5	7
A. NOT OPERATED	1893	2.6	1	1	1	3	3	4	4	5
B. OPERATED	21504	2.8	1	1	2	3	3	4	4	6
TOTAL 0-19 YRS	2400	2.7	1	1	2	3	3	4	4	6
20-34	19531	2.8	1	1	2	3	3	4	4	6
35-49	1466	2.9	1	1	2	3	3	4	5	6
50-64										
65+										
GRAND TOTAL	**23397**	**2.8**	**1**	**1**	**2**	**3**	**3**	**4**	**4**	**6**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	124	2.9	1	2	2	3	3	4	4	5
20-34	737	3.0	1	2	2	3	3	4	4	5
35-49	29	3.0	1	1	2	3	3	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	1508	2.9	1	2	2	3	3	4	4	5
20-34	6230	3.0	1	2	2	3	3	4	4	5
35-49	178	3.1	1	1	2	3	4	4	5	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	3.3	2	1	2	3	4	5	6	8
20-34	150	3.1	1	1	2	3	4	4	5	6
35-49	4	3.5	2	2	2	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	1134	3.3	2	2	2	3	4	4	5	8
20-34	4667	3.4	2	2	2	3	4	5	5	7
35-49	190	3.5	2	2	2	3	4	5	6	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	890	3.0	1	2	2	3	3	4	4	5
B. *Operated*	7916	3.0	1	2	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	195	3.1	1	1	2	3	4	4	5	6
B. *Operated*	5991	3.3	2	2	2	3	4	5	5	7
1. SINGLE DX	8806	3.0	1	2	2	3	3	4	4	5
2. MULTIPLE DX	6186	3.3	2	2	2	3	4	5	5	7
A. NOT OPERATED	1085	3.0	1	2	2	3	3	4	4	6
B. OPERATED	13907	3.1	1	2	2	3	4	4	5	6
TOTAL 0-19 YRS	2807	3.0	1	2	2	3	3	4	5	7
20-34	11784	3.2	1	2	2	3	4	4	5	6
35-49	401	3.3	1	2	2	3	4	5	5	8
50-64										
65+										
GRAND TOTAL	**14992**	**3.1**	**1**	**2**	**2**	**3**	**4**	**4**	**5**	**6**

286: Other obstetrical trauma (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	113	2.6	1	1	2	3	3	4	4	5
20-34	560	2.7	1	1	2	3	3	4	4	5
35-49	21	3.0	1	1	2	3	4	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	729	2.8	1	2	2	3	3	4	4	5
20-34	3059	2.8	1	1	2	3	3	4	4	6
35-49	119	2.9	1	1	2	3	3	4	4	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	3.0	2	1	2	3	3	4	5	11
20-34	251	2.9	1	1	2	3	3	4	4	6
35-49	7	3.0	1	1	1	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	601	3.1	1	2	2	3	3	4	5	8
20-34	2855	3.2	2	2	2	3	4	4	5	8
35-49	161	3.5	3	2	2	3	4	5	6	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	694	2.7	1	1	2	3	3	4	4	5
B. *Operated*	3907	2.8	1	1	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	314	2.9	1	1	2	3	3	4	4	7
B. *Operated*	3617	3.2	2	2	2	3	4	4	5	8
1. SINGLE DX	4601	2.8	1	1	2	3	3	4	4	5
2. MULTIPLE DX	3931	3.2	2	2	2	3	4	4	5	8
A. NOT OPERATED	1008	2.8	1	1	2	3	3	4	4	6
B. OPERATED	7524	3.0	1	2	2	3	3	4	5	7
TOTAL 0-19 YRS	1499	2.9	1	2	2	3	3	4	4	6
20-34	6725	3.0	1	2	2	3	3	4	5	6
35-49	308	3.2	2	1	2	3	4	4	5	8
50-64										
65+										
GRAND TOTAL	**8532**	**3.0**	**1**	**2**	**2**	**3**	**3**	**4**	**5**	**6**

287: Miscellaneous complications of delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1424	2.8	2	1	1	3	3	4	5	7
20-34	7587	2.9	2	1	2	3	3	4	5	7
35-49	434	3.0	3	1	1	3	3	4	5	8
50-64										
65+										
B. *Operated*										
0-19 YRS	3087	3.3	2	2	2	3	4	5	6	9
20-34	15982	3.4	2	2	2	3	4	5	6	8
35-49	793	3.5	2	2	2	3	4	5	6	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1052	3.1	3	1	2	3	4	5	6	10
20-34	4871	3.2	4	1	2	3	4	5	6	11
35-49	351	3.2	4	1	1	3	4	5	6	11
50-64										
65+										
B. *Operated*										
0-19 YRS	4617	4.3	8	2	2	4	5	7	9	15
20-34	26558	4.4	9	2	2	4	5	7	8	15
35-49	2051	5.0	18	2	2	4	6	7	10	23
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9445	2.9	2	1	2	3	3	4	5	7
B. *Operated*	19862	3.4	2	2	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	6274	3.2	4	1	2	3	4	5	6	11
B. *Operated*	33226	4.4	10	2	2	4	5	7	9	16
1. SINGLE DX	29307	3.2	2	2	2	3	4	5	5	8
2. MULTIPLE DX	39500	4.2	9	2	2	4	5	7	8	15
A. NOT OPERATED	15719	3.0	3	1	2	3	3	4	5	8
B. OPERATED	53088	4.0	7	2	2	3	5	6	8	13
TOTAL 0-19 YRS	10180	3.7	5	2	2	3	4	6	7	12
20-34	54998	3.8	6	2	2	3	4	6	7	12
35-49	3629	4.3	12	2	2	4	5	7	8	17
50-64										
65+										
GRAND TOTAL	**68807**	**3.8**	**6**	**2**	**2**	**3**	**4**	**6**	**7**	**12**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	59	3.6	3	1	2	3	5	6	7	9
20-34	205	3.9	4	1	2	4	5	6	7	12
35-49	12	4.4	4	1	2	5	5	7	9	9
50-64										
65+										
B. *Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	19	4.5	9	1	1	3	7	9	11	11
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	4.8	14	2	2	4	6	7	7	26
20-34	102	4.2	5	2	2	4	5	7	10	13
35-49	6	5.3	9	2	2	5	7	10	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS	9	5.8	6	2	3	6	7	9	11	11
20-34	27	6.2	25	2	2	4	8	12	18	23
35-49	2	10.0	98	3	3	10	17	17	17	17
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	276	3.9	4	1	2	4	5	6	7	10
B. *Operated*	21	4.3	8	1	1	3	6	9	10	11
2. MULTIPLE DX										
A. *Not Operated*	149	4.4	7	2	2	4	5	7	10	14
B. *Operated*	38	6.3	23	2	2	5	8	12	17	23
1. SINGLE DX	297	3.9	4	1	2	3	5	6	7	11
2. MULTIPLE DX	187	4.8	11	2	2	4	5	8	11	21
A. NOT OPERATED	425	4.0	5	2	2	4	5	6	7	12
B. OPERATED	59	5.6	18	1	2	4	7	11	15	22
TOTAL 0-19 YRS	111	4.2	8	2	2	4	5	6	7	17
20-34	353	4.2	6	1	2	4	5	7	9	14
35-49	20	5.3	13	1	2	5	6	9	13	17
50-64										
65+										
GRAND TOTAL	**484**	**4.2**	**7**	**2**	**2**	**4**	**5**	**7**	**9**	**15**

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	1.8	1	<1	<1	2	2	3	4	4
20-34	117	1.6	1	<1	<1	1	2	3	3	5
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	61	1.6	1	<1	1	1	2	3	3	5
20-34	394	1.6	1	<1	<1	1	2	3	4	7
35-49	17	1.5		<1	<1	1	2	2	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	2.8	4	1	1	2	3	6	7	9
20-34	63	2.2	2	1	1	2	3	4	5	8
35-49	6	2.8	7	1	1	2	3	7	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	54	2.3	2	1	1	2	3	4	5	7
20-34	288	2.7	5	1	1	2	3	5	6	13
35-49	15	2.9	3	1	1	2	4	5	7	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	138	1.6	1	<1	<1	1	2	3	3	5
B. *Operated*	472	1.6	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	90	2.4	3	1	1	2	3	4	6	9
B. *Operated*	357	2.6	4	1	1	2	3	5	6	12
1. SINGLE DX	610	1.6	1	<1	<1	1	2	3	3	6
2. MULTIPLE DX	447	2.6	4	1	1	2	3	5	6	11
A. NOT OPERATED	228	1.9	2	<1	1	2	2	3	4	8
B. OPERATED	829	2.1	3	<1	1	2	2	4	5	8
TOTAL 0-19 YRS	156	2.0	2	1	1	2	2	4	5	7
20-34	862	2.0	3	<1	1	1	2	4	5	8
35-49	39	2.2	3	<1	1	2	3	4	6	8
50-64										
65+										
GRAND TOTAL	**1057**	**2.0**	**3**	**<1**	**1**	**2**	**2**	**4**	**5**	**8**

290: Other puerperal complications (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	3.1	6	1	1	3	3	6	10	11
20-34	146	4.0	8	1	1	3	5	8	10	16
35-49	11	5.1	11	2	2	5	6	10	14	14
50-64										
65+										
B. *Operated*										
0-19 YRS	44	3.2	3	1	1	3	4	6	7	9
20-34	190	3.1	7	1	1	3	3	6	8	16
35-49	18	2.4	2	<1	1	2	3	4	5	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	3.9	12	1	1	3	5	8	12	14
20-34	106	4.3	19	1	1	3	5	9	13	24
35-49	11	6.5	15	1	2	5	10	12	13	13
50-64										
65+										
B. *Operated*										
0-19 YRS	39	4.7	33	1	2	3	5	9	13	35
20-34	201	4.3	19	1	1	3	5	10	14	18
35-49	29	5.9	23	1	2	4	8	13	19	20
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	185	3.9	8	1	1	3	5	8	10	16
B. *Operated*	252	3.1	6	1	1	3	3	5	8	15
2. MULTIPLE DX										
A. *Not Operated*	132	4.5	18	1	1	3	5	9	13	22
B. *Operated*	269	4.5	21	1	1	3	5	10	13	20
1. SINGLE DX	437	3.4	7	1	1	3	4	6	9	15
2. MULTIPLE DX	401	4.5	20	1	1	3	5	10	13	20
A. NOT OPERATED	317	4.1	12	1	1	3	5	8	12	17
B. OPERATED	521	3.8	15	1	1	3	4	8	11	18
TOTAL 0-19 YRS	126	3.7	14	1	1	3	4	7	9	19
20-34	643	3.9	13	1	1	3	4	8	11	17
35-49	69	4.9	16	1	1	4	6	11	13	20
50-64										
65+										
GRAND TOTAL	**838**	**4.0**	**14**	**1**	**1**	**3**	**4**	**8**	**12**	**17**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	874	3.9	5	2	2	3	5	7	8	11
20-34	723	4.2	9	1	2	4	5	7	9	13
35-49	549	4.7	8	2	2	4	6	8	10	15
50-64	390	5.2	10	2	2	5	6	8	10	16
65+	309	6.1	12	2	3	5	8	11	13	19
B. *Operated*										
0-19 YRS	388	4.8	18	1	1	4	6	9	11	20
20-34	419	5.3	23	1	1	4	7	11	14	25
35-49	248	5.3	16	1	2	4	7	10	12	22
50-64	170	6.7	20	1	2	6	9	12	16	23
65+	102	7.3	33	1	2	6	9	14	19	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1261	4.6	11	2	2	4	5	8	10	17
20-34	1467	5.8	20	2	2	5	7	11	14	24
35-49	1530	6.9	26	2	3	5	9	12	15	27
50-64	2109	7.7	30	2	3	6	9	14	17	29
65+	3718	8.4	30	3	4	7	10	15	19	29
B. *Operated*										
0-19 YRS	453	6.4	29	1	2	5	7	11	15	28
20-34	996	9.0	70	2	3	7	11	18	25	42
35-49	919	9.9	83	2	3	8	12	18	26	51
50-64	1107	11.6	90	2	3	9	14	23	30	48
65+	1478	13.5	109	3	4	11	17	26	34	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2845	4.6	8	2	2	4	6	8	9	15
B. *Operated*	1327	5.5	21	1	1	4	7	11	13	24
2. MULTIPLE DX										
A. *Not Operated*	10085	7.2	27	2	3	6	9	13	17	27
B. *Operated*	4953	10.9	90	2	3	8	13	22	29	50
1. SINGLE DX	4172	4.9	13	1	2	4	6	9	11	18
2. MULTIPLE DX	15038	8.4	51	2	3	7	10	16	21	37
A. NOT OPERATED	12930	6.6	24	2	2	5	8	12	15	25
B. OPERATED	6280	9.7	80	2	2	7	12	20	27	46
TOTAL 0-19 YRS	2976	4.7	13	1	2	4	6	8	11	17
20-34	3605	6.3	35	2	2	5	7	12	16	30
35-49	3246	7.3	42	2	2	5	9	13	17	34
50-64	3776	8.5	50	2	3	7	10	16	22	40
65+	5607	9.6	56	3	4	8	12	18	23	41
GRAND TOTAL	**19210**	**7.6**	**45**	**2**	**2**	**6**	**9**	**14**	**20**	**35**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	325	3.9	4	1	2	4	5	7	8	10
20-34	127	4.0	4	1	2	3	5	7	8	12
35-49	67	4.3	11	1	2	3	5	8	10	19
50-64	48	4.4	6	1	1	4	6	9	9	11
65+	35	5.3	9	1	2	5	7	9	11	13
B. *Operated*										
0-19 YRS	189	3.9	11	<1	1	3	5	9	11	15
20-34	155	4.6	20	1	1	3	5	10	14	24
35-49	91	4.6	18	1	1	3	6	9	12	24
50-64	69	5.2	27	1	1	4	6	9	16	30
65+	33	6.6	58	1	1	4	7	14	30	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	479	4.3	6	1	2	4	5	7	9	12
20-34	237	4.7	26	1	2	4	5	8	10	24
35-49	202	6.0	33	2	2	5	7	9	11	41
50-64	280	7.9	58	2	3	6	9	14	17	57
65+	473	8.1	38	3	3	7	9	14	18	35
B. *Operated*										
0-19 YRS	224	5.5	20	1	1	5	7	10	14	26
20-34	219	7.9	88	2	2	5	9	14	27	60
35-49	259	8.4	61	1	2	6	11	17	24	41
50-64	304	10.0	79	2	2	8	12	22	30	48
65+	299	10.9	100	2	2	8	14	20	29	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	602	4.1	6	1	2	4	5	7	9	12
B. *Operated*	537	4.6	20	1	1	3	6	9	13	24
2. MULTIPLE DX										
A. *Not Operated*	1671	6.2	33	2	2	5	7	10	14	34
B. *Operated*	1305	8.8	75	1	2	6	11	18	27	45
1. SINGLE DX	1139	4.3	12	1	1	3	5	8	10	19
2. MULTIPLE DX	2976	7.3	53	2	2	5	9	14	19	41
A. NOT OPERATED	2273	5.7	26	2	2	4	7	10	13	28
B. OPERATED	1842	7.5	62	1	2	5	9	16	23	41
TOTAL 0-19 YRS	1217	4.4	9	1	2	4	6	8	10	15
20-34	738	5.5	42	1	2	4	6	10	13	43
35-49	619	6.6	43	1	2	5	8	13	19	40
50-64	701	8.3	64	2	2	6	10	16	23	49
65+	840	8.9	62	2	3	7	11	16	23	39
GRAND TOTAL	**4115**	**6.5**	**43**	**1**	**2**	**5**	**8**	**12**	**17**	**36**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	4.4	21	<1	1	4	5	8	17	19
20-34	22	3.1	3	<1	1	3	4	5	6	8
35-49	3	1.7		<1	<1	2	2	2	2	2
50-64	1	3.0		3	3	3	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	798	3.2	4	1	1	3	4	5	6	9
20-34	1524	3.1	3	1	1	3	4	5	6	8
35-49	226	3.2	5	1	1	3	4	6	7	12
50-64	56	3.3	5	1	1	3	4	7	9	10
65+	10	3.7	8	1	1	3	4	8	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	3.8	7	<1	1	3	6	8	8	8
20-34	24	4.0	12	<1	1	3	5	9	11	15
35-49	4	5.0	17	2	2	3	7	11	11	11
50-64	6	4.5	9	1	1	4	7	9	9	9
65+	2	9.5	13	7	7	9	12	12	12	12
B. *Operated*										
0-19 YRS	146	4.6	8	1	2	4	6	8	10	15
20-34	343	4.3	12	1	1	4	5	7	9	21
35-49	118	4.6	15	1	1	4	5	8	11	22
50-64	51	5.6	19	1	2	4	7	13	16	18
65+	15	6.3	11	2	3	7	9	10	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	3.4	9	<1	<1	3	4	5	7	19
B. *Operated*	2614	3.1	3	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	48	4.4	11	<1	1	4	6	9	11	15
B. *Operated*	673	4.6	12	1	2	4	5	8	11	20
1. SINGLE DX	2653	3.1	3	1	1	3	4	5	6	9
2. MULTIPLE DX	721	4.6	12	1	1	4	5	8	11	19
A. NOT OPERATED	87	3.9	10	<1	1	3	5	8	10	18
B. OPERATED	3287	3.4	5	1	1	3	4	6	7	12
TOTAL 0-19 YRS	969	3.4	5	1	1	3	4	6	8	11
20-34	1913	3.3	5	1	1	3	4	5	7	10
35-49	351	3.7	9	1	1	3	5	6	8	15
50-64	114	4.4	12	1	1	3	5	9	13	17
65+	27	5.6	12	2	2	4	9	10	12	12
GRAND TOTAL	**3374**	**3.4**	**6**	**1**	**1**	**3**	**4**	**6**	**7**	**12**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.4	7	1	1	3	4	8	8	8
20-34	2	1.0		1	1	1	1	1	1	1
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	115	1.7	1	<1	<1	1	2	3	4	7
20-34	135	2.1	2	<1	<1	2	2	4	5	8
35-49	85	2.1	3	<1	<1	2	2	4	5	9
50-64	74	2.3	4	<1	<1	2	2	4	6	14
65+	28	2.5	3	1	1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	2.6	5	1	1	2	4	6	8	8
20-34	7	3.0	3	<1	<1	4	4	5	5	5
35-49	10	4.7	7	1	2	4	6	9	10	10
50-64	5	2.0	2	1	1	1	3	4	4	4
65+	3	3.0	12	1	1	1	6	7	7	7
B. *Operated*										
0-19 YRS	21	2.3	3	<1	<1	2	3	5	6	6
20-34	61	3.4	8	1	1	3	4	8	10	14
35-49	89	4.1	22	1	1	3	4	8	12	29
50-64	99	4.1	15	1	1	3	5	7	10	25
65+	73	4.2	19	1	1	3	5	8	9	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	2.9	5	1	1	3	3	6	8	8
B. *Operated*	437	2.0	3	<1	<1	2	2	3	5	8
2. MULTIPLE DX										
A. *Not Operated*	35	3.2	6	1	1	3	4	7	8	10
B. *Operated*	343	3.9	16	1	1	3	5	7	10	22
1. SINGLE DX	446	2.1	3	<1	<1	2	2	4	5	8
2. MULTIPLE DX	378	3.8	15	1	1	3	5	7	10	21
A. NOT OPERATED	44	3.2	5	1	1	3	4	7	8	10
B. OPERATED	780	2.9	9	<1	<1	2	3	6	8	16
TOTAL 0-19 YRS	151	1.9	2	<1	<1	1	2	4	5	8
20-34	205	2.5	5	<1	<1	2	3	5	7	11
35-49	184	3.2	13	<1	1	2	4	6	10	19
50-64	179	3.3	11	<1	1	2	4	6	9	21
65+	105	3.7	15	1	1	3	4	7	9	24
GRAND TOTAL	**824**	**2.9**	**9**	**<1**	**<1**	**2**	**3**	**6**	**8**	**15**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	572	4.2	22	1	1	3	4	9	13	25
20-34	343	7.9	94	1	1	4	9	21	28	47
35-49	287	9.1	141	1	1	4	10	27	37	51
50-64	179	8.7	99	1	1	5	9	23	31	46
65+	200	7.9	55	2	2	6	9	18	22	40
B. *Operated*										
0-19 YRS	546	3.1	26	<1	<1	2	3	6	10	24
20-34	622	4.5	50	1	1	3	5	8	14	36
35-49	463	5.0	51	1	1	3	5	10	17	41
50-64	427	4.2	25	1	1	2	4	10	15	26
65+	286	7.5	84	1	1	4	10	20	24	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	834	4.6	21	1	1	3	5	9	13	23
20-34	649	8.3	102	1	2	5	9	21	31	48
35-49	775	8.8	95	1	2	6	10	19	28	51
50-64	1031	9.5	72	2	2	7	11	21	30	40
65+	2722	10.9	78	2	3	8	14	21	28	49
B. *Operated*										
0-19 YRS	433	8.7	150	1	1	4	9	22	32	61
20-34	1008	12.4	253	1	2	6	16	34	52	87
35-49	1158	11.1	196	1	2	6	14	29	41	87
50-64	1583	12.2	218	1	2	7	16	32	49	91
65+	2650	16.6	207	2	3	13	22	36	47	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1581	6.9	76	1	1	4	7	17	26	44
B. *Operated*	2344	4.6	46	<1	1	2	5	10	16	34
2. MULTIPLE DX										
A. *Not Operated*	6011	9.2	78	1	2	7	11	19	27	44
B. *Operated*	6832	13.5	218	1	2	8	18	33	46	84
1. SINGLE DX	3925	5.5	59	1	1	3	6	12	21	40
2. MULTIPLE DX	12843	11.5	157	1	2	7	15	27	37	70
A. NOT OPERATED	7592	8.7	79	1	2	6	11	19	27	44
B. OPERATED	9176	11.3	189	1	1	6	15	28	41	77
TOTAL 0-19 YRS	2385	4.9	49	1	1	3	5	10	16	38
20-34	2622	8.9	156	1	1	4	10	23	36	70
35-49	2683	9.2	140	1	1	5	11	23	34	67
50-64	3220	10.1	146	1	2	6	12	24	36	64
65+	5858	13.2	146	2	3	10	17	28	37	67
GRAND TOTAL	**16768**	**10.1**	**141**	**1**	**2**	**6**	**13**	**24**	**35**	**65**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	4.5	15	<1	<1	4	6	9	11	22
20-34	69	6.0	34	1	1	5	7	10	16	38
35-49	67	6.3	23	2	2	5	8	10	12	30
50-64	37	6.6	11	2	3	7	9	10	13	17
65+	13	7.2	16	2	3	7	9	14	15	15
B. *Operated*										
0-19 YRS	25	4.6	10	1	2	4	7	10	11	11
20-34	38	7.6	47	1	2	6	10	14	25	31
35-49	27	7.4	37	1	2	5	11	16	21	24
50-64	22	6.8	13	2	2	6	9	12	13	14
65+	10	6.1	16	1	2	5	10	12	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	101	7.1	40	1	1	5	8	17	20	32
20-34	248	8.5	42	2	3	7	10	16	21	32
35-49	236	8.1	39	1	2	7	10	15	19	29
50-64	283	8.5	61	2	3	6	10	17	24	41
65+	231	9.3	44	3	3	8	11	16	22	39
B. *Operated*										
0-19 YRS	42	12.4	244	2	3	8	14	24	35	94
20-34	127	12.7	173	2	2	9	15	30	37	63
35-49	157	14.5	160	2	3	12	17	27	47	78
50-64	162	14.2	192	2	3	10	17	35	40	99+
65+	128	15.8	144	3	5	13	20	30	37	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	237	5.9	22	1	2	5	7	10	14	28
B. *Operated*	122	6.7	29	1	2	5	9	12	16	29
2. MULTIPLE DX										
A. *Not Operated*	1099	8.4	47	2	3	7	10	16	21	34
B. *Operated*	616	14.2	174	2	3	11	18	30	39	85
1. SINGLE DX	359	6.2	25	1	2	5	8	11	14	28
2. MULTIPLE DX	1715	10.5	100	2	3	8	13	21	29	54
A. NOT OPERATED	1336	8.0	43	2	2	6	10	15	20	33
B. OPERATED	738	12.9	157	2	2	10	16	28	36	79
TOTAL 0-19 YRS	219	7.2	76	1	2	5	8	15	21	37
20-34	482	9.1	80	2	2	7	11	18	28	44
35-49	487	9.9	86	2	2	7	13	19	25	56
50-64	504	10.1	105	2	3	7	12	22	32	66
65+	382	11.3	86	3	3	9	14	22	29	45
GRAND TOTAL	**2074**	**9.7**	**89**	**2**	**2**	**7**	**12**	**20**	**28**	**51**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	131	6.0	17	2	2	5	8	11	12	21
20-34	82	7.0	32	1	2	6	9	13	15	36
35-49	113	7.1	15	2	3	6	10	12	15	19
50-64	234	7.2	22	2	3	6	9	13	17	21
65+	152	7.4	18	2	3	6	10	13	16	21
B. *Operated*										
0-19 YRS	28	5.9	56	1	1	3	8	10	18	39
20-34	88	6.2	27	1	1	4	8	14	16	26
35-49	214	6.8	18	2	2	5	10	13	15	18
50-64	429	7.9	34	2	2	6	12	16	18	30
65+	252	9.4	36	2	2	9	14	17	19	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	105	7.6	66	2	2	5	9	14	21	46
20-34	131	7.9	40	2	3	6	10	15	20	34
35-49	303	7.4	26	2	2	6	9	14	17	28
50-64	821	8.5	38	2	3	7	11	15	18	26
65+	1187	8.8	29	2	3	8	11	16	19	29
B. *Operated*										
0-19 YRS	36	9.6	78	1	1	6	13	24	31	34
20-34	114	9.1	53	1	2	8	12	17	21	44
35-49	309	8.7	53	2	2	7	11	17	21	44
50-64	845	10.4	76	2	3	9	14	20	25	44
65+	879	12.8	94	3	4	11	16	24	32	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	712	7.0	20	2	2	6	9	12	16	21
B. *Operated*	1011	7.8	33	2	2	6	11	16	18	28
2. MULTIPLE DX										
A. *Not Operated*	2547	8.5	34	2	3	7	11	15	18	28
B. *Operated*	2183	11.1	81	2	3	9	14	21	27	49
1. SINGLE DX	1723	7.5	28	2	2	6	10	15	17	24
2. MULTIPLE DX	4730	9.7	57	2	3	8	12	18	23	41
A. NOT OPERATED	3259	8.1	31	2	3	7	11	15	18	26
B. OPERATED	3194	10.0	68	2	3	8	13	19	25	45
TOTAL 0-19 YRS	300	7.0	46	1	2	5	9	13	18	34
20-34	415	7.7	40	1	2	6	10	15	17	35
35-49	939	7.6	32	2	2	6	10	14	18	29
50-64	2329	9.0	51	2	3	7	12	17	20	37
65+	2470	10.2	56	2	3	9	13	18	24	42
GRAND TOTAL	**6453**	**9.1**	**50**	**2**	**3**	**7**	**12**	**17**	**21**	**38**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	14	3.9	2	2	2	4	5	6	6	6
35-49	29	6.4	94	1	1	4	8	11	13	54
50-64	75	5.3	17	1	1	4	7	12	13	22
65+	155	5.4	16	1	1	4	7	11	14	18
B. *Operated*										
0-19 YRS	13	2.8	7	<1	<1	2	3	7	9	10
20-34	215	4.2	14	1	1	3	5	10	12	17
35-49	558	5.4	19	1	1	4	8	12	14	18
50-64	2023	8.9	33	1	2	9	12	16	18	24
65+	2785	12.2	23	3	6	12	15	17	19	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	6.1	49	1	1	4	6	18	23	23
20-34	31	5.9	19	1	1	5	8	14	15	16
35-49	172	6.4	17	1	2	6	9	12	15	18
50-64	583	6.1	21	1	2	5	8	11	15	23
65+	2222	6.8	21	1	2	6	9	12	15	24
B. *Operated*										
0-19 YRS	23	6.7	24	1	1	5	12	13	15	16
20-34	223	5.2	25	1	1	3	7	12	14	23
35-49	726	6.6	35	1	1	5	9	14	17	31
50-64	3139	10.5	61	2	2	10	14	18	22	37
65+	7072	14.2	61	3	6	13	17	22	27	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	274	5.4	24	1	1	4	7	11	13	19
B *Operated*	5594	10.0	33	1	2	10	14	17	18	24
2. MULTIPLE DX										
A. *Not Operated*	3016	6.6	21	1	2	6	8	12	15	23
B. *Operated*	11183	12.5	65	2	3	12	16	21	25	40
1. SINGLE DX	5868	9.8	33	1	2	10	14	16	18	24
2. MULTIPLE DX	14199	11.2	61	2	3	11	15	19	24	38
A. NOT OPERATED	3290	6.5	21	1	2	5	8	12	15	23
B. OPERATED	16777	11.7	55	2	3	11	15	19	23	36
TOTAL 0-19 YRS	45	5.4	25	1	1	4	7	13	14	23
20-34	483	4.8	19	1	1	3	6	11	13	20
35-49	1485	6.1	28	1	1	5	9	13	16	25
50-64	5820	9.4	49	1	2	9	13	17	20	32
65+	12234	12.3	53	2	4	12	16	19	24	37
GRAND TOTAL	**20067**	**10.8**	**53**	**2**	**2**	**11**	**15**	**18**	**22**	**35**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	130	6.3	25	1	2	5	7	14	18	22
20-34	117	5.6	19	2	2	5	6	10	15	25
35-49	71	5.3	19	1	1	4	7	9	13	23
50-64	76	5.1	10	2	2	4	7	9	12	16
65+	72	6.8	45	2	2	5	8	14	16	39
B. *Operated*										
0-19 YRS	96	12.4	65	2	4	11	17	23	28	36
20-34	191	5.2	31	1	1	3	6	10	16	26
35-49	220	5.6	30	1	1	4	7	10	15	27
50-64	260	6.5	29	2	2	5	9	13	17	23
65+	93	10.0	48	2	2	10	14	18	22	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	169	8.2	38	2	2	7	11	16	21	29
20-34	191	7.1	35	2	2	5	8	15	19	32
35-49	224	7.1	33	2	2	5	9	14	18	30
50-64	305	7.4	33	2	2	6	9	15	18	27
65+	630	7.9	41	2	3	6	10	15	22	32
B. *Operated*										
0-19 YRS	118	15.6	71	3	6	15	21	26	32	40
20-34	206	10.4	168	1	2	6	14	21	44	58
35-49	277	9.5	116	1	2	6	11	21	30	53
50-64	403	10.8	128	2	2	7	14	22	35	56
65+	467	16.3	174	2	3	13	21	32	44	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	466	5.8	24	1	2	5	7	12	15	23
B. *Operated*	860	7.0	41	1	2	5	9	16	20	30
2. MULTIPLE DX										
A. *Not Operated*	1519	7.6	37	2	2	6	9	15	20	30
B. *Operated*	1471	12.6	149	2	2	9	17	27	39	59
1. SINGLE DX	1326	6.6	35	1	2	5	8	14	18	28
2. MULTIPLE DX	2990	10.1	99	2	2	7	13	21	29	51
A. NOT OPERATED	1985	7.2	35	2	2	6	9	14	19	30
B. OPERATED	2331	10.6	117	1	2	7	14	22	31	53
TOTAL 0-19 YRS	513	10.2	60	2	2	8	15	21	26	36
20-34	705	7.3	75	1	2	5	8	16	21	51
35-49	792	7.4	63	1	2	5	9	16	21	46
50-64	1044	8.3	71	2	2	6	11	17	22	46
65+	1262	11.1	107	2	3	8	14	22	31	51
GRAND TOTAL	**4316**	**9.0**	**82**	**2**	**2**	**6**	**11**	**19**	**25**	**47**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	3.2	6	1	1	2	3	8	9	9
20-34	31	3.1	4	1	1	3	5	6	7	8
35-49	14	2.7	9	<1	<1	2	3	7	11	12
50-64	7	3.3	7	1	1	2	6	7	7	7
65+	4	2.5	4	<1	<1	2	4	5	5	5
B. *Operated*										
0-19 YRS	549	2.4	3	<1	1	2	3	5	5	8
20-34	1255	2.6	4	<1	1	2	3	5	6	9
35-49	672	2.7	4	1	1	2	3	5	7	10
50-64	367	2.9	5	1	1	2	3	6	7	12
65+	92	3.2	6	1	1	2	5	6	7	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	2.2	4	<1	<1	1	3	5	7	8
20-34	55	2.4	5	<1	1	1	3	5	7	11
35-49	35	3.3	8	<1	<1	3	4	9	11	12
50-64	44	3.5	18	<1	<1	2	4	6	12	23
65+	35	5.7	15	<1	2	5	7	11	13	19
B. *Operated*										
0-19 YRS	545	2.8	3	1	1	2	4	5	7	9
20-34	1542	3.0	8	1	1	2	4	6	7	12
35-49	1122	3.3	9	1	1	2	4	6	9	17
50-64	1085	3.4	10	1	1	2	4	6	8	18
65+	535	3.9	17	1	1	3	5	7	11	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	74	3.0	6	<1	1	2	4	7	8	11
B. *Operated*	2935	2.7	4	<1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	196	3.4	11	<1	<1	2	4	7	10	19
B. *Operated*	4829	3.2	9	1	1	2	4	6	8	15
1. SINGLE DX	3009	2.7	4	<1	1	2	3	5	6	10
2. MULTIPLE DX	5025	3.2	9	1	1	2	4	6	8	16
A. NOT OPERATED	270	3.3	10	<1	<1	2	4	7	9	18
B. OPERATED	7764	3.0	7	1	1	2	4	6	7	13
TOTAL 0-19 YRS	1139	2.6	3	<1	1	2	4	5	6	9
20-34	2883	2.8	6	1	1	2	4	5	7	11
35-49	1843	3.1	7	1	1	2	4	6	8	14
50-64	1503	3.3	9	1	1	2	4	6	8	17
65+	666	3.9	15	1	1	3	5	7	11	21
GRAND TOTAL	**8034**	**3.0**	**7**	**1**	**1**	**2**	**4**	**6**	**7**	**13**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	209	3.5	8	1	1	3	4	6	8	15
20-34	101	3.1	5	<1	<1	3	4	6	8	11
35-49	80	4.6	12	<1	1	4	7	10	12	15
50-64	58	4.2	13	1	1	3	5	9	11	20
65+	85	5.2	15	1	2	4	7	11	12	21
B. *Operated*										
0-19 YRS	1163	3.0	3	1	1	3	4	5	6	9
20-34	1734	3.3	4	1	1	3	4	6	7	10
35-49	611	3.5	8	1	1	3	4	6	9	15
50-64	298	3.8	10	1	1	3	5	7	10	17
65+	122	6.5	34	1	2	4	9	14	18	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	225	3.5	9	<1	1	3	4	8	10	15
20-34	232	4.3	32	<1	1	3	5	9	13	23
35-49	253	4.6	22	1	1	3	6	10	14	23
50-64	297	5.2	24	1	1	4	7	11	14	19
65+	639	6.6	25	1	2	5	9	13	16	24
B. *Operated*										
0-19 YRS	733	4.0	12	1	1	3	5	7	9	20
20-34	1088	4.2	19	1	1	3	5	8	11	22
35-49	627	5.0	36	1	1	3	5	11	16	30
50-64	558	6.3	47	1	2	4	8	13	17	38
65+	451	8.9	68	1	2	6	12	19	24	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	533	4.0	10	1	1	3	5	8	11	16
B. *Operated*	3928	3.4	6	1	1	3	4	6	7	14
2. MULTIPLE DX										
A. *Not Operated*	1646	5.3	24	1	1	4	7	11	14	22
B. *Operated*	3457	5.3	34	1	1	3	6	11	16	30
1. SINGLE DX	4461	3.4	7	1	1	3	4	6	8	14
2. MULTIPLE DX	5103	5.3	31	1	1	4	6	11	15	28
A. NOT OPERATED	2179	5.0	21	1	1	4	6	10	14	22
B. OPERATED	7385	4.3	20	1	1	3	5	8	12	23
TOTAL 0-19 YRS	2330	3.4	7	1	1	3	4	6	8	14
20-34	3155	3.7	11	1	1	3	4	6	9	16
35-49	1571	4.4	22	1	1	3	5	9	12	24
50-64	1211	5.3	32	1	1	4	6	11	15	26
65+	1297	7.3	42	1	2	5	10	15	19	33
GRAND TOTAL	9564	4.4	20	1	1	3	5	9	12	22

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	6.3	14	2	2	8	9	9	9	9
20-34	6	4.3	4	2	2	4	5	8	8	8
35-49	11	8.5	54	2	2	4	11	20	25	26
50-64	4	9.3	87	3	3	5	15	23	23	23
65+	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
0-19 YRS										
20-34	2	18.5	13	16	16	18	21	21	21	21
35-49	3	11.3	184	3	3	4	21	27	27	27
50-64	1	5.0		5	5	5	5	5	5	5
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	5.5	19	1	1	5	9	11	11	11
20-34	14	6.1	13	1	2	6	9	11	12	12
35-49	27	7.8	22	2	2	8	11	14	17	20
50-64	20	9.5	245	2	3	6	9	11	43	75
65+	25	10.7	241	2	3	6	13	17	35	81
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	3	7.3	70	2	2	3	13	17	17	17
35-49	12	12.7	120	2	2	12	18	52	91	99+
50-64	11	13.3	220	1	3	8	15	35	52	54
65+	8	19.1	508	4	4	12	18	58	73	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	7.0	39	2	2	4	9	16	24	26
B. *Operated*	6	12.7	103	3	3	10	21	26	27	27
2. MULTIPLE DX										
A. *Not Operated*	92	8.6	127	2	2	6	10	13	17	78
B. *Operated*	35	13.6	227	2	2	10	16	38	67	99+
1. SINGLE DX	32	8.0	53	2	2	4	10	22	26	27
2. MULTIPLE DX	127	10.0	158	2	2	7	11	17	26	85
A. NOT OPERATED	118	8.2	108	2	2	6	10	14	19	77
B. OPERATED	41	13.5	206	2	3	10	17	31	62	99+
TOTAL 0-19 YRS	10	5.5	15	1	1	5	9	10	11	11
20-34	25	6.8	27	1	2	5	9	16	18	21
35-49	53	9.3	58	2	2	8	12	20	27	98
50-64	36	10.5	208	2	3	6	10	22	45	75
65+	35	12.2	293	2	3	6	13	20	60	81
GRAND TOTAL	159	9.6	137	2	2	6	11	17	25	80

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.0	4	2	2	4	5	6	6	6
20-34	45	4.9	15	1	1	4	6	9	11	22
35-49	181	6.4	39	1	2	5	7	11	22	34
50-64	228	6.0	18	2	2	5	8	10	14	24
65+	197	6.1	14	2	2	5	8	11	13	19
B. *Operated*										
0-19 YRS	2	7.5	13	5	5	7	10	10	10	10
20-34	120	4.6	13	1	1	3	6	10	13	16
35-49	546	6.0	26	1	2	5	8	12	15	26
50-64	648	5.9	23	1	1	5	8	11	15	21
65+	213	7.4	37	1	2	6	10	16	19	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	6.8	38	2	2	5	8	17	22	22
20-34	101	7.2	50	2	2	5	9	12	16	79
35-49	628	7.1	23	2	3	6	9	13	16	26
50-64	1461	7.3	25	2	3	6	9	13	16	27
65+	2882	7.3	24	2	3	6	9	13	16	24
B. *Operated*										
0-19 YRS	4	5.0	10	2	2	4	7	9	9	9
20-34	122	7.8	50	1	2	6	10	16	21	36
35-49	696	7.9	40	2	2	6	11	15	19	29
50-64	1228	8.8	55	1	2	7	12	17	22	36
65+	1111	12.0	97	2	3	9	16	24	30	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	654	6.1	23	1	2	5	8	11	14	28
B. *Operated*	1529	6.1	25	1	2	5	8	12	16	23
2. MULTIPLE DX										
A. *Not Operated*	5081	7.3	25	2	3	6	9	13	16	25
B. *Operated*	3161	9.7	69	2	2	8	12	19	25	40
1. SINGLE DX	2183	6.1	25	1	2	5	8	12	15	25
2. MULTIPLE DX	8242	8.2	43	2	2	7	10	15	20	34
A. NOT OPERATED	5735	7.1	25	2	3	6	9	13	16	26
B. OPERATED	4690	8.5	58	1	2	7	11	17	22	38
TOTAL 0-19 YRS	18	6.0	23	2	2	5	8	10	17	22
20-34	388	6.3	36	1	2	5	8	12	16	36
35-49	2051	7.0	31	1	2	6	9	13	17	28
50-64	3565	7.5	36	2	2	6	10	14	18	31
65+	4403	8.4	47	2	3	7	10	16	21	36
GRAND TOTAL	**10425**	**7.7**	**40**	**2**	**2**	**6**	**10**	**15**	**19**	**33**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	58	6.0	16	1	1	6	9	11	12	21
20-34	1225	6.3	14	1	2	6	8	11	13	18
35-49	1868	6.8	18	2	2	6	9	12	14	21
50-64	983	7.1	17	2	2	6	9	12	15	19
65+	243	7.0	18	2	2	6	9	13	16	19
B. *Operated*										
0-19 YRS	222	5.6	25	1	1	4	8	12	16	22
20-34	5196	6.5	25	1	2	5	9	13	16	23
35-49	7441	6.8	25	1	2	6	9	13	16	24
50-64	3159	7.4	31	1	2	6	10	14	18	25
65+	593	7.7	38	1	1	6	11	15	20	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	5.8	33	2	2	6	8	12	16	34
20-34	842	7.4	23	1	2	7	9	13	16	23
35-49	1798	7.8	20	2	3	7	10	13	16	23
50-64	1947	8.3	21	2	3	8	11	14	17	22
65+	1634	8.5	25	3	3	8	11	15	17	25
B. *Operated*										
0-19 YRS	69	8.3	62	1	2	6	12	16	21	47
20-34	1879	8.8	41	2	2	8	11	16	21	32
35-49	3857	9.4	43	2	2	8	12	18	22	31
50-64	3312	10.4	57	2	2	9	14	20	24	37
65+	1713	12.3	79	2	3	11	16	23	28	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4377	6.7	17	1	2	6	9	12	14	20
B. *Operated*	16611	6.8	27	1	2	6	9	13	16	24
2. MULTIPLE DX										
A. *Not Operated*	6258	8.1	22	2	3	7	10	14	17	24
B. *Operated*	10830	10.1	54	2	2	9	13	19	24	35
1. SINGLE DX	20988	6.8	25	1	2	6	9	13	16	24
2. MULTIPLE DX	17088	9.3	43	2	3	8	12	17	22	32
A. NOT OPERATED	10635	7.5	20	2	3	7	10	13	16	23
B. OPERATED	27441	8.1	40	1	2	7	11	16	20	30
TOTAL 0-19 YRS	386	6.3	32	1	1	5	8	12	16	28
20-34	9142	7.0	28	1	2	6	9	13	16	25
35-49	14964	7.6	29	1	2	7	10	14	18	26
50-64	9401	8.6	39	2	2	7	11	16	20	30
65+	4183	9.8	53	2	3	8	13	18	23	35
GRAND TOTAL	**38076**	**7.9**	**35**	**1**	**2**	**7**	**10**	**15**	**19**	**29**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	5.1	8	2	2	5	7	8	11	13
20-34	188	6.4	21	1	2	5	8	12	15	24
35-49	283	6.1	13	1	2	5	8	11	12	18
50-64	173	6.9	17	1	2	6	10	13	15	17
65+	46	6.0	13	2	2	5	9	11	13	15
B. *Operated*										
0-19 YRS	12	4.0	11	1	1	3	6	9	11	11
20-34	464	6.1	26	1	1	5	8	12	17	24
35-49	1203	6.3	22	1	2	5	8	12	15	22
50-64	548	6.5	24	1	1	5	9	13	15	21
65+	70	7.7	42	1	1	7	10	18	22	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	3.0	3	1	1	3	4	5	5	5
20-34	128	6.5	19	1	2	5	9	11	15	23
35-49	456	7.0	19	2	2	6	9	12	15	23
50-64	532	7.7	19	2	3	7	10	14	16	21
65+	433	7.8	36	2	3	6	10	14	17	28
B. *Operated*										
0-19 YRS	6	4.5	8	2	2	3	7	9	9	9
20-34	218	8.2	36	2	2	7	11	14	18	30
35-49	863	8.5	42	1	2	7	11	17	20	32
50-64	788	8.6	42	2	2	8	11	16	21	33
65+	233	10.7	83	2	2	9	14	22	27	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	709	6.3	16	1	2	6	8	12	14	19
B. *Operated*	2297	6.4	24	1	1	5	9	12	15	23
2. MULTIPLE DX										
A. *Not Operated*	1553	7.4	24	2	3	6	9	13	16	23
B. *Operated*	2108	8.7	46	1	2	7	11	17	21	33
1. SINGLE DX	3006	6.3	22	1	2	5	8	12	15	22
2. MULTIPLE DX	3661	8.2	37	2	2	7	11	15	19	30
A. NOT OPERATED	2262	7.1	22	2	2	6	9	13	15	22
B. OPERATED	4405	7.5	36	1	2	6	10	15	18	29
TOTAL 0-19 YRS	41	4.5	8	1	1	4	6	8	10	13
20-34	998	6.7	27	1	2	5	9	13	17	25
35-49	2805	7.1	28	1	2	6	9	13	17	25
50-64	2041	7.6	30	1	2	7	10	14	17	26
65+	782	8.5	51	2	2	7	11	16	22	43
GRAND TOTAL	**6667**	**7.4**	**31**	**1**	**2**	**6**	**10**	**14**	**18**	**27**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	3.8	6	1	1	3	5	7	9	9
20-34	182	5.9	16	1	1	5	8	11	13	21
35-49	218	6.3	21	1	1	6	8	11	14	23
50-64	92	6.5	17	1	1	6	9	11	15	19
65+	25	4.3	9	1	1	4	7	8	9	9
B. *Operated*										
0-19 YRS	6	3.3	3	1	1	3	5	5	5	5
20-34	121	4.0	12	1	1	3	6	9	10	16
35-49	140	5.5	18	1	1	4	8	11	14	21
50-64	37	5.6	25	1	1	3	8	13	17	20
65+	4	1.8	1	1	1	2	2	3	3	[illegible]
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	6.6	28	2	2	5	8	13	20	21
20-34	281	6.8	15	2	3	6	9	11	13	18
35-49	455	7.5	16	3	3	7	9	12	14	23
50-64	297	8.3	20	3	3	8	10	14	15	23
65+	171	7.2	18	2	2	7	9	12	14	22
B. *Operated*										
0-19 YRS	6	5.2	12	1	1	5	8	10	10	10
20-34	128	8.7	39	2	2	8	11	16	19	32
35-49	241	8.8	44	1	2	8	11	17	20	39
50-64	121	10.0	45	2	2	10	13	19	21	35
65+	23	11.3	71	2	3	9	14	22	33	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	530	6.0	18	1	1	5	8	11	14	20
B. *Operated*	308	4.8	17	1	1	3	7	10	12	20
2. MULTIPLE DX										
A. *Not Operated*	1216	7.5	17	2	3	7	9	12	15	23
B. *Operated*	519	9.1	44	1	2	8	12	17	20	36
1. SINGLE DX	838	5.6	18	1	1	5	8	11	13	20
2. MULTIPLE DX	1735	8.0	26	2	3	7	10	14	17	26
A. NOT OPERATED	1746	7.1	18	1	2	7	9	12	14	22
B. OPERATED	827	7.5	38	1	2	7	10	15	19	30
TOTAL 0-19 YRS	37	4.9	14	1	1	4	6	10	10	21
20-34	712	6.5	21	1	2	6	9	12	14	25
35-49	1054	7.3	25	1	2	7	9	13	16	25
50-64	547	8.2	27	2	2	8	11	14	18	24
65+	223	7.2	25	1	2	7	9	13	15	31
GRAND TOTAL	**2573**	**7.2**	**25**	**1**	**2**	**7**	**9**	**13**	**16**	**25**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	5.2	10	2	2	4	7	10	11	11
20-34	102	6.2	14	1	2	5	8	11	13	18
35-49	167	7.0	22	1	2	6	9	12	16	26
50-64	84	6.8	12	2	3	6	9	11	13	19
65+	36	6.3	11	2	2	5	8	11	13	14
B. *Operated*										
0-19 YRS	6	2.3	2	1	1	2	2	5	5	5
20-34	122	4.8	29	1	1	3	6	12	17	25
35-49	135	4.4	20	1	1	3	6	9	15	24
50-64	89	4.5	18	1	1	3	5	11	12	21
65+	29	5.8	32	1	1	4	8	14	18	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	3.6	11	1	1	2	6	9	9	9
20-34	134	6.8	14	2	3	6	9	12	14	18
35-49	250	7.6	24	2	3	7	10	13	15	27
50-64	356	7.9	20	3	3	7	10	14	15	23
65+	478	8.2	28	3	3	7	10	14	16	26
B. *Operated*										
0-19 YRS	3	8.3	22	3	3	10	11	12	12	12
20-34	66	8.5	31	2	3	8	11	17	19	25
35-49	92	9.8	43	2	2	9	13	19	23	28
50-64	107	10.4	82	2	2	9	15	19	27	50
65+	61	11.3	41	3	4	10	15	21	23	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	401	6.6	16	2	2	6	9	12	14	19
B. *Operated*	381	4.6	23	1	1	3	6	11	15	24
2. MULTIPLE DX										
A. *Not Operated*	1225	7.8	23	2	3	7	10	13	16	25
B. *Operated*	329	10.0	53	2	3	9	13	19	22	31
1. SINGLE DX	782	5.7	21	1	1	4	8	11	14	23
2. MULTIPLE DX	1554	8.3	31	2	3	7	10	15	18	27
A. NOT OPERATED	1626	7.5	22	2	3	7	10	13	15	24
B. OPERATED	710	7.1	44	1	1	5	10	16	20	28
TOTAL 0-19 YRS	28	4.5	12	1	1	3	7	10	11	12
20-34	424	6.3	22	1	1	5	9	13	16	23
35-49	644	7.1	28	1	2	6	9	14	17	27
50-64	636	7.7	32	1	2	7	10	14	18	27
65+	604	8.3	30	2	3	7	10	14	18	26
GRAND TOTAL	**2336**	**7.4**	**29**	**1**	**2**	**6**	**10**	**14**	**17**	**26**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	150	4.0	8	1	1	3	6	8	9	12
20-34	1338	5.7	17	1	2	5	7	10	13	20
35-49	1729	6.1	17	1	2	5	8	11	13	21
50-64	825	6.1	17	1	2	5	8	11	13	19
65+	320	5.9	19	1	1	5	8	12	15	20
B. *Operated*										
0-19 YRS	103	3.9	16	1	1	2	4	9	13	21
20-34	1236	4.2	14	1	1	3	6	9	11	18
35-49	1776	4.8	18	1	1	3	7	10	14	20
50-64	1137	5.9	34	1	1	4	8	12	16	26
65+	437	7.6	41	1	1	7	10	16	19	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	204	4.6	13	<1	1	4	6	10	13	19
20-34	1823	6.7	21	1	2	6	9	12	15	23
35-49	2915	7.4	25	2	2	6	9	13	16	25
50-64	2517	7.4	24	2	3	6	9	13	16	25
65+	2588	7.5	23	2	3	6	10	14	17	24
B. *Operated*										
0-19 YRS	73	5.3	36	1	1	4	6	11	15	37
20-34	1143	7.1	44	1	2	5	9	15	19	30
35-49	1932	7.7	41	1	2	6	10	16	19	33
50-64	2154	9.1	64	1	2	7	12	18	24	40
65+	1697	12.4	87	2	3	11	16	24	29	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4362	5.9	17	1	2	5	8	11	13	20
B. *Operated*	4689	5.1	24	1	1	3	7	11	14	22
2. MULTIPLE DX										
A. *Not Operated*	10047	7.2	24	2	2	6	9	13	16	25
B. *Operated*	6999	9.1	64	1	2	7	12	18	24	39
1. SINGLE DX	9051	5.5	21	1	1	4	7	11	14	21
2. MULTIPLE DX	17046	8.0	41	1	2	7	10	15	19	31
A. NOT OPERATED	14409	6.8	22	1	2	6	9	12	15	24
B. OPERATED	11688	7.5	52	1	1	6	10	16	20	35
TOTAL 0-19 YRS	530	4.4	15	1	1	3	6	9	12	20
20-34	5540	6.0	24	1	1	5	8	12	15	24
35-49	8352	6.6	27	1	2	5	9	13	16	25
50-64	6633	7.5	39	1	2	6	10	15	18	30
65+	5042	9.0	52	2	2	7	12	17	22	37
GRAND TOTAL	**26097**	**7.1**	**35**	**1**	**2**	**6**	**9**	**14**	**18**	**29**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	259	3.4	9	1	1	3	4	6	7	19
20-34	128	3.9	5	1	2	3	5	7	8	11
35-49	146	4.4	10	1	1	4	6	8	10	20
50-64	167	4.6	33	1	2	3	5	8	10	15
65+	71	4.5	12	1	1	3	6	9	11	17
B. *Operated*										
0-19 YRS	275	2.5	3	<1	1	2	3	5	6	9
20-34	813	2.8	5	1	1	2	3	5	6	11
35-49	1255	2.8	4	1	1	2	3	5	6	12
50-64	1076	3.2	4	1	1	3	4	5	7	12
65+	242	3.4	6	<1	1	3	4	6	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	166	4.2	6	1	2	4	5	7	8	13
20-34	185	5.3	17	1	2	4	7	10	12	18
35-49	338	5.4	16	1	2	5	7	10	12	19
50-64	463	5.9	16	1	2	5	8	10	14	22
65+	578	6.5	25	2	2	5	8	11	15	25
B. *Operated*										
0-19 YRS	168	4.1	32	1	1	3	4	8	10	31
20-34	605	3.8	16	1	1	3	4	8	10	21
35-49	1077	4.2	15	1	1	3	5	8	11	21
50-64	1293	4.4	14	1	1	3	5	8	11	19
65+	595	5.6	30	1	2	4	7	12	16	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	771	4.0	15	1	1	3	5	7	10	15
B. *Operated*	3661	2.9	4	1	1	2	4	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	1730	5.8	19	1	2	5	7	10	13	21
B. *Operated*	3738	4.4	18	1	1	3	5	9	12	22
1. SINGLE DX	4432	3.1	6	1	1	3	4	5	7	12
2. MULTIPLE DX	5468	4.9	19	1	1	4	6	9	12	22
A. NOT OPERATED	2501	5.2	18	1	2	4	7	10	12	20
B. OPERATED	7399	3.7	12	1	1	3	4	7	10	18
TOTAL 0-19 YRS	868	3.4	11	1	1	3	4	6	8	14
20-34	1731	3.5	11	1	1	3	4	7	9	14
35-49	2816	3.7	11	1	1	3	4	7	10	17
50-64	2999	4.2	13	1	1	3	5	8	10	17
65+	1486	5.6	24	1	2	4	7	11	14	23
GRAND TOTAL	9900	4.1	14	1	1	3	5	8	10	19

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	6	1.7	1	<1	<1	1	2	3	3	3
35-49	4	2.5	3	<1	<1	2	4	4	4	4
50-64	4	2.0	1	<1	<1	2	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	385	2.8	2	1	1	3	3	4	5	7
20-34	750	2.9	2	1	1	3	4	5	5	8
35-49	870	3.1	2	1	1	3	4	5	6	8
50-64	957	3.2	2	1	1	3	4	5	6	8
65+	422	3.3	4	1	1	3	4	5	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	1.1		<1	<1	1	1	2	2	2
20-34	28	1.6	1	<1	<1	1	2	3	4	4
35-49	25	1.6	1	<1	<1	1	2	4	4	5
50-64	45	2.1	3	<1	<1	1	3	4	6	9
65+	33	3.9	14	<1	<1	2	6	9	13	16
B. *Operated*										
0-19 YRS	441	3.2	3	1	1	3	4	5	6	9
20-34	1363	3.4	3	1	2	3	4	5	6	9
35-49	1970	3.6	4	1	2	3	4	6	7	10
50-64	3264	3.9	5	1	2	4	5	6	7	11
65+	2161	4.2	8	1	2	4	5	7	8	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	1.9	1	<1	<1	2	3	4	4	4
B. *Operated*	3384	3.1	3	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	143	2.3	6	<1	<1	1	3	5	7	13
B. *Operated*	9199	3.8	5	1	2	3	5	6	7	11
1. SINGLE DX	3400	3.1	3	1	1	3	4	5	6	8
2. MULTIPLE DX	9342	3.8	5	1	2	3	5	6	7	11
A. NOT OPERATED	159	2.2	5	<1	<1	1	3	4	7	13
B. OPERATED	12583	3.6	4	1	2	3	4	6	7	11
TOTAL 0-19 YRS	840	3.0	2	1	1	3	4	5	6	8
20-34	2147	3.2	3	1	1	3	4	5	6	8
35-49	2869	3.4	3	1	2	3	4	5	6	10
50-64	4270	3.7	5	1	2	3	5	6	7	11
65+	2616	4.0	7	1	2	4	5	6	8	15
GRAND TOTAL	12742	3.6	4	1	2	3	4	6	7	11

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.2		1	1	1	2	2	2	2
20-34	10	1.9	1	<1	<1	2	3	4	4	4
35-49	7	1.7	2	<1	<1	<1	2	4	5	5
50-64	9	2.7	3	<1	<1	2	4	5	6	6
65+										
B. *Operated*										
0-19 YRS	311	1.7	1	<1	<1	2	2	3	3	4
20-34	455	1.8	1	<1	<1	2	2	3	4	6
35-49	364	2.2	2	<1	<1	2	3	4	5	6
50-64	236	2.3	2	<1	1	2	3	4	4	6
65+	83	2.5	3	1	1	2	3	4	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	18	<1	<1	3	7	7	7	7
20-34	11	3.2	23	<1	<1	1	4	9	16	17
35-49	9	3.6	7	<1	<1	3	6	7	7	7
50-64	12	3.9	4	<1	1	4	5	6	7	7
65+	20	4.7	6	<1	1	5	7	8	9	10
B. *Operated*										
0-19 YRS	43	2.3	2	1	1	2	3	4	5	8
20-34	172	2.9	9	<1	1	2	3	5	7	11
35-49	214	3.1	7	<1	1	2	3	7	9	13
50-64	247	4.0	10	1	1	3	5	7	10	20
65+	178	4.7	14	1	1	4	6	10	12	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	2.0	2	<1	<1	1	3	4	5	6
B. *Operated*	1449	2.0	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	54	4.0	9	<1	<1	4	6	7	8	17
B. *Operated*	854	3.6	10	<1	1	3	4	7	10	14
1. SINGLE DX	1480	2.0	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX	908	3.6	10	<1	1	3	4	7	10	15
A. NOT OPERATED	85	3.2	7	<1	<1	2	5	7	7	15
B. OPERATED	2303	2.6	5	<1	<1	2	3	5	7	12
TOTAL 0-19 YRS	361	1.7	1	<1	<1	2	2	3	4	6
20-34	648	2.2	4	<1	<1	2	3	4	5	8
35-49	594	2.5	4	<1	<1	2	3	5	6	11
50-64	504	3.2	6	<1	1	3	4	6	8	13
65+	281	4.0	11	1	1	3	5	8	11	17
GRAND TOTAL	**2388**	**2.6**	**5**	**<1**	**<1**	**2**	**3**	**5**	**7**	**12**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	95	13.1	68	3	4	11	18	22	28	42
20-34	39	10.7	66	1	3	8	14	26	29	29
35-49	35	10.5	78	2	4	8	12	20	21	53
50-64	27	9.5	47	2	3	8	11	22	23	29
65+	27	12.2	43	3	4	13	16	21	25	25
B. *Operated*										
0-19 YRS	102	14.3	91	2	3	14	18	29	33	42
20-34	117	13.4	177	1	2	10	17	37	46	71
35-49	75	13.2	195	1	2	10	17	28	45	77
50-64	86	11.6	138	2	3	8	14	26	37	91
65+	69	10.6	82	2	2	8	14	22	29	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	101	14.8	109	2	4	13	22	28	35	48
20-34	89	11.8	145	1	1	8	14	27	43	56
35-49	130	15.0	120	2	4	12	20	30	41	48
50-64	161	14.0	131	2	3	11	19	31	41	51
65+	253	14.0	100	2	4	12	18	29	35	44
B. *Operated*										
0-19 YRS	157	20.6	164	3	6	18	29	42	45	54
20-34	281	19.2	275	2	4	14	28	46	58	99+
35-49	349	19.1	258	3	5	15	26	42	52	77
50-64	469	18.7	218	3	4	15	23	41	50	72
65+	584	20.6	246	3	5	16	27	44	54	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	223	11.7	65	3	4	10	15	22	26	41
B. *Operated*	449	12.8	139	2	2	10	17	28	41	59
2. MULTIPLE DX										
A. *Not Operated*	734	14.0	117	2	3	11	18	29	37	49
B. *Operated*	1840	19.6	239	3	5	15	26	43	51	77
1. SINGLE DX	672	12.5	114	2	3	10	16	26	34	53
2. MULTIPLE DX	2574	18.0	211	3	4	14	24	41	48	72
A. NOT OPERATED	957	13.5	106	2	3	11	18	28	34	47
B. OPERATED	2289	18.3	227	2	4	14	24	42	50	76
TOTAL 0-19 YRS	455	16.3	125	3	4	14	22	32	41	48
20-34	526	16.0	227	2	3	11	21	42	50	94
35-49	589	17.0	216	2	4	12	22	37	46	71
50-64	743	16.5	192	3	4	13	21	36	44	70
65+	933	17.8	202	3	4	14	23	39	48	73
GRAND TOTAL	**3246**	**16.9**	**196**	**2**	**4**	**13**	**22**	**38**	**46**	**70**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	213	5.0	19	1	1	4	7	12	15	20
20-34	170	4.1	18	1	1	3	4	9	11	23
35-49	237	3.5	6	1	1	3	5	6	7	13
50-64	156	4.0	9	1	1	3	5	8	11	14
65+	226	6.2	14	1	2	6	8	12	14	17
B. *Operated*										
0-19 YRS	1247	4.4	16	1	1	3	5	9	11	20
20-34	1075	3.9	9	1	1	3	5	8	10	15
35-49	594	5.0	18	1	2	4	6	10	12	20
50-64	437	6.0	37	1	1	4	8	12	15	22
65+	305	9.1	55	1	2	8	13	18	21	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	156	5.1	29	1	1	4	7	9	12	25
20-34	385	4.8	25	1	1	3	5	9	12	32
35-49	727	5.1	18	1	2	4	6	9	12	24
50-64	1107	6.9	38	1	2	5	9	14	18	30
65+	4620	8.8	35	2	3	8	11	16	20	30
B. *Operated*										
0-19 YRS	485	5.8	59	1	1	3	6	13	19	44
20-34	845	5.5	31	1	1	4	7	12	15	31
35-49	739	8.3	77	1	2	6	11	17	22	48
50-64	1037	9.9	76	2	2	8	13	20	26	50
65+	1766	14.7	112	3	4	13	18	26	34	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1002	4.6	14	1	1	3	6	9	13	17
B. *Operated*	3658	4.9	22	1	1	3	6	10	13	21
2. MULTIPLE DX										
A. *Not Operated*	6995	7.8	35	2	2	7	10	15	19	29
B. *Operated*	4872	10.2	93	1	2	8	14	22	28	50
1. SINGLE DX	4660	4.9	20	1	1	3	6	10	13	21
2. MULTIPLE DX	11867	8.8	60	2	2	7	11	17	23	39
A. NOT OPERATED	7997	7.4	34	1	2	6	10	14	18	29
B. OPERATED	8530	8.0	69	1	2	5	11	17	23	41
TOTAL 0-19 YRS	2101	4.8	28	1	1	3	6	10	13	26
20-34	2475	4.6	20	1	1	3	5	9	12	24
35-49	2297	6.0	39	1	2	4	7	12	16	32
50-64	2737	7.7	54	1	2	5	10	16	21	38
65+	6917	10.3	61	2	3	8	13	19	24	39
GRAND TOTAL	**16527**	**7.7**	**52**	**1**	**2**	**6**	**10**	**16**	**21**	**36**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	2.8	7	<1	<1	2	3	7	9	9
20-34	4	2.3	2	1	1	2	3	4	4	4
35-49	6	5.2	9	1	1	5	7	9	9	9
50-64										
65+	2	9.5	61	4	4	9	15	15	15	15
B. *Operated*										
0-19 YRS	361	4.2	14	1	2	4	5	6	9	22
20-34	139	3.2	7	1	1	2	4	6	9	14
35-49	93	3.5	7	1	1	3	4	7	10	13
50-64	74	4.4	13	1	1	4	6	8	12	18
65+	14	6.9	22	2	2	6	11	13	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	2.8	9	<1	1	2	3	7	8	15
20-34	11	3.1	7	<1	<1	2	4	8	9	9
35-49	4	10.8	262	2	2	3	19	35	35	35
50-64	32	9.6	76	1	2	7	12	21	33	35
65+	54	19.1	248	2	3	15	27	42	51	75
B. *Operated*										
0-19 YRS	504	5.0	38	1	2	4	5	8	11	32
20-34	273	4.7	25	1	1	4	6	8	13	20
35-49	207	4.8	13	1	2	4	6	9	11	17
50-64	253	6.0	38	1	2	4	7	11	15	23
65+	128	9.1	109	2	2	6	10	17	26	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	4.0	13	<1	1	3	6	9	12	15
B. *Operated*	681	4.0	12	1	1	3	5	7	9	17
2. MULTIPLE DX										
A. *Not Operated*	134	11.2	174	1	1	7	15	29	35	65
B. *Operated*	1365	5.5	40	1	2	4	6	10	13	31
1. SINGLE DX	703	4.0	12	1	1	3	5	7	9	17
2. MULTIPLE DX	1499	6.0	54	1	2	4	6	11	17	39
A. NOT OPERATED	156	10.2	157	1	1	6	14	27	35	62
B. OPERATED	2046	5.0	31	1	2	4	6	9	12	26
TOTAL 0-19 YRS	908	4.6	27	1	2	4	5	7	10	27
20-34	427	4.2	19	1	1	3	5	8	10	18
35-49	310	4.5	14	1	1	3	6	9	11	17
50-64	359	6.0	37	1	2	4	7	11	17	33
65+	198	11.7	159	2	2	8	14	27	33	69
GRAND TOTAL	**2202**	**5.4**	**42**	**1**	**2**	**4**	**6**	**10**	**14**	**34**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	3.3	5	<1	<1	3	5	6	7	7
20-34	27	5.9	17	<1	2	5	8	13	14	15
35-49	51	5.3	11	1	1	5	8	10	12	12
50-64	46	6.0	13	1	2	5	9	10	13	16
65+	15	7.4	37	1	2	6	10	15	22	24
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	25	4.1	21	1	1	3	5	7	13	24
35-49	51	4.5	15	1	1	3	5	10	12	18
50-64	22	5.1	15	1	1	4	8	12	13	14
65+	7	6.1	15	1	2	5	7	13	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.6	5	2	2	2	6	6	6	6
20-34	53	7.0	37	2	2	5	9	14	17	38
35-49	96	7.0	19	2	2	6	9	12	14	24
50-64	130	7.6	29	2	2	6	10	15	18	28
65+	162	7.3	21	2	2	7	10	13	16	22
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	25	6.7	28	2	2	5	9	14	20	21
35-49	63	6.4	27	1	1	5	8	15	17	24
50-64	52	9.8	92	1	2	7	13	21	31	99
65+	36	10.7	46	2	4	10	14	17	21	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	147	5.7	15	1	1	5	8	11	13	16
B. *Operated*	106	4.6	16	1	1	3	5	10	13	21
2. MULTIPLE DX										
A. *Not Operated*	446	7.3	25	2	2	6	9	14	16	24
B. *Operated*	177	8.3	53	1	2	6	12	17	21	52
1. SINGLE DX	253	5.3	16	1	1	4	7	11	13	18
2. MULTIPLE DX	623	7.6	33	2	2	6	10	15	18	29
A. NOT OPERATED	593	6.9	23	1	2	6	9	13	15	24
B. OPERATED	283	6.9	42	1	1	5	9	15	19	36
TOTAL 0-19 YRS	15	3.5	6	<1	1	2	6	7	8	8
20-34	130	6.2	29	1	2	5	8	13	15	27
35-49	261	6.0	19	1	1	5	8	12	15	23
50-64	250	7.6	40	1	2	6	10	15	19	33
65+	220	7.9	27	2	2	7	11	14	17	25
GRAND TOTAL	**876**	**6.9**	**29**	**1**	**2**	**6**	**9**	**14**	**16**	**25**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	235	3.1	7	1	1	2	4	6	9	12
20-34	473	4.6	16	1	1	4	6	8	9	22
35-49	548	5.1	19	1	1	4	6	10	12	21
50-64	283	5.1	21	1	1	4	6	9	12	29
65+	140	5.5	24	1	1	4	7	10	16	26
B. *Operated*										
0-19 YRS	704	4.9	21	1	1	3	8	11	14	19
20-34	836	3.6	13	1	1	2	4	9	11	16
35-49	644	3.9	11	1	1	3	5	9	11	16
50-64	666	3.3	10	1	1	2	4	6	9	18
65+	339	3.2	11	1	1	2	4	6	8	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	299	3.7	10	1	1	3	5	8	9	14
20-34	1003	5.4	16	1	1	5	7	10	12	18
35-49	1413	6.0	26	1	2	5	8	11	14	23
50-64	1269	6.1	23	1	2	5	8	11	14	23
65+	1319	6.8	28	2	2	6	8	12	16	27
B. *Operated*										
0-19 YRS	921	5.1	50	1	1	3	5	11	15	36
20-34	1360	4.6	29	1	1	3	5	10	15	26
35-49	1215	5.5	28	1	1	4	7	12	16	25
50-64	1164	5.8	36	1	1	4	7	12	17	31
65+	891	7.0	52	1	2	5	9	15	21	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1679	4.7	18	1	1	4	6	9	11	24
B. *Operated*	3189	3.8	14	1	1	2	5	9	11	18
2. MULTIPLE DX										
A. *Not Operated*	5303	6.0	23	1	2	5	8	11	14	23
B. *Operated*	5551	5.5	38	1	1	3	7	12	16	30
1. SINGLE DX	4868	4.1	15	1	1	3	5	9	11	19
2. MULTIPLE DX	10854	5.7	31	1	1	4	7	12	15	27
A. NOT OPERATED	6982	5.7	22	1	2	5	7	11	14	24
B. OPERATED	8740	4.9	30	1	1	3	6	11	15	26
TOTAL 0-19 YRS	2159	4.6	31	1	1	3	6	10	13	26
20-34	3672	4.6	20	1	1	3	6	10	12	21
35-49	3820	5.4	24	1	1	4	7	11	14	23
50-64	3382	5.3	26	1	1	4	7	11	14	25
65+	2689	6.3	35	1	2	5	8	12	17	29
GRAND TOTAL	**15722**	**5.2**	**27**	**1**	**1**	**4**	**7**	**11**	**14**	**25**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.2	2	1	1	2	3	4	4	4
20-34	23	4.6	9	1	2	4	5	6	10	17
35-49	30	7.0	35	1	2	5	8	14	19	29
50-64	18	6.6	11	2	3	6	7	8	14	18
65+	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	18	3.7	4	1	1	3	5	7	8	8
35-49	11	5.1	11	1	1	5	8	9	11	11
50-64										
65+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	4.3	3	1	2	4	6	7	7	7
20-34	148	5.6	9	2	3	5	7	10	11	16
35-49	200	6.6	16	3	3	6	8	12	15	20
50-64	106	7.3	20	3	3	6	9	12	14	25
65+	24	7.9	23	3	3	7	9	13	19	23
B. *Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	26	8.1	26	2	3	7	12	15	17	19
35-49	41	8.2	29	1	2	8	11	16	17	24
50-64	16	4.8	11	2	2	3	6	11	12	13
65+	7	7.1	6	4	4	7	9	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	78	5.8	21	1	2	5	7	11	16	26
B. *Operated*	31	4.3	7	1	1	3	7	8	8	11
2. MULTIPLE DX										
A. *Not Operated*	490	6.4	16	3	3	5	8	11	14	20
B. *Operated*	92	7.3	24	2	2	6	11	14	16	22
1. SINGLE DX	109	5.4	17	1	2	5	7	8	13	23
2. MULTIPLE DX	582	6.6	17	2	3	5	9	12	15	20
A. NOT OPERATED	568	6.4	16	2	3	5	8	11	14	20
B. OPERATED	123	6.6	21	1	2	5	9	13	16	20
TOTAL 0-19 YRS	20	3.5	3	1	1	3	5	6	7	7
20-34	215	5.6	12	2	3	5	7	10	14	18
35-49	282	6.8	20	2	3	6	9	13	16	22
50-64	140	6.9	18	2	3	6	9	11	14	21
65+	34	7.4	19	2	3	7	9	12	17	23
GRAND TOTAL	**691**	**6.4**	**17**	**2**	**3**	**5**	**8**	**12**	**15**	**20**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	2.8	27	<1	<1	2	2	6	8	33
20-34	3	5.0	19	2	2	3	8	10	10	10
35-49	2	7.0		7	7	7	7	7	7	7
50-64	1	5.0		5	5	5	5	5	5	5
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	103	6.1	19	1	2	5	8	12	15	24
20-34	17	8.4	20	1	2	9	11	13	16	18
35-49	7	11.1	63	2	3	8	16	24	25	25
50-64	13	6.7	16	2	2	8	10	12	13	13
65+	2	12.0	72	6	6	12	18	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	149	5.1	29	1	1	4	6	10	15	30
20-34	12	6.3	31	1	1	4	10	15	17	17
35-49	15	7.7	40	1	2	5	14	17	18	19
50-64	7	1.9	1	<1	<1	1	3	4	4	4
65+	21	5.0	33	1	1	3	5	12	19	26
B. *Operated*										
0-19 YRS	196	10.0	144	2	2	6	12	23	33	83
20-34	25	16.3	357	2	4	10	15	37	69	78
35-49	24	10.5	93	2	3	7	13	19	29	48
50-64	6	7.8	28	2	2	7	13	15	15	15
65+	14	13.1	133	2	4	10	14	35	39	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	3.2	25	<1	<1	2	3	7	8	33
B. *Operated*	142	6.8	23	1	2	6	9	13	17	25
2. MULTIPLE DX										
A. *Not Operated*	204	5.2	30	1	1	4	6	12	16	28
B. *Operated*	265	10.7	158	2	2	7	13	24	36	77
1. SINGLE DX	188	5.9	26	1	1	5	8	12	15	26
2. MULTIPLE DX	469	8.3	110	1	2	5	10	18	27	64
A. NOT OPERATED	250	4.8	29	1	1	3	6	10	16	30
B. OPERATED	407	9.3	114	2	2	6	11	19	27	68
TOTAL 0-19 YRS	487	7.1	79	1	1	4	8	16	23	47
20-34	57	11.2	187	1	2	9	13	17	36	77
35-49	48	9.5	67	2	2	7	13	19	21	48
50-64	27	5.6	19	1	1	4	9	12	14	15
65+	38	8.3	84	1	1	5	10	22	31	40
GRAND TOTAL	**657**	**7.6**	**87**	**1**	**1**	**5**	**9**	**16**	**24**	**49**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	76	1.5	2	<1	<1	1	1	3	4	8
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	605	2.0	2	<1	1	2	2	3	4	7
20-34	163	2.4	2	1	1	2	3	4	6	8
35-49	81	2.4	6	1	1	2	3	4	5	17
50-64	70	2.1	1	1	1	2	2	3	4	6
65+	46	2.2	1	1	1	2	3	3	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	53	1.8	2	<1	<1	1	2	4	5	7
20-34	4	1.0		<1	<1	<1	1	1	1	1
35-49	4	6.0	5	3	3	6	7	8	8	8
50-64	3	5.7	32	1	1	4	10	12	12	12
65+	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	242	2.6	5	<1	1	2	3	5	7	12
20-34	63	3.0	7	1	1	2	3	5	10	15
35-49	57	2.6	2	1	1	2	3	5	5	8
50-64	69	3.1	8	1	1	2	3	7	9	18
65+	86	3.3	11	1	2	2	3	6	9	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	80	1.5	2	<1	<1	1	1	4	4	8
B. *Operated*	965	2.1	3	<1	1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	66	2.2	5	<1	<1	1	3	5	7	11
B. *Operated*	517	2.8	6	1	1	2	3	5	8	14
1. SINGLE DX	1045	2.1	3	<1	1	2	2	3	4	8
2. MULTIPLE DX	583	2.7	6	<1	1	2	3	5	7	13
A. NOT OPERATED	146	1.8	3	<1	<1	1	2	4	6	8
B. OPERATED	1482	2.3	4	<1	1	2	3	4	5	9
TOTAL 0-19 YRS	976	2.1	3	<1	<1	2	2	4	5	8
20-34	231	2.6	4	1	1	2	3	4	6	11
35-49	143	2.6	5	1	1	2	3	4	6	10
50-64	143	2.7	5	1	1	2	3	4	8	13
65+	135	2.9	8	1	1	2	3	4	6	20
GRAND TOTAL	**1628**	**2.3**	**4**	**<1**	**1**	**2**	**3**	**4**	**6**	**9**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	46	3.3	13	<1	1	3	4	5	8	24
20-34	11	2.4	3	1	1	2	2	5	6	6
35-49	12	4.4	20	<1	<1	3	6	13	14	14
50-64	5	8.4	161	1	1	3	11	31	31	31
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	956	4.5	16	1	1	2	7	9	12	20
20-34	139	5.2	27	1	1	3	8	10	14	25
35-49	67	3.8	13	1	1	2	5	9	12	18
50-64	40	5.8	30	1	1	3	8	14	18	22
65+	12	5.3	21	<1	<1	3	8	13	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	269	4.1	29	<1	1	2	5	8	13	25
20-34	70	4.6	11	1	1	4	7	10	11	15
35-49	51	6.5	53	1	1	4	8	14	19	43
50-64	47	6.8	25	1	2	5	10	14	18	22
65+	81	6.3	19	1	2	5	8	11	14	24
B. *Operated*										
0-19 YRS	1694	7.4	80	1	1	5	9	16	24	51
20-34	176	7.1	48	1	1	6	9	15	22	36
35-49	125	9.4	123	1	2	7	11	23	30	88
50-64	148	8.9	55	2	2	8	12	19	24	30
65+	107	11.9	133	2	2	9	15	25	32	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	75	3.6	22	<1	1	2	4	6	11	29
B. *Operated*	1214	4.6	18	1	1	2	7	9	12	20
2. MULTIPLE DX										
A. *Not Operated*	518	5.0	28	1	1	4	7	11	14	25
B. *Operated*	2250	7.8	82	1	1	6	10	17	25	51
1. SINGLE DX	1289	4.5	18	1	1	2	7	9	12	21
2. MULTIPLE DX	2768	7.3	73	1	1	5	9	16	23	47
A. NOT OPERATED	593	4.8	27	1	1	3	6	10	14	25
B. OPERATED	3464	6.7	62	1	1	4	9	14	21	42
TOTAL 0-19 YRS	2965	6.1	56	1	1	3	8	13	18	40
20-34	396	5.9	34	1	1	4	8	12	17	32
35-49	255	7.1	81	1	1	4	9	15	25	47
50-64	240	8.0	48	1	2	6	11	17	23	30
65+	201	9.2	88	1	2	7	12	20	26	66
GRAND TOTAL	**4057**	**6.4**	**57**	**1**	**1**	**4**	**8**	**13**	**20**	**39**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.8	6	<1	<1	1	5	6	6	6
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	558	3.5	4	1	2	3	4	6	7	9
20-34	20	2.7	2	<1	1	2	4	4	5	6
35-49	3	1.7		1	1	2	2	2	2	2
50-64										
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	2.1	6	<1	<1	1	2	5	8	12
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	653	4.1	11	2	2	3	5	7	8	16
20-34	19	3.3	3	1	2	3	4	5	7	9
35-49	10	2.7	1	1	1	3	3	4	4	4
50-64	2	4.0	2	3	3	4	5	5	5	5
65+	2	4.5	1	4	4	4	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	2.8	6	<1	<1	1	5	6	6	6
B. *Operated*	582	3.4	4	1	2	3	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	47	2.1	6	<1	<1	1	2	5	8	12
B. *Operated*	686	4.1	10	2	2	3	5	7	8	16
1. SINGLE DX	587	3.4	4	1	2	3	4	6	7	9
2. MULTIPLE DX	733	4.0	10	1	2	3	5	7	8	16
A. NOT OPERATED	52	2.2	6	<1	<1	1	2	5	7	12
B. OPERATED	1268	3.8	7	1	2	3	5	7	8	12
TOTAL 0-19 YRS	1262	3.7	8	1	2	3	5	7	8	12
20-34	40	2.9	3	1	1	2	4	5	6	9
35-49	13	2.5	1	1	1	3	3	4	4	4
50-64	2	4.0	2	3	3	4	5	5	5	5
65+	3	4.0	1	3	3	4	5	5	5	5
GRAND TOTAL	**1320**	**3.7**	**7**	**1**	**2**	**3**	**5**	**7**	**8**	**12**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	2.1	1	<1	1	2	3	4	5	6
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	796	3.4	3	1	2	3	4	5	6	10
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	3.0	3	1	1	3	4	5	6	8
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	239	4.8	6	2	2	4	6	8	10	12
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	2.1	1	<1	1	2	3	4	5	6
B. *Operated*	796	3.4	3	1	2	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	31	3.0	3	1	1	3	4	5	6	8
B. *Operated*	239	4.8	6	2	2	4	6	8	10	12
1. SINGLE DX	823	3.4	3	1	2	3	4	5	6	9
2. MULTIPLE DX	270	4.6	6	2	2	4	6	8	10	12
A. NOT OPERATED	58	2.6	2	1	1	2	4	4	5	8
B. OPERATED	1035	3.7	4	1	2	3	4	6	7	11
TOTAL 0-19 YRS	1093	3.7	4	1	2	3	4	6	7	11
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**1093**	**3.7**	**4**	**1**	**2**	**3**	**4**	**6**	**7**	**11**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	80	3.4	24	<1	<1	2	3	6	11	31
20-34	3	4.0	4	2	2	4	5	6	6	6
35-49	6	6.2	23	1	1	6	6	14	15	15
50-64	4	3.5	4	1	1	3	5	6	6	6
65+	7	4.1	3	3	3	4	4	7	8	8
B. *Operated*										
0-19 YRS	375	5.1	18	1	1	4	7	11	13	22
20-34	61	5.3	16	1	2	4	7	10	14	19
35-49	24	5.4	13	1	2	4	7	12	12	12
50-64	22	4.9	9	1	1	4	7	9	10	10
65+	9	7.8	28	2	2	7	11	16	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	191	4.6	26	1	1	3	5	10	14	27
20-34	19	4.3	7	1	1	4	6	8	10	10
35-49	29	4.6	13	1	1	3	6	10	14	14
50-64	27	5.0	22	1	1	4	6	12	17	19
65+	55	6.3	26	1	2	5	8	12	17	26
B. *Operated*										
0-19 YRS	435	7.9	95	1	1	5	10	15	26	66
20-34	84	6.4	17	1	2	6	9	11	15	19
35-49	70	8.4	34	1	2	7	11	17	21	25
50-64	78	9.4	50	1	2	8	13	16	22	36
65+	87	11.3	85	2	2	9	16	21	25	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	100	3.6	21	<1	<1	2	4	6	11	28
B. *Operated*	491	5.2	17	1	1	4	7	10	13	20
2. MULTIPLE DX										
A. *Not Operated*	321	4.9	23	1	1	4	6	10	14	22
B. *Operated*	754	8.3	76	1	2	6	10	16	22	52
1. SINGLE DX	591	4.9	18	1	1	4	7	10	13	21
2. MULTIPLE DX	1075	7.3	63	1	1	5	9	15	21	44
A. NOT OPERATED	421	4.6	23	1	1	3	6	9	14	22
B. OPERATED	1245	7.1	55	1	1	5	9	14	19	41
TOTAL 0-19 YRS	1081	6.0	53	1	1	4	8	12	16	40
20-34	167	5.7	16	1	2	5	8	10	14	19
35-49	129	6.9	27	1	2	6	10	14	18	23
50-64	131	7.5	41	1	2	6	10	15	19	36
65+	158	9.1	64	1	2	7	12	19	23	43
GRAND TOTAL	**1666**	**6.5**	**48**	**1**	**1**	**5**	**8**	**13**	**18**	**36**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.1		<1	<1	1	1	2	2	2
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	677	2.0	2	<1	1	2	3	4	4	6
20-34	45	2.2	1	1	1	2	3	4	4	5
35-49	18	2.6	3	1	1	2	3	5	6	7
50-64	4	2.5		2	2	2	3	3	3	3
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	1.5	1	<1	<1	1	2	3	4	4
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	820	2.2	2	<1	1	2	3	4	5	8
20-34	80	2.8	3	1	1	2	4	5	6	8
35-49	42	3.0	7	<1	1	2	4	6	8	14
50-64	8	4.0	9	1	1	3	5	9	10	10
65+	7	6.7	32	3	3	3	9	16	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	1.1		<1	<1	1	1	2	2	2
B. *Operated*	744	2.0	2	<1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	37	1.5	1	<1	<1	1	2	3	4	4
B. *Operated*	957	2.4	3	1	1	2	3	4	6	8
1. SINGLE DX	751	2.0	2	<1	1	2	3	4	4	6
2. MULTIPLE DX	994	2.3	3	<1	1	2	3	4	5	8
A. NOT OPERATED	44	1.4	1	<1	<1	1	2	3	3	4
B. OPERATED	1701	2.2	2	<1	1	2	3	4	5	8
TOTAL 0-19 YRS	1540	2.1	2	<1	1	2	3	4	5	7
20-34	125	2.6	2	1	1	2	3	5	6	7
35-49	61	2.9	5	1	1	2	3	6	7	14
50-64	12	3.5	6	1	1	3	4	7	10	10
65+	7	6.7	32	3	3	3	9	16	18	18
GRAND TOTAL	**1745**	**2.2**	**2**	**<1**	**1**	**2**	**3**	**4**	**5**	**8**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	2.0	2	<1	<1	1	2	4	5	6
20-34	5	3.4	2	2	2	4	4	5	5	5
35-49	4	4.3	12	1	1	3	6	9	9	9
50-64	2	2.0		2	2	2	2	2	2	2
65+	5	5.2	20	2	2	3	7	13	13	13
B. *Operated*										
0-19 YRS	800	4.2	9	1	1	3	6	9	10	12
20-34	177	4.3	9	1	1	4	6	7	8	14
35-49	47	5.0	17	1	1	3	7	12	13	17
50-64	27	3.6	7	<1	1	3	6	7	9	9
65+	13	4.2	9	<1	1	4	6	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	86	3.0	20	<1	<1	1	3	6	10	28
20-34	44	3.6	8	1	2	3	4	7	8	17
35-49	56	5.2	15	1	2	4	6	11	15	19
50-64	58	6.4	26	1	2	5	8	12	18	27
65+	46	6.4	15	2	2	5	8	11	16	18
B. *Operated*										
0-19 YRS	735	5.8	27	1	1	5	8	11	13	26
20-34	282	5.9	17	1	2	5	7	11	13	23
35-49	148	7.1	54	2	2	6	9	12	16	48
50-64	110	8.1	58	2	2	6	10	17	19	44
65+	79	9.2	55	1	2	8	12	21	25	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49	2.6	5	<1	<1	2	3	5	6	13
B. *Operated*	1064	4.2	9	1	1	3	6	8	10	13
2. MULTIPLE DX										
A. *Not Operated*	290	4.7	19	<1	1	4	6	10	14	20
B. *Operated*	1354	6.4	33	1	2	5	8	12	15	28
1. SINGLE DX	1113	4.2	9	1	1	3	6	8	10	13
2. MULTIPLE DX	1644	6.1	31	1	1	5	8	12	15	28
A. NOT OPERATED	339	4.4	18	<1	1	3	5	9	12	19
B. OPERATED	2418	5.4	24	1	1	5	7	10	13	24
TOTAL 0-19 YRS	1654	4.8	18	1	1	4	7	10	12	18
20-34	508	5.1	14	1	1	5	6	9	12	19
35-49	255	6.3	38	1	2	5	8	11	14	27
50-64	197	6.9	43	1	2	5	9	14	18	30
65+	143	7.7	40	1	2	6	10	16	22	31
GRAND TOTAL	**2757**	**5.3**	**23**	**1**	**1**	**4**	**7**	**10**	**13**	**23**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	3.1	20	<1	<1	1	2	12	15	15
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	543	3.2	3	1	1	3	4	5	6	9
20-34	17	3.5	4	1	1	4	5	6	7	7
35-49	22	3.8	5	1	1	4	5	6	8	11
50-64	11	5.5	20	1	1	5	7	12	17	17
65+	6	4.2	1	2	2	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	1.3	1	<1	<1	1	1	2	3	5
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	4	3.5	14	1	1	2	6	9	9	9
50-64	1	5.0		5	5	5	5	5	5	5
65+										
B. *Operated*										
0-19 YRS	378	3.7	5	1	2	3	4	6	7	12
20-34	83	3.8	7	1	2	3	4	6	7	18
35-49	73	4.0	3	2	2	4	5	6	7	8
50-64	88	4.4	9	2	2	4	5	8	11	19
65+	52	5.5	21	2	3	4	6	11	16	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	3.1	20	<1	<1	1	2	12	15	15
B. *Operated*	599	3.3	3	1	1	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	43	1.6	2	<1	<1	1	1	3	5	9
B. *Operated*	674	4.0	7	2	2	3	5	6	8	17
1. SINGLE DX	616	3.3	4	1	1	3	4	5	6	12
2. MULTIPLE DX	717	3.8	7	1	2	3	5	6	8	17
A. NOT OPERATED	60	2.0	8	<1	<1	1	2	4	7	15
B. OPERATED	1273	3.7	5	1	2	3	4	6	7	12
TOTAL 0-19 YRS	975	3.3	4	1	1	3	4	5	7	12
20-34	101	3.7	6	1	2	3	4	6	7	16
35-49	99	4.0	3	1	2	4	5	6	7	10
50-64	100	4.5	10	2	2	4	5	8	11	19
65+	58	5.4	19	2	2	4	5	10	15	27
GRAND TOTAL	**1333**	**3.6**	**5**	**1**	**1**	**3**	**4**	**6**	**7**	**13**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	203	2.5	7	<1	<1	2	3	5	7	14
20-34	38	5.0	10	1	1	5	7	10	12	13
35-49	37	6.1	16	2	2	6	8	12	15	19
50-64	21	4.9	6	1	2	4	6	8	9	10
65+	5	8.6	43	3	3	6	13	19	19	19
B. *Operated*										
0-19 YRS	1667	3.9	15	1	1	3	5	8	11	19
20-34	423	3.8	15	1	1	3	5	9	11	22
35-49	268	4.5	20	1	1	3	6	10	12	21
50-64	138	5.3	29	1	1	3	7	10	15	25
65+	30	4.7	14	1	2	3	5	12	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	302	4.6	45	<1	1	3	5	11	15	58
20-34	134	6.2	33	1	1	5	8	12	17	26
35-49	106	6.3	13	2	3	5	8	11	13	18
50-64	97	8.0	65	1	2	7	9	14	18	50
65+	119	7.6	32	2	2	6	10	14	19	29
B. *Operated*										
0-19 YRS	937	6.0	47	1	1	4	7	12	18	46
20-34	336	6.4	50	1	1	4	9	14	19	37
35-49	307	6.8	39	1	1	5	10	14	18	33
50-64	278	9.1	95	1	2	7	12	18	23	37
65+	126	11.2	173	1	2	7	13	26	33	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	304	3.5	11	<1	<1	2	5	8	11	17
B. *Operated*	2526	4.0	16	1	1	3	5	8	12	20
2. MULTIPLE DX										
A. *Not Operated*	758	6.0	40	1	1	4	8	12	16	34
B. *Operated*	1984	6.9	63	1	1	4	9	15	21	41
1. SINGLE DX	2830	4.0	15	1	1	3	5	8	11	20
2. MULTIPLE DX	2742	6.7	57	1	1	4	9	14	19	40
A. NOT OPERATED	1062	5.3	33	<1	1	4	7	11	15	28
B. OPERATED	4510	5.3	39	1	1	3	6	12	16	30
TOTAL 0-19 YRS	3109	4.5	28	1	1	3	5	9	14	28
20-34	931	5.2	31	1	1	3	6	11	15	29
35-49	718	5.8	28	1	1	4	8	12	16	26
50-64	534	7.7	72	1	2	6	10	15	20	35
65+	280	8.9	98	1	2	6	11	18	26	53
GRAND TOTAL	**5572**	**5.3**	**38**	**1**	**1**	**3**	**7**	**11**	**16**	**30**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2440	3.2	15	1	1	2	3	5	8	21
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	52	4.5	21	1	1	3	5	10	15	25
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1847	7.9	103	1	2	4	9	20	29	51
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	268	16.1	284	1	2	10	23	45	68	99+
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2440	3.2	15	1	1	2	3	5	8	21
B. *Operated*	52	4.5	21	1	1	3	5	10	15	25
2. MULTIPLE DX										
A. *Not Operated*	1847	7.9	103	1	2	4	9	20	29	51
B. *Operated*	268	16.1	284	1	2	10	23	45	68	99+
1. SINGLE DX	2492	3.2	15	1	1	2	3	5	8	21
2. MULTIPLE DX	2115	9.0	133	1	2	5	10	22	34	69
A. NOT OPERATED	4287	5.2	58	1	1	3	5	11	19	41
B. OPERATED	320	14.2	259	1	2	9	17	39	61	99+
TOTAL 0-19 YRS	4607	5.9	78	1	1	3	6	14	23	48
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**4607**	**5.9**	**78**	**1**	**1**	**3**	**6**	**14**	**23**	**48**

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2469	2.7	4	1	1	2	3	5	6	10
20-34	914	3.0	4	1	1	3	4	6	7	11
35-49	484	3.5	6	1	1	3	4	6	8	12
50-64	269	4.0	9	1	1	3	5	7	10	13
65+	185	4.0	11	1	1	3	5	7	8	15
B. *Operated*										
0-19 YRS	26	4.5	24	1	2	3	5	7	18	23
20-34	33	4.4	18	1	2	3	5	9	16	19
35-49	25	4.2	7	1	2	3	5	7	10	13
50-64	12	5.2	5	2	3	5	7	8	8	8
65+	6	8.2	49	2	2	5	13	19	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4613	3.4	10	1	1	3	4	6	8	15
20-34	1507	4.6	18	1	1	3	6	9	12	22
35-49	1318	5.2	15	1	2	4	7	10	13	21
50-64	1510	6.0	26	1	2	5	8	11	14	25
65+	2301	6.6	32	2	2	5	8	12	16	27
B. *Operated*										
0-19 YRS	106	5.9	25	2	2	5	7	11	16	60
20-34	131	8.2	92	1	2	5	10	16	21	51
35-49	151	11.0	114	2	2	8	15	23	28	54
50-64	217	10.8	105	2	3	8	13	23	29	45
65+	244	11.4	85	3	4	9	15	21	27	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4321	3.0	5	1	1	2	4	5	7	11
B. *Operated*	102	4.7	17	1	2	3	5	8	15	21
2. MULTIPLE DX										
A. *Not Operated*	11249	4.8	20	1	1	4	6	9	12	22
B. *Operated*	849	10.0	92	2	3	7	12	20	27	49
1. SINGLE DX	4423	3.1	5	1	1	3	4	6	7	12
2. MULTIPLE DX	12098	5.1	27	1	1	4	6	10	14	26
A. NOT OPERATED	15570	4.3	17	1	1	3	5	8	11	20
B. OPERATED	951	9.4	87	2	2	7	12	20	26	47
TOTAL 0-19 YRS	7214	3.2	8	1	1	3	4	6	7	14
20-34	2585	4.2	18	1	1	3	5	8	11	21
35-49	1978	5.2	24	1	1	4	6	10	13	24
50-64	2008	6.2	35	1	2	5	8	12	16	30
65+	2736	6.9	38	2	2	5	8	13	17	32
GRAND TOTAL	**16521**	**4.6**	**22**	**1**	**1**	**3**	**5**	**9**	**12**	**23**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	722	2.9	8	1	1	3	3	5	6	10
20-34	114	4.1	6	1	2	3	5	7	9	13
35-49	84	4.6	7	1	2	4	6	8	10	13
50-64	56	4.7	4	1	2	5	6	7	8	10
65+	60	5.1	14	1	2	4	7	9	14	19
B. *Operated*										
0-19 YRS	10	7.5	31	2	2	7	14	15	15	15
20-34	7	11.9	34	1	3	12	15	19	20	20
35-49	12	6.9	8	3	4	7	8	11	13	13
50-64	13	7.1	21	1	2	6	10	14	15	15
65+	4	10.3	49	2	2	10	15	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1713	3.3	5	1	1	3	4	6	7	12
20-34	335	5.0	21	1	2	4	6	8	11	25
35-49	296	5.8	25	2	2	5	7	9	14	22
50-64	539	6.2	16	2	2	5	8	12	14	20
65+	1010	6.9	23	2	3	6	9	13	15	26
B. *Operated*										
0-19 YRS	56	6.7	24	1	1	6	9	12	15	27
20-34	80	8.9	48	2	2	7	11	18	24	35
35-49	73	11.5	94	3	4	9	15	27	31	54
50-64	120	14.4	115	3	4	12	20	28	34	52
65+	176	14.5	144	4	5	10	17	28	38	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1036	3.4	8	1	1	3	4	6	7	11
B. *Operated*	46	8.1	25	2	2	8	12	15	16	20
2. MULTIPLE DX										
A. *Not Operated*	3893	5.0	16	1	2	4	6	9	12	21
B. *Operated*	505	12.3	109	3	4	9	15	26	31	59
1. SINGLE DX	1082	3.6	10	1	1	3	4	6	8	14
2. MULTIPLE DX	4398	5.8	32	1	2	4	7	11	15	28
A. NOT OPERATED	4929	4.6	15	1	2	4	6	9	12	19
B. OPERATED	551	11.9	103	2	3	9	15	24	31	59
TOTAL 0-19 YRS	2501	3.3	7	1	1	3	4	6	7	12
20-34	536	5.5	25	1	2	4	6	10	14	25
35-49	465	6.5	37	2	2	5	8	12	16	31
50-64	728	7.4	41	2	2	6	9	14	20	32
65+	1250	7.9	47	2	3	6	9	14	19	37
GRAND TOTAL	**5480**	**5.4**	**29**	**1**	**2**	**4**	**6**	**10**	**14**	**27**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	269	2.8	2	1	1	3	4	5	6	8
20-34	532	3.4	7	1	1	3	4	6	8	12
35-49	311	3.9	14	1	1	3	5	7	10	25
50-64	115	3.6	9	1	1	3	4	7	8	17
65+	38	3.1	4	1	1	3	4	6	7	9
B. *Operated*										
0-19 YRS	18	3.8	8	1	1	3	7	8	10	10
20-34	74	3.8	7	1	1	3	5	7	8	15
35-49	71	3.3	5	1	1	3	4	7	7	12
50-64	35	4.0	12	1	1	3	6	8	12	16
65+	6	2.7	1	1	1	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	433	3.3	5	1	1	3	4	6	7	11
20-34	1117	4.6	11	1	1	4	6	8	10	16
35-49	898	5.0	13	1	2	4	6	9	12	17
50-64	693	5.0	12	1	2	4	6	9	12	18
65+	483	5.0	12	1	2	4	6	9	12	18
B. *Operated*										
0-19 YRS	21	6.2	25	1	2	4	9	14	18	19
20-34	121	6.4	31	2	2	5	8	13	17	34
35-49	158	7.4	29	2	2	6	9	14	18	22
50-64	139	7.6	40	2	2	6	10	15	18	31
65+	92	8.0	31	2	3	6	9	16	18	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1265	3.4	8	1	1	3	4	6	8	13
B. *Operated*	204	3.7	7	1	1	3	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	3624	4.7	11	1	2	4	6	9	11	17
B. *Operated*	531	7.3	33	2	2	6	9	15	18	29
1. SINGLE DX	1469	3.4	8	1	1	3	4	6	8	13
2. MULTIPLE DX	4155	5.0	15	1	2	4	6	9	12	19
A. NOT OPERATED	4889	4.3	11	1	1	4	5	8	10	16
B. OPERATED	735	6.3	28	1	2	5	8	13	17	28
TOTAL 0-19 YRS	741	3.2	5	1	1	3	4	6	7	11
20-34	1844	4.3	11	1	1	4	6	8	10	16
35-49	1438	5.0	16	1	2	4	6	10	12	19
50-64	982	5.2	17	1	2	4	6	10	13	19
65+	619	5.3	15	1	2	4	7	10	13	20
GRAND TOTAL	**5624**	**4.6**	**13**	**1**	**1**	**4**	**6**	**9**	**11**	**18**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	2.2	2	<1	1	2	3	4	6	8
20-34	65	3.1	4	1	1	3	4	5	7	11
35-49	78	3.2	5	<1	1	3	4	6	7	12
50-64	174	3.3	3	1	1	3	4	6	7	10
65+	157	3.0	6	<1	1	2	4	6	7	14
B. *Operated*										
0-19 YRS	31	2.3	3	1	1	2	3	6	8	99+
20-34	46	3.6	4	1	1	3	5	7	7	9
35-49	91	4.1	8	1	2	4	6	7	8	17
50-64	127	4.3	16	1	1	4	5	7	9	19
65+	135	4.0	8	1	1	3	5	8	10	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	75	2.3	3	<1	<1	2	3	4	6	10
20-34	77	3.2	3	1	1	3	4	5	7	9
35-49	150	4.1	12	1	1	3	5	8	11	16
50-64	427	4.0	6	1	1	4	5	8	9	13
65+	941	4.2	12	1	1	3	5	8	10	15
B. *Operated*										
0-19 YRS	38	3.1	5	<1	1	2	4	7	8	10
20-34	51	4.7	17	1	1	4	6	8	10	25
35-49	111	4.7	11	1	1	4	6	9	10	17
50-64	329	5.2	13	1	2	5	6	10	12	17
65+	490	5.8	19	1	2	5	7	12	14	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	511	3.1	4	1	1	3	4	6	7	11
B. *Operated*	430	3.9	10	1	1	3	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	1670	4.0	10	1	1	3	5	8	9	15
B. *Operated*	1019	5.3	16	1	2	4	7	10	13	20
1. SINGLE DX	941	3.5	7	1	1	3	4	6	8	12
2. MULTIPLE DX	2689	4.5	12	1	1	4	6	9	11	17
A. NOT OPERATED	2181	3.8	9	1	1	3	5	7	9	14
B. OPERATED	1449	4.9	14	1	1	4	6	9	12	19
TOTAL 0-19 YRS	181	2.4	3	<1	1	2	3	5	7	10
20-34	239	3.6	7	1	1	3	4	6	8	13
35-49	430	4.1	10	1	1	3	5	8	9	15
50-64	1057	4.3	9	1	1	4	6	8	9	15
65+	1723	4.5	14	1	1	4	6	9	12	17
GRAND TOTAL	**3630**	**4.2**	**11**	**1**	**1**	**3**	**5**	**8**	**10**	**16**

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	60	3.7	15	1	1	3	5	8	10	24
20-34	35	2.7	5	<1	1	2	3	5	8	10
35-49	18	4.3	11	1	1	4	6	9	12	13
50-64	26	2.5	4	<1	1	2	4	5	6	9
65+	18	3.6	8	<1	1	3	5	7	10	12
B. *Operated*										
0-19 YRS	185	2.2	3	<1	<1	2	2	4	5	9
20-34	165	2.5	4	1	1	2	3	5	7	11
35-49	106	2.4	5	<1	<1	2	3	4	7	13
50-64	70	2.6	4	<1	1	2	3	5	5	12
65+	38	2.4	1	<1	1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	111	3.9	11	<1	1	3	5	8	10	17
20-34	143	3.9	9	1	1	3	5	8	11	16
35-49	170	4.3	9	1	1	4	6	8	10	15
50-64	252	5.8	30	1	1	4	7	14	18	27
65+	519	7.6	44	1	2	6	10	16	20	29
B. *Operated*										
0-19 YRS	83	4.3	17	<1	1	3	6	10	13	21
20-34	151	6.5	70	1	1	4	8	14	17	44
35-49	151	6.1	64	1	1	4	7	12	18	42
50-64	183	9.2	143	1	2	5	10	19	36	64
65+	205	11.7	127	2	2	8	17	24	29	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	157	3.3	10	<1	1	2	4	7	10	13
B. *Operated*	564	2.4	4	<1	1	2	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	1195	6.0	31	1	1	4	8	12	16	26
B. *Operated*	773	8.2	102	1	1	5	10	18	26	56
1. SINGLE DX	721	2.6	5	<1	1	2	3	5	7	12
2. MULTIPLE DX	1968	6.9	60	1	1	4	9	15	20	39
A. NOT OPERATED	1352	5.7	30	1	1	4	7	12	16	25
B. OPERATED	1337	5.7	69	1	1	3	6	14	20	42
TOTAL 0-19 YRS	439	3.2	10	<1	1	2	4	7	10	15
20-34	494	4.2	29	1	1	2	5	8	12	24
35-49	445	4.5	29	1	1	3	5	9	12	25
50-64	531	6.4	69	1	1	4	8	15	21	43
65+	780	8.3	69	1	2	6	11	18	23	38
GRAND TOTAL	**2689**	**5.7**	**49**	**1**	**1**	**3**	**7**	**13**	**18**	**34**

334: Gangrene (785.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	4	11.5	116	1	1	10	20	25	25	25
50-64	2	2.5	1	2	2	2	3	3	3	3
65+	14	8.6	29	1	1	9	12	15	18	19
B. *Operated*										
0-19 YRS	9	6.2	21	1	1	6	9	13	15	15
20-34	32	6.2	53	1	1	3	8	14	28	30
35-49	31	9.2	124	1	1	5	13	19	30	55
50-64	46	12.0	151	1	2	7	16	32	40	48
65+	91	11.9	81	2	3	11	15	23	28	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	8.3	60	1	1	6	13	19	19	19
20-34	15	12.1	50	3	5	10	15	23	28	30
35-49	14	14.6	138	2	4	11	19	32	42	45
50-64	67	9.6	34	2	4	8	13	19	22	26
65+	278	9.8	48	3	3	8	12	19	24	36
B. *Operated*										
0-19 YRS	24	10.2	113	1	2	6	14	25	34	45
20-34	96	13.5	158	2	2	9	19	34	42	79
35-49	157	15.0	153	2	3	11	22	33	37	60
50-64	540	20.4	259	3	5	16	27	41	54	81
65+	1686	19.2	195	4	6	16	25	36	47	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	7.9	41	1	1	5	12	16	21	25
B. *Operated*	209	10.4	100	1	2	8	14	23	30	51
2. MULTIPLE DX										
A. *Not Operated*	378	10.0	50	2	3	8	13	19	24	37
B. *Operated*	2503	18.9	207	3	5	15	25	36	48	75
1. SINGLE DX	232	10.2	94	1	2	8	13	22	29	49
2. MULTIPLE DX	2881	17.7	195	3	4	14	23	35	46	73
A. NOT OPERATED	401	9.9	49	2	3	8	13	19	23	35
B. OPERATED	2712	18.2	204	3	4	15	24	36	47	74
TOTAL 0-19 YRS	38	8.9	83	1	1	6	12	18	27	45
20-34	145	11.6	130	1	2	8	15	30	38	57
35-49	206	14.0	150	1	2	10	19	31	36	58
50-64	655	18.6	242	2	4	14	25	38	50	80
65+	2069	17.5	181	3	5	14	23	34	44	71
GRAND TOTAL	**3113**	**17.1**	**192**	**2**	**4**	**14**	**23**	**35**	**45**	**72**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	119	2.3	2	1	1	2	3	4	5	6
20-34	940	2.7	3	1	1	2	3	5	6	10
35-49	2363	2.8	3	1	1	2	3	5	6	9
50-64	1656	3.0	4	1	1	3	4	5	7	9
65+	454	3.3	6	1	1	3	4	6	7	14
B. *Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	123	2.7	4	1	1	2	3	6	7	9
35-49	719	2.5	3	1	1	2	2	4	6	10
50-64	795	2.5	4	1	1	2	2	4	6	10
65+	134	2.4	3	1	1	2	2	5	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	226	3.2	4	1	1	3	4	6	7	11
20-34	1884	3.5	6	1	1	3	4	6	8	12
35-49	6411	3.7	6	1	1	3	5	7	8	12
50-64	7277	3.9	7	1	2	3	5	7	9	14
65+	5290	4.4	10	1	2	4	5	8	10	15
B. *Operated*										
0-19 YRS	12	2.8	2	1	1	2	4	5	6	6
20-34	246	4.7	16	1	2	3	6	10	13	22
35-49	1580	4.3	14	1	1	3	6	9	11	18
50-64	2532	4.2	13	1	1	3	5	9	11	18
65+	967	5.6	25	1	2	4	7	11	15	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5532	2.9	3	1	1	2	4	5	6	9
B. *Operated*	1773	2.5	3	1	1	2	2	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	21088	4.0	7	1	1	3	5	7	9	14
B. *Operated*	5337	4.5	16	1	2	3	5	9	12	19
1. SINGLE DX	7305	2.8	3	1	1	2	3	5	6	10
2. MULTIPLE DX	26425	4.1	9	1	1	3	5	7	9	15
A. NOT OPERATED	26620	3.7	7	1	1	3	5	7	8	13
B. OPERATED	7110	4.0	14	1	1	2	5	8	11	18
TOTAL 0-19 YRS	359	2.9	3	1	1	2	4	5	6	10
20-34	3193	3.3	6	1	1	3	4	6	8	12
35-49	11073	3.5	7	1	1	3	4	7	8	13
50-64	12260	3.8	8	1	1	3	5	7	9	14
65+	6845	4.5	12	1	2	4	6	8	11	18
GRAND TOTAL	33730	3.8	8	1	1	3	5	7	9	14

336: Other signs and symptons referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	643	3.1	5	1	1	3	4	6	7	11
20-34	52	2.6	4	<1	1	2	4	6	7	9
35-49	61	3.5	9	<1	1	3	4	7	10	16
50-64	64	4.0	12	1	1	3	5	8	10	18
65+	69	3.9	16	<1	1	3	5	7	11	25
B. *Operated*										
0-19 YRS	38	3.3	9	<1	1	2	4	7	10	14
20-34	38	3.9	8	1	1	3	5	9	10	11
35-49	71	3.5	5	1	1	3	4	6	10	12
50-64	121	4.2	12	1	1	3	5	9	12	17
65+	52	4.3	30	1	1	3	5	8	9	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1164	4.1	12	1	1	3	5	8	11	17
20-34	267	4.2	15	1	1	3	5	8	11	22
35-49	417	4.7	12	1	1	4	6	8	12	19
50-64	1180	6.2	23	1	2	5	8	12	15	25
65+	2027	6.8	29	2	2	5	8	13	17	26
B. *Operated*										
0-19 YRS	112	7.5	88	1	1	4	9	18	32	73
20-34	80	7.7	45	2	2	6	11	16	21	36
35-49	222	6.9	59	1	2	5	9	12	16	42
50-64	512	6.7	38	1	2	5	8	13	19	33
65+	600	8.3	65	1	2	6	10	17	23	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	889	3.2	7	1	1	3	4	6	8	13
B. *Operated*	320	3.9	12	1	1	3	5	8	10	17
2. MULTIPLE DX										
A. *Not Operated*	5055	5.7	23	1	2	4	7	11	15	24
B. *Operated*	1526	7.5	56	1	2	5	9	15	22	38
1. SINGLE DX	1209	3.4	8	1	1	3	4	7	8	15
2. MULTIPLE DX	6581	6.1	31	1	2	5	8	12	16	29
A. NOT OPERATED	5944	5.3	21	1	1	4	7	11	14	23
B. OPERATED	1846	6.8	50	1	1	5	9	14	20	37
TOTAL 0-19 YRS	1957	4.0	15	1	1	3	5	7	10	19
20-34	437	4.6	21	1	1	3	6	10	12	23
35-49	771	5.1	26	1	1	4	7	10	13	23
50-64	1877	6.1	26	1	2	5	8	12	16	27
65+	2748	7.0	37	1	2	5	9	14	18	32
GRAND TOTAL	7790	5.7	29	1	1	4	7	11	15	27

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	100	2.2	2	<1	1	2	3	4	5	7
20-34	311	2.2	3	<1	1	2	3	4	5	9
35-49	313	2.1	3	<1	1	2	2	4	5	9
50-64	176	2.0	1	<1	1	2	3	4	5	5
65+	118	2.9	5	1	1	2	3	6	7	13
B. *Operated*										
0-19 YRS	73	2.4	6	<1	<1	2	3	5	8	11
20-34	46	3.9	6	1	2	3	6	7	8	12
35-49	60	4.2	9	1	1	4	5	8	9	17
50-64	62	5.7	11	1	2	5	7	10	13	14
65+	62	5.5	17	1	1	5	7	10	12	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	132	2.9	5	1	1	2	4	6	7	11
20-34	364	2.8	5	1	1	2	4	6	7	11
35-49	427	3.2	8	1	1	2	4	6	7	16
50-64	511	4.0	20	1	1	3	5	7	10	23
65+	1088	5.5	22	1	2	4	7	11	13	25
B. *Operated*										
0-19 YRS	138	3.3	8	<1	1	3	4	7	10	14
20-34	178	5.8	25	1	2	5	7	10	13	30
35-49	220	5.6	17	1	2	5	7	10	14	19
50-64	393	7.5	27	2	2	6	10	14	17	27
65+	1198	9.0	33	2	3	8	11	16	20	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1018	2.2	3	<1	1	2	3	4	5	8
B. *Operated*	303	4.3	11	1	1	4	6	8	11	14
2. MULTIPLE DX										
A. *Not Operated*	2522	4.3	17	1	1	3	5	9	11	20
B. *Operated*	2127	7.8	34	1	2	6	10	15	18	30
1. SINGLE DX	1321	2.7	5	<1	1	2	3	5	7	13
2. MULTIPLE DX	4649	5.9	28	1	1	4	8	12	16	27
A. NOT OPERATED	3540	3.7	14	1	1	3	5	7	10	17
B. OPERATED	2430	7.3	32	1	2	6	9	14	18	30
TOTAL 0-19 YRS	443	2.8	6	<1	1	2	3	6	7	12
20-34	899	3.2	10	1	1	2	4	6	8	14
35-49	1020	3.4	10	1	1	2	4	7	9	16
50-64	1142	5.0	23	1	1	4	6	10	13	21
65+	2466	7.1	33	1	2	6	9	14	17	29
GRAND TOTAL	**5970**	**5.2**	**25**	**1**	**1**	**4**	**7**	**11**	**14**	**25**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2570	2.2	2	<1	1	2	3	4	5	8
20-34	2182	2.7	4	<1	1	2	3	5	6	9
35-49	1062	3.1	6	1	1	2	4	6	7	12
50-64	571	3.3	8	1	1	3	4	6	8	14
65+	343	3.3	6	1	1	3	4	7	8	11
B. *Operated*										
0-19 YRS	250	3.8	5	1	2	3	5	6	9	11
20-34	332	4.3	8	1	1	3	6	8	9	15
35-49	158	4.4	9	1	1	4	5	9	10	14
50-64	83	5.6	17	1	1	4	7	11	13	20
65+	29	4.4	17	1	1	3	6	11	14	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2190	2.7	4	1	1	2	3	5	7	11
20-34	2967	3.4	8	1	1	3	4	7	9	14
35-49	2129	4.3	10	1	1	3	5	8	10	16
50-64	2038	4.5	13	1	1	4	6	8	10	18
65+	3035	5.1	14	1	2	4	6	9	12	19
B. *Operated*										
0-19 YRS	255	4.6	13	1	1	4	5	9	12	19
20-34	700	5.9	17	1	2	5	8	11	13	21
35-49	454	7.6	32	1	2	6	10	14	17	32
50-64	413	8.1	39	1	2	7	11	15	19	36
65+	516	9.6	48	2	3	8	12	18	23	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6728	2.7	4	1	1	2	3	5	6	10
B. *Operated*	852	4.3	9	1	1	4	5	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	12359	4.0	11	1	1	3	5	8	10	16
B. *Operated*	2338	7.3	33	1	2	6	9	14	18	30
1. SINGLE DX	7580	2.8	5	1	1	2	4	5	7	11
2. MULTIPLE DX	14697	4.6	16	1	1	3	6	9	12	20
A. NOT OPERATED	19087	3.6	9	1	1	3	5	7	9	14
B. OPERATED	3190	6.5	28	1	2	5	8	13	16	27
TOTAL 0-19 YRS	5265	2.6	4	1	1	2	3	5	6	10
20-34	6181	3.5	8	1	1	3	4	7	9	15
35-49	3803	4.3	13	1	1	3	5	8	11	17
50-64	3105	4.8	17	1	1	4	6	9	12	20
65+	3923	5.5	21	1	2	4	7	10	14	23
GRAND TOTAL	**22277**	**4.0**	**13**	**1**	**1**	**3**	**5**	**8**	**10**	**17**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	285	2.9	4	1	1	2	4	5	7	10
20-34	104	3.4	12	<1	1	2	4	6	8	23
35-49	75	3.4	6	1	1	3	5	7	8	10
50-64	74	3.4	13	1	1	3	4	6	8	24
65+	71	3.8	8	1	1	3	5	8	10	12
B. *Operated*										
0-19 YRS	17	5.4	26	<1	1	3	9	12	16	18
20-34	43	4.3	9	1	1	4	6	8	9	15
35-49	31	5.4	12	<1	1	5	7	10	11	17
50-64	27	5.6	13	1	1	5	7	11	13	16
65+	24	8.2	143	<1	1	3	9	20	41	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	932	3.2	7	1	1	2	4	6	8	13
20-34	464	4.0	11	1	1	3	5	8	11	18
35-49	441	4.7	19	1	1	4	6	9	11	18
50-64	734	5.5	23	1	1	4	7	11	15	21
65+	1533	6.2	27	1	2	5	8	11	16	23
B. *Operated*										
0-19 YRS	100	4.4	17	1	1	3	7	11	12	19
20-34	148	7.0	56	1	1	5	8	15	19	48
35-49	173	8.2	61	1	1	6	10	17	26	37
50-64	269	9.6	66	1	2	7	12	21	27	38
65+	423	10.2	56	1	2	8	14	20	24	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	609	3.2	7	1	1	2	4	6	8	12
B. *Operated*	142	5.6	36	1	1	4	7	11	15	38
2. MULTIPLE DX										
A. *Not Operated*	4104	5.0	20	1	1	4	6	10	13	21
B. *Operated*	1113	8.8	59	1	1	7	11	19	24	37
1. SINGLE DX	751	3.6	13	1	1	3	5	7	9	18
2. MULTIPLE DX	5217	5.8	31	1	1	4	7	12	16	27
A. NOT OPERATED	4713	4.7	19	1	1	4	6	9	12	20
B. OPERATED	1255	8.4	57	1	1	7	11	18	23	37
TOTAL 0-19 YRS	1334	3.2	8	1	1	2	4	6	8	14
20-34	759	4.5	22	1	1	3	6	9	13	21
35-49	720	5.4	30	1	1	4	7	10	15	28
50-64	1104	6.4	36	1	1	5	8	13	17	31
65+	2051	6.9	37	1	2	5	9	14	18	27
GRAND TOTAL	**5968**	**5.5**	**29**	**1**	**1**	**4**	**7**	**11**	**16**	**27**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1980	3.4	16	1	1	3	4	6	8	19
20-34	1216	4.7	37	1	1	3	5	8	20	31
35-49	1107	4.5	29	1	1	3	5	8	13	31
50-64	1221	4.9	42	1	1	3	6	10	14	31
65+	1445	6.5	52	1	1	4	8	13	18	35
B. *Operated*										
0-19 YRS	166	3.7	20	<1	<1	2	4	8	13	22
20-34	327	4.1	36	<1	1	2	4	9	12	35
35-49	358	5.0	56	1	1	3	6	10	16	46
50-64	421	5.6	48	1	1	3	6	13	21	36
65+	376	8.1	72	1	1	5	11	19	25	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3624	4.4	16	1	1	3	5	8	11	21
20-34	2327	4.3	15	1	1	3	5	8	10	18
35-49	2932	4.9	21	1	1	4	6	9	12	20
50-64	6000	6.2	33	1	2	5	8	12	16	30
65+	14169	6.7	31	2	2	5	8	13	17	28
B. *Operated*										
0-19 YRS	278	9.6	151	1	1	5	12	23	37	93
20-34	469	6.7	79	1	1	4	8	14	22	57
35-49	684	6.9	74	1	1	4	8	15	22	43
50-64	1474	9.3	117	1	2	6	11	20	31	66
65+	2489	11.4	146	2	2	8	14	24	34	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6969	4.7	35	1	1	3	5	9	14	31
B. *Operated*	1648	5.6	52	1	1	3	6	13	19	40
2. MULTIPLE DX										
A. *Not Operated*	29052	6.0	28	1	2	5	7	12	15	26
B. *Operated*	5394	9.8	126	1	2	6	12	21	31	71
1. SINGLE DX	8617	4.9	38	1	1	3	5	10	15	32
2. MULTIPLE DX	34446	6.6	45	1	2	5	8	13	18	35
A. NOT OPERATED	36021	5.7	30	1	1	4	7	11	15	28
B. OPERATED	7042	8.8	112	1	1	5	11	20	29	64
TOTAL 0-19 YRS	6048	4.3	24	1	1	3	5	8	12	24
20-34	4339	4.6	30	1	1	3	5	9	13	31
35-49	5081	5.1	33	1	1	4	6	10	14	29
50-64	9116	6.5	50	1	2	4	8	13	18	38
65+	18479	7.4	51	1	2	5	9	15	19	36
GRAND TOTAL	**43063**	**6.2**	**44**	**1**	**1**	**4**	**7**	**13**	**17**	**33**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	580	2.2	3	1	1	2	3	4	5	10
20-34	38	4.6	23	1	1	3	6	11	13	24
35-49	25	3.0	5	1	1	2	4	6	8	10
50-64	12	3.9	5	1	1	3	6	7	8	8
65+	8	12.4	253	1	1	7	18	40	46	46
B. *Operated*										
0-19 YRS	88	4.6	10	1	1	4	6	9	11	15
20-34	23	6.6	38	1	2	4	8	11	20	31
35-49	9	7.4	37	2	2	4	14	16	17	17
50-64	2	7.5	1	7	7	7	8	8	8	8
65+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	445	3.1	10	1	1	2	4	6	9	14
20-34	123	5.3	66	1	1	3	6	10	18	40
35-49	60	8.2	95	1	1	5	10	22	28	54
50-64	40	7.8	39	1	1	7	11	15	19	31
65+	75	10.0	93	1	2	7	13	22	32	45
B. *Operated*										
0-19 YRS	157	10.6	134	1	2	6	13	28	38	96
20-34	157	12.0	197	1	2	8	13	36	61	99+
35-49	63	10.7	127	1	2	7	15	22	41	95
50-64	41	20.2	333	3	3	16	32	48	69	99+
65+	39	16.4	290	1	2	13	19	37	59	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	663	2.5	8	1	1	2	3	5	6	12
B. *Operated*	123	5.2	18	1	1	4	7	10	14	21
2. MULTIPLE DX										
A. *Not Operated*	743	4.8	42	1	1	3	6	11	15	33
B. *Operated*	457	12.5	192	1	2	8	15	33	53	99+
1. SINGLE DX	786	2.9	11	1	1	2	3	6	8	15
2. MULTIPLE DX	1200	7.7	113	1	1	4	9	19	31	71
A. NOT OPERATED	1406	3.7	27	1	1	2	4	8	11	26
B. OPERATED	580	10.9	164	1	2	7	13	29	43	99+
TOTAL 0-19 YRS	1270	3.7	29	1	1	2	4	8	12	33
20-34	341	8.4	130	1	1	5	9	19	36	99+
35-49	157	8.3	96	1	1	5	11	21	27	61
50-64	95	12.7	204	1	2	8	16	34	45	96
65+	123	12.2	170	1	2	8	16	26	41	66
GRAND TOTAL	**1986**	**5.8**	**78**	**1**	**1**	**3**	**6**	**13**	**22**	**59**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	239	2.4	4	1	1	2	3	5	6	11
20-34	52	3.7	14	1	1	2	5	7	9	25
35-49	28	4.2	13	1	1	3	6	8	12	17
50-64	10	4.9	6	3	3	4	7	8	9	9
65+	8	4.5	15	1	1	4	6	11	13	13
B. *Operated*										
0-19 YRS	16	4.2	6	<1	1	4	6	8	8	8
20-34	26	6.0	22	1	1	5	8	11	14	23
35-49	8	3.8	7	1	1	3	6	8	8	8
50-64	3	13.3	9	10	10	14	15	16	16	16
65+	3	8.7	41	4	4	6	13	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	245	3.8	11	1	1	3	5	8	11	16
20-34	179	5.9	41	1	1	4	7	11	19	37
35-49	82	5.5	20	1	1	4	7	11	15	24
50-64	64	7.9	55	2	2	6	10	14	22	38
65+	86	8.8	50	2	2	7	12	18	21	37
B. *Operated*										
0-19 YRS	101	11.6	154	1	2	7	14	28	41	58
20-34	146	11.5	213	2	2	7	13	25	39	97
35-49	69	13.6	287	1	2	8	17	31	67	98
50-64	50	18.0	347	3	5	11	24	37	53	90
65+	43	20.6	359	1	2	16	28	49	58	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	337	2.9	7	1	1	2	3	6	8	13
B. *Operated*	56	5.7	19	1	1	5	8	11	15	23
2. MULTIPLE DX										
A. *Not Operated*	656	5.6	33	1	1	4	7	12	16	25
B. *Operated*	409	13.6	250	1	2	8	17	31	50	89
1. SINGLE DX	393	3.3	10	1	1	2	4	7	9	16
2. MULTIPLE DX	1065	8.7	131	1	1	5	10	20	29	68
A. NOT OPERATED	993	4.7	26	1	1	3	6	10	14	26
B. OPERATED	465	12.7	229	1	2	8	16	29	47	88
TOTAL 0-19 YRS	601	4.6	43	1	1	3	5	10	15	35
20-34	403	7.6	107	1	1	5	9	16	25	68
35-49	187	8.2	133	1	1	5	8	17	28	83
50-64	127	11.8	190	2	2	8	14	27	36	88
65+	140	12.2	173	1	2	7	16	26	41	69
GRAND TOTAL	**1458**	**7.3**	**104**	**1**	**1**	**4**	**8**	**16**	**25**	**56**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	52	1.7	1	<1	<1	1	2	3	4	6
20-34	76	1.9	2	<1	<1	1	2	3	5	8
35-49	22	1.9	1	<1	<1	2	2	4	5	5
50-64	9	3.4	15	1	1	2	4	10	13	13
65+	7	2.1	2	1	1	2	3	5	5	5
B. *Operated*										
0-19 YRS	722	2.1	3	<1	<1	2	3	4	5	6
20-34	1044	2.6	4	1	1	2	3	5	6	10
35-49	281	2.8	6	1	1	2	3	6	7	14
50-64	89	2.9	4	1	1	2	4	6	7	10
65+	32	3.9	14	1	1	3	5	7	9	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	156	2.4	4	<1	<1	2	3	5	6	11
20-34	270	2.4	3	<1	<1	2	3	5	6	8
35-49	113	3.3	12	<1	1	2	4	7	9	19
50-64	96	4.1	10	1	1	3	6	8	11	16
65+	172	5.8	22	1	1	5	7	11	13	28
B. *Operated*										
0-19 YRS	888	3.6	14	1	1	3	4	7	9	19
20-34	1760	4.3	20	1	1	3	5	9	11	23
35-49	634	5.3	23	1	1	4	7	11	15	24
50-64	311	6.3	64	1	1	4	8	13	17	48
65+	255	8.1	65	1	2	6	11	16	22	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	166	1.9	3	<1	<1	1	2	4	5	9
B. *Operated*	2168	2.5	4	<1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	807	3.5	11	<1	1	2	4	7	9	16
B. *Operated*	3848	4.7	27	1	1	3	6	10	13	26
1. SINGLE DX	2334	2.4	4	<1	1	2	3	5	6	10
2. MULTIPLE DX	4655	4.5	24	1	1	3	5	9	13	24
A. NOT OPERATED	973	3.2	10	<1	1	2	4	7	9	15
B. OPERATED	6016	3.9	20	1	1	3	5	8	11	22
TOTAL 0-19 YRS	1818	2.9	9	<1	1	2	3	5	7	14
20-34	3150	3.5	13	1	1	3	4	7	9	17
35-49	1050	4.3	18	1	1	3	6	9	13	22
50-64	505	5.2	45	1	1	3	6	11	15	28
65+	466	6.9	47	1	1	5	9	13	18	38
GRAND TOTAL	**6989**	**3.8**	**19**	**1**	**1**	**3**	**5**	**8**	**11**	**21**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	253	3.9	9	1	1	3	5	8	9	14
20-34	448	4.4	9	1	1	4	6	8	10	14
35-49	288	5.5	13	1	2	5	7	10	12	18
50-64	257	6.0	12	2	2	5	8	11	13	17
65+	396	7.2	18	2	3	6	9	13	15	21
B. *Operated*										
0-19 YRS	33	8.4	26	2	3	8	11	16	19	20
20-34	81	10.4	59	2	3	8	13	19	27	38
35-49	29	9.5	39	2	2	8	15	18	19	27
50-64	15	12.4	90	2	5	9	15	24	35	39
65+	18	10.8	41	1	3	10	18	19	21	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	271	5.0	26	1	1	4	6	9	14	37
20-34	603	5.9	23	1	2	5	8	11	13	25
35-49	438	7.2	32	2	2	6	9	13	17	28
50-64	745	8.5	35	2	3	7	10	15	19	32
65+	3568	9.5	32	3	4	8	12	16	20	29
B. *Operated*										
0-19 YRS	103	13.4	123	2	2	11	18	29	33	55
20-34	244	12.9	137	2	2	9	18	27	37	69
35-49	149	13.7	183	2	3	9	16	33	47	77
50-64	162	15.3	184	3	4	11	20	30	47	74
65+	395	15.8	125	4	5	13	20	31	39	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1642	5.5	14	1	2	5	7	10	13	17
B. *Operated*	176	10.1	50	2	3	9	13	18	25	37
2. MULTIPLE DX										
A. *Not Operated*	5625	8.6	33	2	3	7	11	15	19	30
B. *Operated*	1053	14.5	146	2	4	11	19	30	42	60
1. SINGLE DX	1818	5.9	19	1	2	5	8	14	14	22
2. MULTIPLE DX	6678	9.5	56	2	3	8	12	18	22	42
A. NOT OPERATED	7267	7.9	31	2	2	7	10	14	18	27
B. OPERATED	1229	13.9	134	2	3	11	18	28	38	60
TOTAL 0-19 YRS	660	6.0	45	1	1	4	7	13	19	38
20-34	1376	6.9	50	1	2	5	8	14	20	39
35-49	904	7.8	59	2	2	6	9	15	19	47
50-64	1179	8.9	59	2	3	7	11	16	21	47
65+	4377	9.9	43	3	4	8	13	18	22	34
GRAND TOTAL	**8496**	**8.8**	**50**	**2**	**3**	**7**	**11**	**16**	**21**	**38**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	4.8	7	1	1	6	7	7	7	7
20-34	14	6.4	16	1	3	5	8	14	15	15
35-49	5	6.2	11	3	3	5	9	11	11	11
50-64	3	8.3	9	5	5	9	10	11	11	11
65+	4	1.5	1	1	1	1	2	3	3	3
B. *Operated*										
0-19 YRS	7	10.9	156	<1	1	5	13	32	37	37
20-34	18	18.3	288	2	3	11	35	37	54	65
35-49	3	17.0	49	12	12	14	22	25	25	25
50-64	3	29.3	754	12	12	15	49	61	61	61
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	11.9	138	2	2	7	24	74	99+	99+
20-34	24	20.3	704	<1	1	8	29	61	88	89
35-49	6	16.2	447	3	3	8	11	54	59	59
50-64	12	10.7	116	2	2	9	13	54	91	99+
65+	50	10.6	70	3	3	8	13	21	32	39
B. *Operated*										
0-19 YRS	20	26.4	576	6	10	17	55	99+	99+	99+
20-34	60	32.3	530	8	9	32	51	99+	99+	99+
35-49	16	36.7	375	11	14	49	78	99+	99+	99+
50-64	14	32.0	798	6	9	17	57	98	99+	99+
65+	20	24.3	275	6	7	20	40	57	77	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	5.7	13	1	1	5	8	11	14	15
B. *Operated*	32	17.3	267	2	3	12	23	37	59	65
2. MULTIPLE DX										
A. *Not Operated*	100	13.4	260	2	3	8	14	38	58	99+
B. *Operated*	130	30.7	507	8	9	28	55	99+	99+	99+
1. SINGLE DX	64	11.5	172	1	2	7	13	35	37	64
2. MULTIPLE DX	230	23.1	472	3	4	16	40	89	99+	99+
A. NOT OPERATED	132	11.5	211	1	2	7	13	32	51	99+
B. OPERATED	162	28.0	486	4	8	24	48	99	99+	99+
TOTAL 0-19 YRS	41	17.8	399	1	2	14	27	85	99+	99+
20-34	116	24.5	538	2	4	18	40	89	99+	99+
35-49	30	25.5	435	3	5	26	57	99+	99+	99+
50-64	32	21.5	543	3	5	12	42	74	99	99+
65+	75	13.7	162	2	3	9	15	38	45	89
GRAND TOTAL	**294**	**20.6**	**429**	**2**	**3**	**14**	**36**	**71**	**99+**	**99+**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	1.8	1	<1	1	1	2	3	5	5
20-34	71	2.5	2	1	1	2	3	4	6	9
35-49	87	2.9	3	1	1	2	4	5	6	10
50-64	105	3.7	7	1	1	3	5	7	9	14
65+	101	4.4	12	1	1	3	6	9	11	16
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	5	3.0	2	<1	<1	3	4	4	4	4
35-49	5	3.4	3	1	1	3	4	6	6	6
50-64	3	5.3	8	2	2	7	7	7	7	7
65+	3	7.3	10	5	5	6	10	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	108	3.1	6	1	1	2	4	6	8	12
20-34	411	4.0	12	1	1	3	5	8	9	15
35-49	556	4.8	15	1	1	4	6	9	11	18
50-64	803	5.8	19	1	2	5	8	11	13	20
65+	1961	7.2	25	2	2	6	10	13	17	26
B. *Operated*										
0-19 YRS	40	6.6	28	1	2	5	8	14	19	24
20-34	184	7.8	41	1	2	6	10	17	20	32
35-49	148	9.6	72	2	3	7	11	21	29	47
50-64	170	10.8	106	2	3	8	13	21	31	54
65+	274	12.8	98	3	4	10	16	23	34	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	399	3.3	7	1	1	3	4	6	9	14
B. *Operated*	17	4.2	7	<1	1	4	6	7	10	11
2. MULTIPLE DX										
A. *Not Operated*	3839	6.1	22	1	2	5	8	12	15	24
B. *Operated*	816	10.4	83	2	3	8	13	21	28	49
1. SINGLE DX	416	3.4	7	1	1	3	4	6	9	14
2. MULTIPLE DX	4655	6.9	35	1	2	5	9	13	17	31
A. NOT OPERATED	4238	5.9	21	1	2	5	8	11	14	22
B. OPERATED	833	10.3	82	2	2	8	13	21	28	49
TOTAL 0-19 YRS	184	3.6	12	1	1	2	4	7	10	19
20-34	671	4.9	22	1	1	4	6	10	14	24
35-49	796	5.5	29	1	1	4	7	11	15	30
50-64	1081	6.4	35	1	2	5	8	12	15	32
65+	2339	7.8	37	2	2	6	10	15	19	30
GRAND TOTAL	**5071**	**6.6**	**34**	**1**	**2**	**5**	**8**	**13**	**17**	**30**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	134	5.2	21	1	1	4	7	10	14	24
20-34	111	7.6	47	2	2	5	9	14	22	38
35-49	68	7.6	39	2	3	6	10	14	17	35
50-64	89	8.6	41	2	3	7	10	15	25	33
65+	335	9.4	30	3	4	9	12	16	20	29
B. *Operated*										
0-19 YRS	10	8.4	93	2	2	5	10	22	34	34
20-34	13	14.8	113	3	3	16	20	31	37	38
35-49	10	22.0	212	3	3	19	39	40	40	40
50-64	5	34.2	778	6	6	23	58	73	73	73
65+	3	27.3	1120	1	1	16	53	65	65	65
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	217	7.7	43	1	2	6	10	15	22	31
20-34	262	10.7	78	2	3	8	13	21	31	48
35-49	146	11.7	116	3	4	9	13	23	28	59
50-64	299	12.6	102	3	4	10	16	24	36	56
65+	2217	11.7	57	3	4	10	15	20	25	39
B. *Operated*										
0-19 YRS	125	15.6	211	3	4	10	22	39	45	71
20-34	184	24.2	339	4	5	20	36	52	56	92
35-49	90	29.3	470	5	8	23	42	60	84	96
50-64	90	24.2	312	4	5	19	33	49	58	85
65+	278	21.2	250	6	7	16	26	45	56	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	737	8.1	35	2	2	7	11	15	20	30
B. *Operated*	41	18.3	306	2	3	15	24	40	58	73
2. MULTIPLE DX										
A. *Not Operated*	3141	11.4	66	3	4	10	14	21	25	48
B. *Operated*	767	22.3	311	4	6	16	31	49	57	86
1. SINGLE DX	778	8.7	54	2	2	7	11	16	22	39
2. MULTIPLE DX	3908	13.6	132	3	4	11	16	26	38	60
A. NOT OPERATED	3878	10.8	62	2	3	9	14	20	24	43
B. OPERATED	808	22.1	311	4	5	16	30	49	57	85
TOTAL 0-19 YRS	486	9.1	96	1	2	6	10	22	28	48
20-34	570	14.6	202	2	3	10	18	35	49	60
35-49	314	16.2	278	3	3	10	18	40	51	87
50-64	483	14.3	165	3	4	10	17	32	42	63
65+	2833	12.4	82	3	4	10	15	22	28	51
GRAND TOTAL	**4686**	**12.8**	**123**	**3**	**4**	**10**	**15**	**24**	**34**	**58**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	254	3.3	25	<1	1	1	3	9	16	26
20-34	60	3.5	26	<1	1	2	4	7	9	29
35-49	43	3.1	12	1	1	2	3	6	10	17
50-64	108	3.2	10	1	1	2	4	6	7	18
65+	275	3.8	10	1	1	3	5	7	9	15
B. *Operated*										
0-19 YRS	1565	3.6	21	1	1	2	3	8	15	22
20-34	166	3.9	19	1	1	3	5	6	9	26
35-49	134	3.6	11	1	1	3	5	6	8	23
50-64	215	5.0	16	1	1	4	6	10	13	22
65+	298	5.6	23	1	1	4	7	12	15	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	112	4.1	26	1	1	2	5	8	13	27
20-34	60	4.7	19	1	1	4	6	10	17	20
35-49	76	4.9	16	1	2	4	5	9	12	23
50-64	243	5.8	35	1	1	4	7	12	16	35
65+	1346	7.0	30	2	2	5	9	14	17	27
B. *Operated*										
0-19 YRS	468	6.3	57	1	1	3	7	17	22	33
20-34	225	8.5	70	1	2	6	11	19	26	52
35-49	191	8.0	71	1	2	5	9	15	24	44
50-64	388	8.8	117	1	2	6	10	20	26	61
65+	1053	9.9	68	2	3	8	13	20	25	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	740	3.5	16	1	1	2	4	7	11	24
B. *Operated*	2378	4.0	20	1	1	2	4	9	14	23
2. MULTIPLE DX										
A. *Not Operated*	1837	6.5	30	1	2	5	8	13	17	27
B. *Operated*	2325	8.7	76	1	2	6	11	19	25	44
1. SINGLE DX	3118	3.9	19	1	1	2	4	8	14	23
2. MULTIPLE DX	4162	7.7	57	1	2	5	10	16	22	37
A. NOT OPERATED	2577	5.6	28	1	1	4	7	12	16	27
B. OPERATED	4703	6.3	54	1	1	4	8	15	20	35
TOTAL 0-19 YRS	2399	4.1	30	1	1	2	4	11	17	26
20-34	511	6.0	47	1	1	4	7	14	21	32
35-49	444	5.7	42	1	1	4	6	12	16	36
50-64	954	6.5	65	1	1	4	7	13	20	41
65+	2972	7.6	45	1	2	6	10	15	20	35
GRAND TOTAL	**7280**	**6.1**	**45**	**1**	**1**	**4**	**8**	**14**	**19**	**32**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	113	1.5	1	<1	<1	1	2	3	4	6
20-34	33	2.4	2	<1	<1	2	4	4	5	6
35-49	42	2.3	3	<1	1	2	3	4	6	9
50-64	33	2.0	2	1	1	1	3	4	6	6
65+	63	2.5	3	<1	1	2	3	4	7	9
B. *Operated*										
0-19 YRS	3125	1.6	2	<1	1	1	2	3	4	7
20-34	718	2.6	3	1	1	2	3	5	6	8
35-49	623	2.6	3	1	1	2	3	5	6	9
50-64	808	2.5	7	1	1	2	3	4	6	10
65+	769	2.7	4	1	1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	91	2.7	14	<1	1	1	3	5	7	25
20-34	85	3.3	13	1	1	2	4	7	8	23
35-49	65	3.8	9	<1	1	3	6	9	10	12
50-64	104	4.3	14	1	1	4	5	8	9	23
65+	333	6.0	23	1	1	5	8	12	16	25
B. *Operated*										
0-19 YRS	712	3.2	21	1	1	2	4	6	9	28
20-34	587	5.6	48	1	1	4	7	11	15	41
35-49	473	5.4	36	1	1	4	6	11	17	26
50-64	711	4.9	34	1	1	3	5	10	14	29
65+	1477	5.9	31	1	1	4	7	13	17	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	284	2.0	2	<1	1	1	3	4	5	8
B. *Operated*	6043	2.1	3	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	678	4.7	19	1	1	4	6	9	13	24
B. *Operated*	3960	5.1	34	1	1	3	6	11	15	29
1. SINGLE DX	6327	2.1	3	1	1	2	3	4	5	8
2. MULTIPLE DX	4638	5.0	32	1	1	3	6	10	15	28
A. NOT OPERATED	962	3.9	16	<1	1	3	5	8	11	21
B. OPERATED	10003	3.3	17	1	1	2	4	7	10	20
TOTAL 0-19 YRS	4041	1.9	6	<1	1	1	2	3	5	10
20-34	1423	3.9	24	1	1	3	5	7	10	22
35-49	1203	3.8	18	1	1	3	4	7	10	21
50-64	1656	3.6	20	1	1	2	4	7	10	23
65+	2642	4.9	24	1	1	3	6	10	14	25
GRAND TOTAL	**10965**	**3.3**	**17**	**1**	**1**	**2**	**4**	**7**	**10**	**20**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	1.7	2	<1	<1	1	2	4	5	7
20-34	33	1.9	1	<1	<1	1	2	4	5	5
35-49	18	2.2	2	<1	1	2	3	5	6	6
50-64	11	1.9	2	<1	<1	1	3	4	4	4
65+	10	1.9	1	<1	<1	2	3	3	3	3
B. *Operated*										
0-19 YRS	604	1.6	1	<1	<1	1	2	3	4	5
20-34	737	1.9	2	<1	1	2	2	3	4	7
35-49	300	2.0	3	<1	<1	2	2	3	5	9
50-64	173	2.1	4	<1	1	2	3	4	5	7
65+	73	2.7	6	1	1	2	3	5	7	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	2.5	3	<1	1	2	4	5	6	7
20-34	61	3.2	11	<1	<1	3	4	5	6	22
35-49	45	3.0	6	<1	1	2	4	5	9	11
50-64	36	5.2	55	1	1	3	5	11	21	39
65+	76	6.1	17	1	2	5	8	11	14	21
B. *Operated*										
0-19 YRS	327	2.9	9	<1	1	2	3	6	8	16
20-34	626	3.5	27	1	1	2	4	7	8	21
35-49	321	3.5	21	1	1	2	4	7	10	26
50-64	263	3.6	17	1	1	2	4	7	10	23
65+	200	5.0	27	1	1	3	6	11	16	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	99	1.9	2	<1	<1	1	2	4	5	7
B. *Operated*	1887	1.9	2	<1	1	1	2	3	5	7
2. MULTIPLE DX										
A. *Not Operated*	266	4.1	18	<1	1	3	5	8	11	24
B. *Operated*	1737	3.6	21	1	1	2	4	7	10	24
1. SINGLE DX	1986	1.9	2	<1	1	1	2	3	5	7
2. MULTIPLE DX	2003	3.6	21	1	1	2	4	7	10	24
A. NOT OPERATED	365	3.5	14	<1	1	2	4	7	10	22
B. OPERATED	3624	2.7	12	<1	1	2	3	5	7	17
TOTAL 0-19 YRS	1006	2.1	4	<1	1	1	2	4	5	11
20-34	1457	2.6	13	<1	1	2	3	5	7	13
35-49	684	2.8	12	<1	1	2	3	5	7	17
50-64	483	3.1	16	1	1	2	3	6	9	23
65+	359	4.7	21	1	1	3	6	11	13	25
GRAND TOTAL	**3989**	**2.8**	**12**	**<1**	**1**	**2**	**3**	**5**	**7**	**17**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	14.8	177	1	1	12	25	34	39	45
20-34	13	5.5	71	1	1	3	5	12	29	33
35-49	17	6.2	56	1	1	4	7	8	25	34
50-64	32	9.3	49	1	3	8	12	16	20	37
65+	174	8.0	28	1	2	7	11	15	18	23
B. *Operated*										
0-19 YRS	139	10.0	72	2	3	8	13	20	27	49
20-34	58	10.1	70	3	3	8	12	18	20	48
35-49	129	10.5	99	4	5	8	11	15	20	70
50-64	466	11.5	34	5	6	10	14	18	21	29
65+	2756	13.4	28	7	8	13	16	19	22	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	14.2	172	1	1	8	23	31	37	50
20-34	14	16.9	536	2	2	8	13	58	76	81
35-49	19	10.3	43	2	4	8	13	22	23	23
50-64	91	9.1	65	1	3	7	11	16	24	46
65+	1091	10.6	71	2	3	9	14	20	27	51
B. *Operated*										
0-19 YRS	107	15.0	97	3	4	13	19	26	34	51
20-34	184	17.2	192	5	6	13	21	34	44	77
35-49	263	16.8	175	5	6	13	20	33	44	99+
50-64	1157	16.0	98	6	8	13	19	27	35	66
65+	13806	16.2	66	8	9	15	19	25	30	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	292	9.2	69	1	1	7	12	20	28	39
B. *Operated*	3548	12.8	35	6	7	12	15	19	22	32
2. MULTIPLE DX										
A. *Not Operated*	1245	10.6	78	2	3	9	14	21	28	51
B. *Operated*	15517	16.2	72	7	9	15	19	25	31	51
1. SINGLE DX	3840	12.6	38	4	6	12	15	19	22	33
2. MULTIPLE DX	16762	15.8	74	6	8	14	19	25	31	51
A. NOT OPERATED	1537	10.4	76	1	2	8	14	21	28	49
B. OPERATED	19065	15.6	67	7	8	14	18	24	30	49
TOTAL 0-19 YRS	332	12.8	111	1	2	10	18	27	34	48
20-34	269	15.1	189	3	4	11	17	31	44	78
35-49	428	14.2	152	4	5	11	16	29	42	98
50-64	1746	14.4	84	5	7	12	17	24	31	58
65+	17827	15.4	63	6	8	14	18	24	29	47
GRAND TOTAL	**20602**	**15.2**	**69**	**6**	**8**	**14**	**18**	**24**	**30**	**49**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	600	16.4	135	1	2	18	24	30	35	50
20-34	23	18.3	339	1	2	7	39	46	49	50
35-49	14	24.9	444	1	1	25	42	52	61	63
50-64	22	14.2	181	2	2	9	19	40	41	42
65+	67	11.6	161	1	2	7	15	22	41	70
B. *Operated*										
0-19 YRS	628	13.4	132	1	2	11	22	29	34	47
20-34	157	11.0	50	2	3	10	15	19	23	34
35-49	56	12.9	176	1	2	8	16	27	51	98
50-64	60	12.9	81	4	5	10	15	23	33	49
65+	173	16.4	118	6	7	14	18	28	44	70
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	244	16.1	172	1	2	15	24	35	42	55
20-34	39	18.1	422	1	2	10	30	50	62	75
35-49	33	17.6	465	1	1	7	20	58	68	78
50-64	71	16.4	323	2	2	9	18	47	53	78
65+	375	15.6	240	3	4	10	19	39	50	74
B. *Operated*										
0-19 YRS	591	19.1	227	2	3	16	27	39	47	79
20-34	496	19.4	263	3	5	15	24	42	59	90
35-49	157	22.6	336	4	6	16	31	49	68	92
50-64	225	19.2	182	3	7	16	23	42	55	99+
65+	904	21.2	228	7	9	16	25	41	55	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	726	16.1	154	1	2	17	24	30	40	51
B. *Operated*	1074	13.5	119	1	2	12	19	27	34	56
2. MULTIPLE DX										
A. *Not Operated*	762	16.0	244	2	3	10	22	38	49	74
B. *Operated*	2373	20.2	239	3	6	16	25	42	54	88
1. SINGLE DX	1800	14.5	135	1	2	13	22	29	36	53
2. MULTIPLE DX	3135	19.2	243	2	4	15	25	41	53	83
A. NOT OPERATED	1488	16.1	200	1	2	13	23	35	44	63
B. OPERATED	3447	18.1	211	2	4	15	23	37	49	83
TOTAL 0-19 YRS	2063	16.2	170	1	2	15	24	32	40	57
20-34	715	17.5	238	2	4	13	21	39	52	84
35-49	260	20.0	336	1	3	14	27	49	65	92
50-64	378	17.4	197	2	4	14	22	39	51	94
65+	1519	18.9	224	4	5	15	22	39	52	82
GRAND TOTAL	**4935**	**17.5**	**209**	**2**	**3**	**14**	**23**	**36**	**47**	**76**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	448	2.5	4	1	1	2	3	5	6	10
20-34	140	3.3	12	<1	1	3	4	6	8	26
35-49	97	4.4	9	1	1	3	6	8	10	15
50-64	96	5.6	35	1	2	4	6	11	14	36
65+	119	5.7	13	1	2	5	8	11	13	15
B. *Operated*										
0-19 YRS	1073	3.6	12	1	1	3	5	7	9	16
20-34	703	5.6	20	1	2	5	7	10	13	24
35-49	502	6.1	24	1	2	5	8	11	15	28
50-64	331	7.3	28	2	2	6	10	13	16	33
65+	194	8.2	25	2	3	7	11	14	17	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	178	3.4	10	1	1	3	4	7	9	15
20-34	136	4.5	24	1	1	3	5	9	12	30
35-49	128	5.7	21	1	1	5	7	11	14	26
50-64	198	7.6	46	2	2	6	10	15	19	38
65+	450	8.5	31	2	3	7	11	16	20	28
B. *Operated*										
0-19 YRS	568	8.2	93	1	2	5	9	16	27	53
20-34	775	10.5	114	2	2	7	13	23	33	59
35-49	540	12.0	160	2	3	8	14	23	41	70
50-64	502	12.2	120	2	4	9	15	25	36	56
65+	562	13.9	111	4	5	11	17	26	36	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	900	3.6	12	1	1	3	5	7	10	15
B. *Operated*	2803	5.3	21	1	1	4	7	10	14	24
2. MULTIPLE DX										
A. *Not Operated*	1090	6.7	32	1	1	5	9	14	17	29
B. *Operated*	2947	11.3	122	2	3	8	14	23	34	61
1. SINGLE DX	3703	4.9	20	1	1	4	6	10	13	23
2. MULTIPLE DX	4037	10.0	102	1	2	7	12	20	29	56
A. NOT OPERATED	1990	5.3	25	1	1	4	7	11	15	26
B. OPERATED	5750	8.4	82	1	2	6	10	17	24	52
TOTAL 0-19 YRS	2267	4.5	35	1	1	3	5	9	13	32
20-34	1754	7.5	69	1	2	5	9	15	23	51
35-49	1267	8.5	90	1	2	6	10	16	24	54
50-64	1127	9.4	79	2	2	7	11	19	27	50
65+	1325	10.5	71	2	3	8	13	19	26	48
GRAND TOTAL	**7740**	**7.6**	**69**	**1**	**1**	**5**	**9**	**15**	**22**	**47**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	259	2.2	2	<1	1	2	3	4	6	8
20-34	222	2.9	4	<1	1	2	4	5	7	10
35-49	163	3.1	5	<1	1	3	4	6	7	12
50-64	186	3.8	8	<1	1	3	5	7	9	13
65+	177	4.3	10	1	1	4	5	8	11	16
B. *Operated*										
0-19 YRS	1261	3.2	8	1	1	3	4	6	7	12
20-34	1847	4.0	6	1	1	4	5	7	8	13
35-49	1408	4.5	7	1	2	4	6	8	9	13
50-64	1197	5.4	12	2	2	5	7	9	11	17
65+	634	6.6	15	2	3	6	8	12	14	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	132	2.8	6	<1	<1	2	4	6	7	14
20-34	255	4.1	11	<1	1	3	5	9	10	17
35-49	206	4.5	13	1	1	4	6	9	11	18
50-64	340	5.7	21	1	2	4	7	11	13	27
65+	677	6.6	25	2	2	5	8	12	15	24
B. *Operated*										
0-19 YRS	673	5.3	26	1	1	4	6	10	15	28
20-34	1463	6.7	55	1	2	5	8	12	19	40
35-49	1082	6.9	51	2	2	5	8	12	16	31
50-64	1310	7.6	38	2	3	6	9	14	17	33
65+	1396	9.7	54	3	4	8	12	17	22	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1007	3.2	6	<1	1	3	4	6	8	13
B. *Operated*	6347	4.5	10	1	1	4	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	1610	5.4	20	1	1	4	7	11	13	23
B. *Operated*	5924	7.5	49	2	2	6	9	14	19	35
1. SINGLE DX	7354	4.3	9	1	1	4	5	8	10	15
2. MULTIPLE DX	7534	7.1	44	1	2	5	9	13	18	33
A. NOT OPERATED	2617	4.5	16	1	1	4	6	9	12	19
B. OPERATED	12271	5.9	31	1	2	5	7	11	14	28
TOTAL 0-19 YRS	2325	3.7	13	1	1	3	4	7	9	19
20-34	3787	5.0	27	1	1	4	6	9	12	26
35-49	2859	5.3	26	1	2	4	6	10	12	22
50-64	3033	6.3	26	2	2	5	8	11	15	27
65+	2884	8.0	39	2	3	7	10	14	18	32
GRAND TOTAL	**14888**	**5.7**	**29**	**1**	**2**	**4**	**7**	**11**	**14**	**26**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	52	1.7	2	<1	1	1	2	3	4	8
20-34	39	2.0	2	<1	<1	1	3	4	5	7
35-49	23	2.7	5	<1	<1	2	3	6	8	10
50-64	6	1.3		<1	<1	1	2	2	2	2
65+	16	3.3	12	1	1	2	3	7	13	15
B. *Operated*										
0-19 YRS	93	2.4	2	1	1	2	3	4	5	6
20-34	71	2.9	3	1	1	3	4	4	7	10
35-49	32	3.0	3	1	1	3	3	5	7	8
50-64	12	2.7	1	1	1	3	3	4	5	5
65+	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	138	2.9	6	<1	1	2	4	6	8	13
20-34	197	3.4	21	<1	1	2	4	7	9	13
35-49	121	4.3	35	1	1	3	5	8	10	29
50-64	123	4.9	25	1	1	3	6	10	14	29
65+	251	7.8	38	1	2	7	10	15	19	34
B. *Operated*										
0-19 YRS	46	6.5	72	1	1	4	6	11	27	44
20-34	93	6.5	51	1	2	4	7	15	20	41
35-49	52	4.9	16	1	1	4	6	12	14	18
50-64	40	7.3	44	1	1	5	11	19	22	23
65+	61	10.9	74	2	3	8	15	22	25	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	136	2.1	4	<1	<1	1	3	4	6	11
B. *Operated*	210	2.7	2	1	1	2	3	4	6	8
2. MULTIPLE DX										
A. *Not Operated*	830	5.0	30	1	1	3	7	10	14	26
B. *Operated*	292	7.2	55	1	2	5	9	17	23	41
1. SINGLE DX	346	2.4	3	<1	1	2	3	4	6	8
2. MULTIPLE DX	1122	5.6	38	1	1	4	7	12	17	33
A. NOT OPERATED	966	4.6	27	1	1	3	6	10	13	26
B. OPERATED	502	5.3	38	1	1	3	6	12	18	34
TOTAL 0-19 YRS	329	3.1	15	1	1	2	3	6	8	21
20-34	400	3.9	25	1	1	3	4	7	11	23
35-49	228	4.1	24	1	1	3	5	8	10	16
50-64	181	5.1	29	1	1	3	6	12	15	25
65+	330	8.1	46	1	2	6	11	17	21	37
GRAND TOTAL	**1468**	**4.8**	**31**	**1**	**1**	**3**	**6**	**11**	**15**	**26**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	3.8	12	1	1	3	5	9	12	12
20-34	11	2.3	2	<1	<1	2	3	4	5	5
35-49	5	5.2	21	<1	<1	4	7	13	13	13
50-64	2	6.0	8	4	4	6	8	8	8	8
65+	2	9.5	13	7	7	9	12	12	12	12
B. *Operated*										
0-19 YRS	8	6.4	12	1	2	6	9	11	11	11
20-34	6	10.7	18	5	5	11	13	17	17	17
35-49	4	7.3	18	3	3	6	10	13	13	13
50-64	5	16.0	59	7	7	13	22	27	27	27
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	5.3	19	1	1	4	10	11	12	13
20-34	9	7.1	75	2	2	4	6	20	30	30
35-49	8	6.6	41	1	1	5	8	17	21	21
50-64	8	11.6	111	1	1	7	19	28	30	30
65+	11	9.9	37	2	3	10	14	19	21	21
B. *Operated*										
0-19 YRS	17	12.6	111	1	2	9	21	29	32	33
20-34	29	18.0	295	4	5	14	19	51	62	63
35-49	12	31.1	519	2	3	32	48	59	68	69
50-64	12	26.1	864	2	3	19	41	96	99	99+
65+	11	19.7	99	7	9	18	25	36	38	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	4.0	12	<1	1	3	5	9	12	13
B. *Operated*	23	9.7	35	2	3	9	13	18	22	27
2. MULTIPLE DX										
A. *Not Operated*	51	7.8	51	1	1	6	10	18	24	30
B. *Operated*	81	20.2	365	3	4	14	27	51	65	98
1. SINGLE DX	55	6.4	29	<1	1	5	10	13	16	27
2. MULTIPLE DX	132	15.4	280	1	2	10	21	35	60	96
A. NOT OPERATED	83	6.3	39	1	1	4	8	14	21	30
B. OPERATED	104	17.9	310	3	3	13	23	46	62	97
TOTAL 0-19 YRS	52	7.5	58	1	1	5	10	15	27	33
20-34	55	12.3	209	1	2	6	15	30	55	63
35-49	29	16.6	373	1	2	7	25	49	56	69
50-64	27	18.4	459	2	2	13	23	63	95	99+
65+	24	14.4	85	3	4	13	18	27	36	38
GRAND TOTAL	**187**	**12.8**	**223**	**1**	**2**	**7**	**15**	**30**	**48**	**88**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. ***Not Operated***										
0-19 YRS	7	1.7	1	1	1	1	3	3	3	3
20-34	23	1.5	1	<1	<1	1	2	3	4	4
35-49	8	1.6	1	<1	<1	1	2	3	3	3
50-64	8	2.6	6	<1	<1	1	4	7	7	7
65+	13	4.4	34	<1	<1	1	5	14	19	20
B. ***Operated***										
0-19 YRS	130	2.3	2	<1	1	2	3	4	4	6
20-34	590	2.5	2	1	1	2	3	4	5	7
35-49	176	2.6	2	<1	1	2	3	4	5	8
50-64	77	1.9	1	<1	<1	2	2	3	4	5
65+	70	2.3	5	1	1	1	2	6	8	10
2. MULTIPLE DX										
A. ***Not Operated***										
0-19 YRS	11	2.2	1	<1	1	2	3	4	4	4
20-34	42	3.8	15	<1	1	2	5	9	13	16
35-49	24	2.6	3	<1	1	2	4	5	6	7
50-64	14	5.0	11	<1	1	5	8	9	11	11
65+	48	6.4	25	1	1	5	8	15	18	22
B. ***Operated***										
0-19 YRS	42	3.4	12	1	1	2	4	6	14	16
20-34	159	4.2	18	1	1	3	5	8	10	25
35-49	82	3.6	9	<1	1	3	4	8	10	14
50-64	60	4.6	19	1	1	3	6	10	14	20
65+	186	5.0	36	1	1	3	6	12	17	30
SUBTOTALS:										
1. SINGLE DX										
A. ***Not Operated***	59	2.3	10	<1	<1	1	2	4	7	19
B. ***Operated***	1043	2.4	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. ***Not Operated***	139	4.5	17	<1	1	3	6	10	14	19
B. ***Operated***	529	4.4	23	1	1	3	5	9	13	24
1. SINGLE DX	1102	2.4	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	668	4.4	21	1	1	3	5	9	13	22
A. NOT OPERATED	198	3.8	16	<1	1	2	5	9	13	19
B. OPERATED	1572	3.1	10	1	1	2	4	5	8	17
TOTAL 0-19 YRS	190	2.5	4	1	1	2	3	4	5	15
20-34	814	2.8	6	1	1	2	3	5	6	12
35-49	290	2.9	4	<1	1	2	4	5	7	11
50-64	159	3.2	11	<1	1	2	4	8	9	16
65+	317	4.6	29	1	1	3	6	11	16	26
GRAND TOTAL	**1770**	**3.2**	**10**	**1**	**1**	**2**	**4**	**6**	**8**	**17**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. ***Not Operated***										
0-19 YRS	31	1.8	1	<1	<1	1	2	3	4	6
20-34	28	3.6	12	1	1	2	5	8	9	17
35-49	15	3.7	3	1	2	3	6	6	6	6
50-64	5	3.4	2	2	2	4	4	5	5	5
65+	3	3.0	4	1	1	3	4	5	5	5
B. ***Operated***										
0-19 YRS	691	2.3	2	<1	1	2	3	4	5	7
20-34	1279	2.5	3	<1	1	2	3	5	6	8
35-49	617	2.6	4	<1	1	2	3	5	7	10
50-64	298	2.8	4	1	1	2	4	5	6	9
65+	78	3.7	9	1	1	3	4	8	10	16
2. MULTIPLE DX										
A. ***Not Operated***										
0-19 YRS	35	2.0	2	<1	<1	2	3	4	5	5
20-34	33	2.8	14	<1	<1	1	3	7	12	18
35-49	30	3.2	7	<1	<1	2	5	7	8	9
50-64	24	4.2	16	1	1	3	5	11	15	15
65+	28	6.3	14	1	1	6	8	12	15	15
B. ***Operated***										
0-19 YRS	573	2.9	6	1	1	2	4	5	7	10
20-34	1168	3.3	8	1	1	2	4	6	8	14
35-49	772	3.4	10	1	1	2	4	7	9	16
50-64	708	3.6	13	1	1	3	4	7	10	18
65+	366	4.7	22	1	1	3	5	10	13	24
SUBTOTALS:										
1. SINGLE DX										
A. ***Not Operated***	82	2.9	6	<1	<1	2	4	6	7	14
B. ***Operated***	2963	2.6	3	<1	1	2	3	5	6	9
2. MULTIPLE DX										
A. ***Not Operated***	150	3.6	12	<1	<1	2	5	8	11	15
B. ***Operated***	3587	3.4	11	1	1	3	4	7	9	17
1. SINGLE DX	3045	2.6	3	<1	1	2	3	5	6	9
2. MULTIPLE DX	3737	3.5	11	1	1	3	4	7	9	16
A. NOT OPERATED	232	3.3	10	<1	<1	2	4	7	9	16
B. OPERATED	6550	3.0	7	1	1	2	4	6	8	14
TOTAL 0-19 YRS	1330	2.6	4	<1	1	2	3	5	6	9
20-34	2508	2.9	5	<1	1	2	4	6	7	12
35-49	1434	3.1	7	1	1	2	4	6	8	13
50-64	1035	3.4	11	1	1	2	4	6	9	16
65+	475	4.6	20	1	1	3	5	10	13	22
GRAND TOTAL	**6782**	**3.1**	**8**	**1**	**1**	**2**	**4**	**6**	**8**	**14**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	49	3.6	15	<1	1	2	5	7	12	22
20-34	46	4.7	17	<1	1	3	7	10	14	18
35-49	28	5.4	11	2	2	4	8	10	12	14
50-64	16	5.9	32	1	1	4	8	11	19	23
65+	6	2.0	2	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	255	2.6	9	<1	1	2	3	5	8	18
20-34	270	3.8	16	<1	1	2	4	9	12	21
35-49	142	3.7	15	1	1	2	4	8	12	19
50-64	86	4.9	37	1	1	3	5	13	21	31
65+	61	4.2	21	1	1	3	5	8	13	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	4.9	35	<1	1	3	6	13	19	27
20-34	65	5.6	33	<1	1	4	7	12	14	34
35-49	60	5.8	21	1	1	5	7	13	15	23
50-64	41	7.5	34	1	2	6	10	14	19	30
65+	87	7.1	60	1	1	4	10	16	20	45
B. *Operated*										
0-19 YRS	160	6.6	65	1	1	4	8	14	26	43
20-34	302	7.3	78	1	1	4	9	16	23	49
35-49	184	7.1	69	1	1	4	9	17	25	43
50-64	163	10.3	175	1	2	5	13	23	39	61
65+	137	10.9	183	1	1	6	14	27	36	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	145	4.5	17	<1	1	3	6	10	13	22
B. *Operated*	814	3.5	17	<1	1	2	4	8	12	23
2. MULTIPLE DX										
A. *Not Operated*	292	6.2	39	1	1	4	8	13	17	29
B. *Operated*	946	8.2	108	1	1	4	10	20	29	51
1. SINGLE DX	959	3.7	17	<1	1	2	4	8	12	23
2. MULTIPLE DX	1238	7.7	93	1	1	4	9	18	26	49
A. NOT OPERATED	437	5.6	33	1	1	4	7	12	16	24
B. OPERATED	1760	6.0	71	1	1	3	7	14	22	43
TOTAL 0-19 YRS	503	4.1	32	<1	1	2	4	9	14	29
20-34	683	5.6	48	1	1	3	7	13	18	35
35-49	414	5.6	41	1	1	4	7	12	17	31
50-64	306	8.2	115	1	1	4	10	19	29	54
65+	291	8.1	116	1	1	4	10	20	28	57
GRAND TOTAL	**2197**	**5.9**	**63**	**1**	**1**	**3**	**7**	**14**	**21**	**42**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	2.2	2	<1	1	2	3	4	5	8
20-34	78	2.7	5	<1	1	2	3	5	7	13
35-49	38	3.1	6	1	1	3	4	6	6	15
50-64	27	3.4	7	1	1	2	5	7	9	11
65+	29	4.4	9	2	2	4	6	8	10	15
B. *Operated*										
0-19 YRS	408	3.0	3	1	1	3	4	5	6	9
20-34	514	3.4	5	1	1	3	5	6	7	9
35-49	171	3.8	6	1	1	3	5	7	8	12
50-64	65	4.4	10	1	1	4	6	9	10	16
65+	24	6.1	12	1	2	6	8	11	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	2.5	3	1	1	2	3	5	6	8
20-34	107	3.7	7	1	1	3	6	8	8	11
35-49	68	3.7	9	1	1	3	5	7	9	16
50-64	116	4.9	17	1	2	4	6	8	12	26
65+	249	6.4	19	2	2	5	8	12	14	20
B. *Operated*										
0-19 YRS	553	3.7	6	1	1	4	5	6	7	12
20-34	885	4.2	7	1	1	4	5	7	8	11
35-49	300	4.6	13	1	1	4	6	8	11	20
50-64	138	6.3	33	2	2	5	8	12	14	32
65+	110	9.0	49	2	3	7	12	18	21	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	235	2.9	6	1	1	2	4	6	7	14
B. *Operated*	1182	3.4	5	1	1	3	5	6	8	10
2. MULTIPLE DX										
A. *Not Operated*	602	4.9	15	1	1	4	6	10	12	19
B. *Operated*	1986	4.5	13	1	1	4	5	8	10	19
1. SINGLE DX	1417	3.4	5	1	1	3	4	6	7	11
2. MULTIPLE DX	2588	4.6	14	1	1	4	6	8	11	19
A. NOT OPERATED	837	4.3	13	1	1	3	6	9	12	18
B. OPERATED	3168	4.1	10	1	1	4	5	7	9	16
TOTAL 0-19 YRS	1086	3.3	5	1	1	3	4	6	7	10
20-34	1584	3.8	6	1	1	4	5	7	8	10
35-49	577	4.2	10	1	1	3	5	8	9	19
50-64	346	5.2	22	1	2	4	6	10	13	30
65+	412	6.9	28	2	2	5	9	13	17	24
GRAND TOTAL	**4005**	**4.2**	**11**	**1**	**1**	**4**	**5**	**7**	**10**	**17**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	139	4.1	9	1	1	3	5	8	10	13
20-34	1437	5.6	11	2	2	5	7	10	11	16
35-49	1343	5.9	12	2	2	5	8	10	12	17
50-64	502	6.0	11	2	2	5	8	10	12	16
65+	158	5.5	12	2	2	5	8	9	12	15
B. *Operated*										
0-19 YRS	10	6.3	34	1	1	4	6	17	18	18
20-34	181	6.0	21	1	1	5	9	12	14	17
35-49	150	6.5	24	1	2	6	9	12	14	23
50-64	41	9.0	45	1	2	8	12	20	21	25
65+	5	9.8	79	3	3	6	14	25	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	164	4.8	10	1	1	4	7	9	11	14
20-34	1649	6.4	16	2	2	6	8	11	13	21
35-49	2209	7.0	18	2	3	6	9	12	15	21
50-64	1592	7.2	20	2	3	6	9	12	15	24
65+	1326	7.3	20	2	3	6	9	13	16	24
B. *Operated*										
0-19 YRS	11	9.9	91	3	3	6	9	26	34	35
20-34	246	9.6	39	2	3	9	12	17	22	31
35-49	362	9.9	34	2	3	9	13	18	22	27
50-64	200	10.5	39	2	4	9	13	19	24	31
65+	103	12.8	73	4	5	11	17	21	23	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3579	5.7	11	2	2	5	7	10	12	16
B. *Operated*	387	6.6	26	1	2	5	9	13	16	24
2. MULTIPLE DX										
A. *Not Operated*	6940	6.9	18	2	3	6	9	12	15	22
B. *Operated*	922	10.3	42	2	3	9	13	18	23	30
1. SINGLE DX	3966	5.8	13	2	2	5	8	10	12	17
2. MULTIPLE DX	7862	7.3	22	2	3	6	9	13	16	25
A. NOT OPERATED	10519	6.5	16	2	2	6	8	11	14	21
B. OPERATED	1309	9.2	40	2	2	8	12	17	21	28
TOTAL 0-19 YRS	324	4.7	14	1	1	4	6	9	11	20
20-34	3513	6.3	17	2	2	5	8	11	13	21
35-49	4064	6.9	18	2	3	6	9	12	15	23
50-64	2335	7.3	21	2	3	6	9	13	16	25
65+	1592	7.5	25	2	3	6	10	14	17	25
GRAND TOTAL	**11828**	**6.8**	**20**	**2**	**2**	**6**	**9**	**12**	**15**	**23**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	305	2.6	5	<1	1	2	3	5	6	11
20-34	1057	4.9	10	1	1	4	7	9	11	16
35-49	785	5.7	13	1	2	5	7	10	12	18
50-64	286	5.7	14	1	2	5	7	10	13	17
65+	90	5.1	21	1	1	4	6	10	13	27
B. *Operated*										
0-19 YRS	8	3.8	4	1	1	4	5	6	6	6
20-34	182	5.0	17	1	1	4	7	10	13	21
35-49	143	5.6	24	1	1	4	7	12	16	25
50-64	40	5.3	14	1	1	4	8	11	12	14
65+	2	3.5	5	2	2	3	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	440	3.8	11	1	1	3	5	7	10	15
20-34	2534	6.1	20	1	2	5	8	11	14	20
35-49	2288	6.6	18	2	2	6	8	12	15	21
50-64	1308	6.4	17	2	2	6	8	11	14	19
65+	965	6.3	18	2	2	5	8	11	14	20
B. *Operated*										
0-19 YRS	30	5.2	17	1	1	4	8	11	12	18
20-34	335	7.4	34	1	2	6	10	15	18	27
35-49	428	8.9	49	1	2	7	12	17	21	31
50-64	185	9.6	44	2	3	8	13	18	21	32
65+	80	10.0	59	1	2	9	12	19	25	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2523	5.0	12	1	1	4	7	9	12	16
B. *Operated*	375	5.2	19	1	1	4	7	11	14	23
2. MULTIPLE DX										
A. *Not Operated*	7535	6.2	18	1	2	5	8	11	14	20
B. *Operated*	1058	8.5	44	1	2	7	11	17	21	31
1. SINGLE DX	2898	5.0	13	1	1	4	7	9	12	17
2. MULTIPLE DX	8593	6.5	22	1	2	5	8	12	15	22
A. NOT OPERATED	10058	5.9	17	1	2	5	8	11	14	19
B. OPERATED	1433	7.6	40	1	2	6	10	16	19	28
TOTAL 0-19 YRS	783	3.4	9	1	1	3	4	7	9	15
20-34	4108	5.9	19	1	2	5	8	11	13	20
35-49	3644	6.6	21	1	2	6	8	12	15	22
50-64	1819	6.6	21	1	2	6	8	12	15	22
65+	1137	6.5	22	1	2	5	8	12	15	23
GRAND TOTAL	**11491**	**6.1**	**20**	**1**	**2**	**5**	**8**	**11**	**14**	**21**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	137	2.3	3	<1	1	2	3	4	6	10
20-34	149	2.8	6	<1	1	2	4	6	7	10
35-49	85	3.1	5	1	1	2	4	6	8	11
50-64	60	3.4	7	1	1	2	4	8	10	11
65+	64	4.8	15	1	1	4	7	11	12	19
B. *Operated*										
0-19 YRS	200	2.3	1	1	1	2	3	4	5	6
20-34	602	2.6	2	1	1	2	3	4	5	7
35-49	526	3.0	3	1	1	3	4	5	6	9
50-64	571	3.7	3	1	2	3	5	6	7	8
65+	149	4.3	5	1	2	4	5	7	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	118	2.8	6	<1	1	2	4	5	7	13
20-34	220	3.4	9	<1	1	3	4	7	10	15
35-49	194	4.5	20	1	1	3	6	9	12	26
50-64	250	5.2	16	1	1	4	7	11	13	19
65+	494	6.3	20	1	2	5	8	13	15	20
B. *Operated*										
0-19 YRS	105	2.7	4	<1	1	2	3	5	7	10
20-34	222	3.6	13	1	1	3	4	6	9	22
35-49	263	4.6	22	1	2	3	5	7	12	28
50-64	475	5.3	20	2	2	4	6	9	13	30
65+	275	6.4	24	2	2	5	8	12	15	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	495	3.0	7	<1	1	2	4	6	9	12
B. *Operated*	2048	3.1	3	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	1276	5.0	17	1	1	4	6	10	13	20
B. *Operated*	1340	4.9	20	1	2	4	6	9	13	24
1. SINGLE DX	2543	3.1	4	1	1	3	4	5	7	10
2. MULTIPLE DX	2616	5.0	19	1	1	4	6	9	13	21
A. NOT OPERATED	1771	4.5	15	1	1	3	6	9	12	19
B. OPERATED	3388	3.8	11	1	1	3	5	7	9	17
TOTAL 0-19 YRS	560	2.5	3	<1	1	2	3	5	6	9
20-34	1193	3.0	6	1	1	2	4	5	7	13
35-49	1068	3.7	11	1	1	3	4	6	8	17
50-64	1356	4.5	12	1	2	4	5	8	10	19
65+	982	6.0	19	1	2	5	7	12	14	20
GRAND TOTAL	5159	4.0	12	1	1	3	5	8	10	18

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3014	1.5	1	<1	1	1	2	2	3	5
20-34	838	2.0	3	<1	1	1	2	4	5	8
35-49	266	2.6	5	1	1	2	3	5	7	10
50-64	117	2.5	4	<1	1	2	3	4	6	11
65+	66	2.8	5	1	1	2	4	6	8	11
B. *Operated*										
0-19 YRS	15	3.8	17	<1	1	2	4	11	12	13
20-34	5	4.0	9	1	1	3	5	9	9	9
35-49	1	1.0		1	1	1	1	1	1	1
50-64	3	4.7	14	2	2	3	7	9	9	9
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3645	2.1	4	<1	1	2	2	4	5	9
20-34	3061	3.3	10	1	1	2	4	7	9	16
35-49	1381	3.9	11	1	1	3	5	8	10	17
50-64	887	4.2	13	1	1	3	6	8	11	17
65+	1063	5.1	20	1	1	4	6	10	14	21
B. *Operated*										
0-19 YRS	697	3.2	24	1	1	2	3	7	10	26
20-34	886	3.9	31	<1	1	2	4	8	11	28
35-49	364	4.6	30	1	1	3	5	11	14	30
50-64	219	5.5	55	1	1	3	6	12	16	45
65+	323	6.9	69	1	1	4	8	14	22	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4301	1.7	2	<1	1	1	2	3	4	7
B. *Operated*	24	3.8	13	<1	1	2	4	10	12	13
2. MULTIPLE DX										
A. *Not Operated*	10037	3.2	10	1	1	2	4	7	9	16
B. *Operated*	2489	4.3	37	1	1	2	5	9	13	33
1. SINGLE DX	4325	1.7	2	<1	1	1	2	3	4	7
2. MULTIPLE DX	12526	3.4	16	1	1	2	4	7	10	19
A. NOT OPERATED	14338	2.8	8	1	1	2	3	6	8	14
B. OPERATED	2513	4.3	37	1	1	2	5	9	13	32
TOTAL 0-19 YRS	7371	1.9	5	<1	1	1	2	3	5	9
20-34	4790	3.2	13	<1	1	2	4	7	9	17
35-49	2012	3.9	14	1	1	3	5	8	10	19
50-64	1226	4.3	20	1	1	3	5	8	12	21
65+	1452	5.4	31	1	1	4	7	11	15	29
GRAND TOTAL	16851	3.0	13	1	1	2	4	6	9	17

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1223	1.5	2	<1	1	1	2	3	4	8
20-34	309	3.4	45	<1	<1	1	3	7	12	44
35-49	105	2.8	6	<1	1	2	4	6	9	11
50-64	43	5.1	38	<1	1	3	6	12	18	32
65+	51	4.5	32	<1	1	2	5	10	18	30
B. *Operated*										
0-19 YRS	47	8.6	55	1	2	6	10	19	24	36
20-34	39	8.0	46	1	2	6	14	21	59	99+
35-49	18	11.6	191	1	2	8	13	25	47	60
50-64	30	8.5	22	2	3	8	11	16	16	23
65+	35	13.0	95	3	4	10	17	25	33	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1996	2.9	28	<1	1	2	3	6	8	24
20-34	1476	4.6	38	<1	1	3	6	8	12	31
35-49	644	4.8	26	<1	1	4	7	9	12	31
50-64	459	6.0	45	1	1	4	7	13	17	32
65+	707	7.3	61	1	1	5	9	17	21	39
B. *Operated*										
0-19 YRS	440	10.6	289	1	1	4	11	35	61	99+
20-34	637	11.1	287	<1	1	4	15	43	80	99+
35-49	281	13.5	324	1	1	6	19	45	66	99+
50-64	200	14.6	322	1	1	8	21	40	59	97
65+	443	15.3	216	1	2	11	20	35	47	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1731	2.1	13	<1	1	1	2	4	6	16
B. *Operated*	169	9.7	72	2	2	7	13	21	27	91
2. MULTIPLE DX										
A. *Not Operated*	5282	4.5	38	1	1	3	6	9	13	32
B. *Operated*	2001	12.6	283	1	1	6	17	39	62	99+
1. SINGLE DX	1900	2.8	22	<1	1	1	2	6	10	24
2. MULTIPLE DX	7283	6.7	119	1	1	3	7	16	28	80
A. NOT OPERATED	7013	3.9	33	<1	1	2	5	8	12	28
B. OPERATED	2170	12.4	268	1	1	7	16	37	59	99+
TOTAL 0-19 YRS	3706	3.4	58	<1	1	1	3	6	11	49
20-34	2461	6.2	112	<1	1	3	7	14	26	99+
35-49	1048	7.1	123	1	1	4	7	15	32	97
50-64	732	8.4	134	1	1	4	10	19	30	69
65+	1236	10.3	132	1	1	7	13	24	34	59
GRAND TOTAL	**9183**	**5.9**	**101**	**<1**	**1**	**2**	**6**	**14**	**24**	**69**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	2.6	2	1	1	2	3	5	6	6
20-34	58	2.9	5	1	1	2	3	7	8	10
35-49	19	2.6	3	<1	1	2	4	5	7	7
50-64	10	3.1	6	<1	<1	2	5	6	7	7
65+	5	2.6	1	2	2	2	3	4	4	4
B. *Operated*										
0-19 YRS	49	5.3	10	2	2	5	6	9	12	18
20-34	96	5.2	9	2	2	4	6	10	12	15
35-49	22	5.2	17	2	2	4	5	10	16	19
50-64	16	5.6	12	2	3	5	6	12	14	15
65+	8	3.9	6	1	1	3	5	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	92	3.8	20	1	1	3	5	8	10	27
20-34	185	4.3	10	1	2	4	6	8	12	15
35-49	134	4.9	10	1	2	4	6	9	10	17
50-64	128	5.6	23	1	2	5	7	11	12	24
65+	156	7.8	27	2	3	6	10	14	17	28
B. *Operated*										
0-19 YRS	157	9.8	129	3	3	7	10	17	28	73
20-34	486	9.1	80	2	3	7	10	17	24	66
35-49	202	10.1	93	3	3	7	11	19	29	61
50-64	164	13.6	246	3	3	9	14	24	57	79
65+	194	13.0	109	3	4	10	17	26	32	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	126	2.8	4	1	1	2	3	6	7	9
B. *Operated*	191	5.2	10	2	2	4	6	9	12	17
2. MULTIPLE DX										
A. *Not Operated*	695	5.4	19	1	2	4	7	11	13	20
B. *Operated*	1203	10.6	119	2	3	8	12	20	30	72
1. SINGLE DX	317	4.2	9	1	1	4	5	8	10	15
2. MULTIPLE DX	1898	8.7	89	2	2	6	10	16	24	61
A. NOT OPERATED	821	5.0	18	1	1	4	6	10	12	19
B. OPERATED	1394	9.9	107	2	3	7	11	18	27	71
TOTAL 0-19 YRS	332	6.7	77	1	2	5	8	12	18	46
20-34	825	7.1	57	1	2	5	9	13	17	43
35-49	377	7.6	62	1	2	6	9	15	21	53
50-64	318	9.7	153	2	2	6	11	16	29	73
65+	363	10.4	79	2	3	8	12	20	28	68
GRAND TOTAL	**2215**	**8.1**	**80**	**2**	**2**	**6**	**10**	**15**	**23**	**58**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	289	3.2	6	1	1	2	4	7	9	11
20-34	157	3.1	6	1	1	2	4	7	8	11
35-49	34	3.5	7	1	1	3	4	7	9	11
50-64	20	3.5	7	1	1	3	4	7	10	12
65+	5	2.4	4	1	1	2	3	6	6	6
B. *Operated*										
0-19 YRS	118	7.4	17	3	4	7	9	11	15	28
20-34	153	6.5	12	2	3	6	8	9	11	19
35-49	35	7.8	24	2	2	7	10	14	19	24
50-64	17	6.7	10	1	2	7	9	10	13	14
65+	3	8.0	7	5	5	9	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	440	4.0	19	1	1	3	5	8	11	17
20-34	366	3.6	12	1	1	2	4	8	10	15
35-49	166	4.6	14	1	1	4	6	9	11	22
50-64	108	5.2	18	1	1	4	6	11	13	22
65+	131	5.3	14	1	2	4	7	10	12	18
B. *Operated*										
0-19 YRS	443	11.3	100	3	4	8	12	22	32	54
20-34	802	12.2	136	3	5	9	13	24	36	70
35-49	291	13.9	177	4	5	10	15	32	45	96
50-64	181	14.0	165	3	5	10	16	27	43	75
65+	157	16.8	221	3	4	12	21	34	43	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	505	3.2	6	1	1	2	4	7	8	11
B. *Operated*	326	7.0	15	2	3	7	8	11	14	25
2. MULTIPLE DX										
A. *Not Operated*	1211	4.2	16	1	1	3	5	9	11	17
B. *Operated*	1874	12.8	145	3	5	9	14	26	37	76
1. SINGLE DX	831	4.7	13	1	1	4	7	9	11	16
2. MULTIPLE DX	3085	9.5	112	1	2	7	11	19	29	61
A. NOT OPERATED	1716	3.9	13	1	1	3	5	8	10	16
B. OPERATED	2200	12.0	130	3	4	8	13	23	34	70
TOTAL 0-19 YRS	1290	6.7	56	1	1	5	8	13	19	35
20-34	1478	8.5	95	1	2	6	10	17	26	56
35-49	526	9.9	125	1	2	7	11	21	34	85
50-64	326	10.1	118	1	2	7	12	20	31	56
65+	296	11.3	157	2	2	8	14	24	34	76
GRAND TOTAL	3916	8.5	95	1	1	6	10	17	26	54

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	2.6	7	<1	<1	1	3	7	9	10
20-34	16	2.6	3	<1	<1	2	3	5	6	6
35-49	4	1.5	1	<1	<1	1	2	3	3	3
50-64	2	2.0		2	2	2	2	2	2	2
65+	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
0-19 YRS	256	2.4	3	<1	1	2	3	5	6	8
20-34	165	2.8	5	<1	1	2	4	6	7	12
35-49	62	2.3	2	<1	1	2	3	4	5	7
50-64	31	2.5	2	1	1	2	4	5	5	6
65+	21	3.6	6	<1	1	3	5	7	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	2.7	2	1	1	2	4	5	6	6
20-34	29	3.4	37	1	1	2	3	5	9	34
35-49	15	3.7	9	<1	1	3	4	7	11	13
50-64	7	5.6	36	1	1	4	4	16	19	19
65+	9	4.1	6	2	2	3	5	8	9	9
B. *Operated*										
0-19 YRS	291	3.4	15	1	1	3	4	6	8	16
20-34	300	3.9	8	1	1	3	5	7	10	14
35-49	137	4.4	24	1	1	4	5	7	10	19
50-64	70	4.2	8	1	1	4	5	8	10	14
65+	69	5.4	14	1	2	5	7	9	14	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	2.6	5	<1	<1	2	3	5	9	10
B. *Operated*	535	2.6	4	<1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	102	3.4	16	1	1	3	4	5	8	26
B. *Operated*	867	3.9	14	1	1	3	5	7	10	15
1. SINGLE DX	579	2.6	4	<1	1	2	3	5	6	10
2. MULTIPLE DX	969	3.9	14	1	1	3	5	7	9	16
A. NOT OPERATED	146	3.2	13	<1	1	2	4	5	8	20
B. OPERATED	1402	3.4	10	1	1	3	4	6	8	14
TOTAL 0-19 YRS	610	2.9	9	1	1	2	4	5	7	12
20-34	510	3.5	9	1	1	3	5	6	8	14
35-49	218	3.7	17	1	1	3	5	7	8	13
50-64	110	3.8	9	1	1	3	5	7	10	16
65+	100	4.9	12	1	1	4	6	9	13	18
GRAND TOTAL	1548	3.4	10	1	1	3	4	6	8	14

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	132	2.2	2	<1	1	2	3	4	5	7
20-34	75	2.2	6	<1	<1	1	2	5	7	15
35-49	24	2.2	2	<1	<1	2	3	4	6	6
50-64	7	1.6	1	1	1	1	2	3	3	3
65+	13	2.2	3	<1	<1	2	3	5	6	6
B. *Operated*										
0-19 YRS	490	1.7	2	<1	1	1	2	3	4	7
20-34	221	2.4	12	<1	<1	2	3	4	6	12
35-49	67	2.6	11	<1	1	2	2	6	8	22
50-64	30	3.5	34	1	1	2	3	7	11	32
65+	21	2.2	3	<1	<1	1	3	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	320	2.5	6	<1	1	2	3	5	6	11
20-34	370	2.9	13	<1	1	2	3	5	7	22
35-49	194	3.2	7	<1	1	2	4	7	9	12
50-64	147	3.9	11	1	1	3	5	8	9	17
65+	258	4.8	15	1	1	4	6	10	12	19
B. *Operated*										
0-19 YRS	880	2.7	11	<1	1	2	3	5	8	18
20-34	1069	3.2	12	<1	1	2	4	7	10	16
35-49	489	4.6	29	1	1	3	5	10	14	31
50-64	305	5.5	91	1	1	3	6	10	14	53
65+	500	5.4	44	1	1	4	7	11	15	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	251	2.2	3	<1	<1	1	3	4	6	8
B. *Operated*	829	2.0	7	<1	1	1	2	4	5	11
2. MULTIPLE DX										
A. *Not Operated*	1289	3.3	11	<1	1	2	4	7	9	16
B. *Operated*	3243	3.8	28	<1	1	2	4	8	11	23
1. SINGLE DX	1080	2.1	6	<1	1	1	2	4	5	10
2. MULTIPLE DX	4532	3.7	23	<1	1	2	4	8	11	22
A. NOT OPERATED	1540	3.1	10	<1	1	2	4	7	9	16
B. OPERATED	4072	3.5	24	<1	1	2	4	7	11	22
TOTAL 0-19 YRS	1822	2.4	7	<1	1	2	3	5	6	14
20-34	1735	3.0	12	<1	1	2	4	6	9	17
35-49	774	4.0	22	1	1	2	5	8	11	25
50-64	489	4.8	63	1	1	3	5	8	12	51
65+	792	5.1	33	1	1	4	7	10	14	24
GRAND TOTAL	**5612**	**3.4**	**20**	**<1**	**1**	**2**	**4**	**7**	**10**	**20**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	146	1.8	1	<1	<1	2	2	3	4	6
20-34	250	2.0	3	<1	<1	1	2	4	4	8
35-49	87	2.1	2	<1	1	2	3	4	5	8
50-64	26	2.9	12	<1	<1	2	3	5	12	16
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	208	2.5	6	<1	1	2	3	5	7	13
20-34	239	3.8	41	<1	1	3	4	7	9	15
35-49	53	5.5	72	1	1	4	5	10	19	55
50-64	16	2.7	3	1	1	2	4	6	6	6
65+	11	3.3	7	<1	<1	2	5	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	122	2.6	4	<1	1	2	3	5	7	10
20-34	263	3.0	13	<1	1	2	4	6	8	16
35-49	93	4.5	34	1	1	3	5	9	15	34
50-64	49	4.0	9	1	1	3	6	8	10	13
65+	39	5.5	14	1	2	5	7	12	13	18
B. *Operated*										
0-19 YRS	254	5.3	35	1	1	4	7	10	14	30
20-34	548	7.0	52	1	1	5	9	14	20	39
35-49	174	6.5	32	1	1	6	8	13	16	31
50-64	70	8.7	102	<1	1	7	10	18	22	64
65+	41	9.1	67	1	1	6	13	23	27	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	510	2.0	3	<1	<1	2	2	4	4	8
B. *Operated*	527	3.4	29	<1	1	2	4	7	9	17
2. MULTIPLE DX										
A. *Not Operated*	566	3.4	15	<1	1	2	4	7	9	20
B. *Operated*	1087	6.7	49	1	1	5	8	14	20	35
1. SINGLE DX	1037	2.7	17	<1	1	2	3	5	7	14
2. MULTIPLE DX	1653	5.6	40	1	1	4	7	12	16	33
A. NOT OPERATED	1076	2.7	10	<1	1	2	3	5	7	15
B. OPERATED	1614	5.6	45	1	1	4	7	11	16	33
TOTAL 0-19 YRS	730	3.3	17	<1	1	2	4	7	9	18
20-34	1300	4.6	37	<1	1	3	6	10	14	30
35-49	407	5.0	34	1	1	3	7	10	14	33
50-64	161	5.8	56	<1	1	4	7	11	16	40
65+	92	6.8	41	1	1	5	8	15	23	31
GRAND TOTAL	**2690**	**4.5**	**33**	**<1**	**1**	**3**	**6**	**9**	**14**	**29**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. ***Not Operated***										
0-19 YRS	149	2.5	3	1	1	2	3	5	5	8
20-34	227	2.4	3	<1	1	2	3	4	6	9
35-49	84	3.6	42	<1	1	2	4	6	8	43
50-64	35	2.8	2	1	1	2	4	5	6	6
65+	10	3.1	6	1	1	2	5	7	8	8
B. ***Operated***										
0-19 YRS	1036	2.1	6	<1	1	1	2	4	5	11
20-34	1620	2.2	8	<1	<1	1	2	4	6	11
35-49	631	2.3	7	<1	1	2	3	5	6	13
50-64	368	2.5	12	<1	1	2	3	5	7	15
65+	136	2.6	9	<1	1	2	3	5	9	16
2. MULTIPLE DX										
A. ***Not Operated***										
0-19 YRS	161	3.2	20	<1	1	2	4	5	7	15
20-34	309	3.9	17	<1	1	3	5	7	9	27
35-49	96	4.4	31	<1	1	3	5	7	13	32
50-64	78	5.3	49	1	1	4	6	9	13	47
65+	62	6.1	23	1	2	5	8	11	16	27
B ***Operated***										
0-19 YRS	939	2.8	12	<1	1	2	3	6	9	16
20-34	1656	3.3	21	<1	1	2	4	7	10	23
35-49	712	3.7	35	1	1	2	4	8	11	27
50-64	461	3.8	28	1	1	2	4	7	11	27
65+	267	4.8	53	1	1	3	6	10	15	32
SUBTOTALS:										
1. SINGLE DX										
A. ***Not Operated***	505	2.7	9	<1	1	2	3	5	6	9
B. ***Operated***	3791	2.2	8	<1	1	1	2	4	6	13
2. MULTIPLE DX										
A. ***Not Operated***	706	4.2	24	<1	1	3	5	8	10	27
B. ***Operated***	4035	3.4	24	1	1	2	4	7	11	24
1. SINGLE DX	4296	2.3	8	<1	1	2	3	4	6	12
2. MULTIPLE DX	4741	3.5	24	<1	1	2	4	7	11	24
A. NOT OPERATED	1211	3.5	19	<1	1	3	4	6	8	21
B. OPERATED	7826	2.8	17	<1	1	2	3	6	8	20
TOTAL 0-19 YRS	2285	2.5	10	<1	1	2	3	5	7	14
20-34	3812	2.9	14	<1	1	2	3	6	8	20
35-49	1523	3.1	24	<1	1	2	3	6	9	24
50-64	942	3.4	23	1	1	2	4	7	9	22
65+	475	4.3	37	1	1	2	5	9	13	27
GRAND TOTAL	**9037**	**2.9**	**17**	**<1**	**1**	**2**	**3**	**6**	**8**	**20**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. ***Not Operated***										
0-19 YRS	187	3.0	6	<1	1	2	4	5	8	14
20-34	194	2.9	4	1	1	2	4	5	7	10
35-49	46	3.1	5	<1	1	2	5	6	8	11
50-64	33	3.5	29	<1	<1	2	4	7	11	30
65+	9	6.2	26	<1	1	5	8	14	18	18
B. ***Operated***										
0-19 YRS	689	3.7	18	1	1	2	4	8	10	24
20-34	507	3.9	19	1	1	3	4	8	11	23
35-49	205	3.6	8	<1	1	3	4	7	11	14
50-64	105	4.8	33	1	1	3	6	10	16	36
65+	36	4.6	14	1	1	3	6	9	13	17
2. MULTIPLE DX										
A. ***Not Operated***										
0-19 YRS	132	4.4	32	1	1	3	5	7	11	35
20-34	159	3.9	10	1	1	3	5	8	11	16
35-49	84	4.9	17	1	1	4	7	9	12	24
50-64	47	6.5	18	1	2	5	10	13	15	99+
65+	87	6.6	23	2	2	5	8	13	16	24
B. ***Operated***										
0-19 YRS	412	6.5	67	1	1	4	7	14	20	47
20-34	510	7.5	88	1	1	4	8	17	27	50
35-49	181	8.6	104	1	1	5	10	21	28	56
50-64	124	8.3	66	1	1	5	12	20	26	59
65+	126	12.9	218	1	2	8	15	27	40	73
SUBTOTALS:										
1. SINGLE DX										
A. ***Not Operated***	469	3.1	7	<1	1	2	4	6	8	14
B. ***Operated***	1542	3.9	18	1	1	3	5	8	11	22
2. MULTIPLE DX										
A. ***Not Operated***	509	4.9	21	1	1	4	6	10	13	25
B. ***Operated***	1353	7.9	96	1	1	5	9	18	27	53
1. SINGLE DX	2011	3.7	16	1	1	3	4	7	10	21
2. MULTIPLE DX	1862	7.1	78	1	1	4	8	15	24	50
A. NOT OPERATED	978	4.0	15	1	1	3	5	8	11	19
B. OPERATED	2895	5.7	59	1	1	3	6	12	19	42
TOTAL 0-19 YRS	1420	4.5	33	1	1	3	5	9	13	31
20-34	1370	5.1	45	1	1	3	6	10	16	38
35-49	516	5.5	48	1	1	3	6	11	17	34
50-64	309	6.3	47	1	1	4	8	15	21	40
65+	258	9.4	129	1	2	6	11	20	27	65
GRAND TOTAL	**3873**	**5.3**	**48**	**1**	**1**	**3**	**6**	**11**	**17**	**37**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	[illegible]	2.4	4	<1	<1	2	3	6	6	6
20-34	[illegible]	2.4		2	2	2	3	3	3	3
35-49	[illegible]	2.2	3	<1	<1	2	3	5	5	5
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	24	3.3	18	1	1	2	4	8	14	18
20-34	29	5.8	58	1	1	3	6	12	27	34
35-49	12	3.5	10	1	1	2	4	8	11	12
50-64	9	6.6	49	2	2	4	7	18	24	24
65+	2	3.5	1	3	3	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	5.3	42	1	1	3	6	15	22	23
20-34	9	2.3	2	1	1	2	3	4	5	5
35-49	9	6.7	20	1	1	7	9	13	15	15
50-64	4	5.5	18	1	1	5	9	10	10	10
65+	13	7.2	25	2	2	6	9	14	19	20
B. *Operated*										
0-19 YRS	67	5.9	92	1	1	3	6	10	17	64
20-34	193	8.5	156	1	1	4	10	17	27	75
35-49	65	9.8	206	1	1	5	10	28	39	77
50-64	36	9.8	243	1	1	5	10	25	38	85
65+	29	16.3	273	2	3	11	21	31	65	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	2.3	2	<1	1	2	3	5	6	6
B. *Operated*	76	4.7	35	1	1	3	5	11	17	32
2. MULTIPLE DX										
A. *Not Operated*	46	5.5	24	1	1	4	8	11	16	23
B. *Operated*	390	9.0	174	1	1	5	10	21	30	76
1. SINGLE DX	99	4.1	29	1	1	2	5	9	13	31
2. MULTIPLE DX	436	8.6	159	1	1	5	10	19	28	72
A. NOT OPERATED	69	4.4	19	1	1	3	6	10	12	22
B. OPERATED	466	8.3	154	1	1	4	9	18	28	71
TOTAL 0-19 YRS	112	5.0	64	1	1	3	6	10	15	46
20-34	236	7.8	137	1	1	4	9	16	26	67
35-49	91	8.3	157	1	1	5	9	20	32	72
50-64	51	8.6	183	1	1	4	9	19	28	85
65+	45	12.8	205	2	2	8	16	26	41	70
GRAND TOTAL	**535**	**7.8**	**138**	**1**	**1**	**4**	**9**	**17**	**27**	**70**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	4.3	24	<1	<1	2	5	12	15	17
20-34	21	5.0	19	<1	1	3	6	10	15	19
35-49	18	4.2	6	1	1	4	5	6	9	11
50-64	12	7.5	31	<1	<1	7	12	15	17	17
65+	3	5.7	4	4	4	5	7	8	8	8
B. *Operated*										
0-19 YRS	159	4.2	28	<1	1	3	5	9	12	24
20-34	253	3.9	14	1	1	3	4	8	11	24
35-49	108	4.7	19	1	1	3	6	9	13	22
50-64	84	3.3	9	1	1	2	4	6	9	17
65+	19	4.4	37	<1	<1	2	5	9	20	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	9.2	156	1	1	4	10	23	43	53
20-34	72	8.9	170	<1	1	4	10	25	34	97
35-49	45	8.9	90	1	1	6	12	16	24	59
50-64	29	6.9	32	1	2	5	8	15	19	25
65+	68	9.8	81	2	2	6	14	20	26	46
B. *Operated*										
0-19 YRS	157	5.2	67	1	1	4	5	8	22	97
20-34	358	5.5	74	1	2	4	5	9	14	38
35-49	190	5.6	46	1	2	4	5	10	18	40
50-64	150	5.9	38	1	2	4	7	11	15	36
65+	89	10.0	89	2	2	7	12	22	27	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	74	5.0	19	<1	1	4	6	12	14	19
B. *Operated*	623	4.0	19	1	1	3	5	8	11	24
2. MULTIPLE DX										
A. *Not Operated*	260	9.0	114	1	1	5	12	21	28	58
B. *Operated*	944	5.9	65	1	2	4	6	11	20	44
1. SINGLE DX	697	4.1	19	1	1	3	5	9	12	23
2. MULTIPLE DX	1204	6.6	77	1	1	4	7	14	23	53
A. NOT OPERATED	334	8.1	96	1	1	5	11	19	25	54
B. OPERATED	1567	5.2	47	1	1	4	5	10	14	37
TOTAL 0-19 YRS	382	5.2	61	1	1	3	5	11	20	58
20-34	704	5.2	63	1	1	4	5	10	15	36
35-49	361	5.6	43	1	1	4	6	11	15	34
50-64	275	5.3	30	1	1	4	6	11	15	28
65+	179	9.2	81	1	2	6	12	21	26	45
GRAND TOTAL	**1901**	**5.7**	**57**	**1**	**1**	**4**	**6**	**12**	**18**	**43**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	328	3.6	4	1	1	3	5	5	6	11
20-34	124	3.4	5	<1	1	3	5	5	7	11
35-49	27	3.1	2	1	1	3	4	5	5	5
50-64	12	3.4	2	1	1	3	5	5	6	6
65+	10	3.8	3	1	1	4	5	6	7	7
B. *Operated*										
0-19 YRS	10	6.5	17	1	1	6	10	11	12	12
20-34	5	3.4	5	1	1	3	5	7	7	7
35-49	2	7.0	32	3	3	7	11	11	11	11
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	228	3.6	4	1	1	3	5	7	7	10
20-34	155	3.1	6	<1	1	3	4	6	8	11
35-49	53	3.8	6	1	1	3	5	8	9	11
50-64	30	3.7	4	1	1	4	5	7	7	8
65+	47	4.8	12	1	1	4	7	9	10	19
B. *Operated*										
0-19 YRS	35	4.3	8	1	1	4	6	6	11	14
20-34	36	5.0	18	1	1	4	6	11	15	18
35-49	19	5.4	19	1	1	4	7	13	15	16
50-64	13	6.8	16	1	2	7	10	12	14	14
65+	8	8.8	69	2	2	7	9	23	28	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	501	3.5	4	1	1	3	5	5	6	11
B. *Operated*	19	5.3	15	1	1	4	9	11	12	12
2. MULTIPLE DX										
A. *Not Operated*	513	3.6	6	1	1	3	5	7	8	11
B. *Operated*	111	5.3	19	1	1	4	6	11	14	22
1. SINGLE DX	520	3.6	5	1	1	3	5	6	7	11
2. MULTIPLE DX	624	3.9	9	1	1	3	5	7	9	15
A. NOT OPERATED	1014	3.6	5	1	1	3	5	6	7	11
B. OPERATED	130	5.3	18	1	1	4	7	11	14	20
TOTAL 0-19 YRS	601	3.7	5	1	1	3	5	6	7	12
20-34	320	3.5	7	<1	1	3	4	6	8	16
35-49	101	4.0	8	1	1	3	5	8	10	15
50-64	56	4.4	8	1	1	4	6	8	11	14
65+	66	5.1	19	1	1	4	7	9	11	27
GRAND TOTAL	**1144**	**3.8**	**7**	**1**	**1**	**3**	**5**	**7**	**8**	**13**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	881	1.8	2	<1	1	1	2	3	4	7
20-34	727	2.5	5	<1	<1	2	3	5	7	11
35-49	346	2.9	7	<1	1	2	4	6	8	12
50-64	179	3.0	6	1	1	2	4	6	7	11
65+	227	3.9	8	1	1	3	5	8	9	13
B. *Operated*										
0-19 YRS	131	2.9	8	<1	1	2	3	7	8	15
20-34	117	3.8	13	1	1	2	5	8	13	18
35-49	60	3.9	12	1	1	3	5	8	10	19
50-64	47	3.9	5	1	1	4	6	7	8	10
65+	34	4.2	15	1	1	3	5	8	14	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1870	2.2	4	<1	1	2	3	4	6	9
20-34	2100	3.0	8	<1	1	2	4	6	8	14
35-49	1167	3.9	14	1	1	3	5	8	10	18
50-64	1134	4.7	19	1	1	3	6	9	12	24
65+	3133	6.1	26	1	2	5	8	12	15	25
B. *Operated*										
0-19 YRS	246	3.6	12	<1	1	3	5	7	10	16
20-34	358	4.5	40	<1	1	3	5	10	14	25
35-49	193	6.1	37	1	1	4	9	13	18	30
50-64	216	8.4	85	1	2	6	11	16	22	47
65+	359	10.1	70	2	2	8	14	22	27	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2360	2.4	5	<1	1	2	3	5	7	11
B. *Operated*	389	3.6	11	1	1	2	4	7	9	17
2. MULTIPLE DX										
A. *Not Operated*	9404	4.2	18	1	1	3	5	9	12	20
B. *Operated*	1372	6.7	56	1	1	4	9	15	21	33
1. SINGLE DX	2749	2.6	6	<1	1	2	3	5	7	12
2. MULTIPLE DX	10776	4.5	23	1	1	3	6	9	13	23
A. NOT OPERATED	11764	3.8	15	<1	1	3	5	8	11	19
B. OPERATED	1761	6.0	48	1	1	4	8	14	19	32
TOTAL 0-19 YRS	3128	2.2	4	<1	1	2	3	4	6	10
20-34	3302	3.1	11	<1	1	2	4	6	9	15
35-49	1766	4.0	15	1	1	3	5	8	11	19
50-64	1576	5.0	28	1	1	4	6	10	14	25
65+	3753	6.3	31	1	2	5	8	13	17	27
GRAND TOTAL	**13525**	**4.1**	**20**	**1**	**1**	**3**	**5**	**9**	**12**	**22**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	79	2.2	4	1	1	1	2	5	7	11
20-34	57	2.1	3	<1	1	2	3	4	5	10
35-49	16	3.0	7	<1	<1	2	3	8	10	11
50-64	14	2.5	2	1	1	2	3	4	5	5
65+	3	1.7		1	1	2	2	2	2	2
B. *Operated*										
0-19 YRS	32	4.0	22	<1	1	2	5	9	14	23
20-34	88	5.4	42	<1	1	4	6	10	24	77
35-49	32	4.7	54	<1	1	3	4	7	14	42
50-64	31	6.7	65	<1	1	3	8	20	29	30
65+	10	4.1	41	<1	<1	1	3	15	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	67	2.5	3	<1	1	2	3	5	6	9
20-34	75	3.7	16	<1	1	2	5	6	10	24
35-49	25	4.4	15	1	1	3	6	8	14	16
50-64	27	3.6	12	<1	<1	2	5	8	9	16
65+	12	7.0	11	1	2	7	9	11	12	12
B. *Operated*										
0-19 YRS	56	7.1	69	1	1	3	9	15	32	34
20-34	197	6.8	87	1	1	4	8	14	27	55
35-49	98	7.0	75	1	1	3	9	18	25	44
50-64	61	8.8	158	1	1	4	9	20	41	60
65+	19	10.0	150	1	1	5	18	22	37	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	169	2.2	3	1	1	2	3	5	6	11
B. *Operated*	193	5.2	44	<1	1	3	6	10	22	42
2. MULTIPLE DX										
A. *Not Operated*	206	3.6	12	<1	1	2	5	8	9	17
B. *Operated*	431	7.3	95	1	1	4	8	18	31	54
1. SINGLE DX	362	3.8	27	<1	1	2	4	8	12	31
2. MULTIPLE DX	637	6.1	71	1	1	3	7	14	21	49
A. NOT OPERATED	375	3.0	8	<1	1	2	3	6	8	15
B. OPERATED	624	6.7	80	1	1	3	7	15	26	51
TOTAL 0-19 YRS	234	3.7	26	1	1	2	4	8	12	32
20-34	417	5.3	56	1	1	3	6	11	18	44
35-49	171	5.8	58	1	1	3	6	13	21	40
50-64	133	6.6	95	1	1	3	7	17	28	54
65+	44	7.3	82	1	1	4	9	19	21	50
GRAND TOTAL	**999**	**5.3**	**56**	**1**	**1**	**3**	**6**	**12**	**19**	**42**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	1.3		<1	<1	1	1	2	3	3
20-34										
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	12	2.1	4	<1	<1	1	2	6	7	7
20-34	4	1.5		1	1	1	2	2	2	2
35-49	3	1.3		<1	<1	1	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34	3	2.0	3	<1	<1	<1	3	4	4	4
35-49	1	6.0		6	6	6	6	6	6	6
50-64	2	5.5	1	5	5	5	6	6	6	6
65+										
B. *Operated*										
0-19 YRS	5	3.4	6	1	1	4	5	7	7	7
20-34	4	1.5	1	1	1	1	2	3	3	3
35-49	4	2.0	2	1	1	2	3	4	4	4
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	1.4	1	<1	<1	1	2	3	3	3
B. *Operated*	19	1.8	3	<1	<1	1	2	5	7	7
2. MULTIPLE DX										
A. *Not Operated*	9	3.0	5	<1	<1	2	5	6	6	6
B. *Operated*	13	2.4	4	1	1	1	4	5	7	7
1. SINGLE DX	32	1.7	2	<1	<1	1	2	3	6	7
2. MULTIPLE DX	22	2.6	4	<1	<1	2	4	6	7	7
A. NOT OPERATED	22	2.0	3	<1	<1	1	3	5	6	6
B. OPERATED	32	2.1	3	<1	<1	1	2	5	7	7
TOTAL 0-19 YRS	31	1.9	3	<1	<1	1	2	5	7	7
20-34	11	1.6	1	<1	<1	1	2	3	4	4
35-49	10	2.2	3	<1	<1	2	3	5	6	6
50-64	2	5.5	1	5	5	5	6	6	6	6
65+										
GRAND TOTAL	**54**	**2.1**	**3**	**<1**	**<1**	**1**	**2**	**5**	**6**	**7**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	721	1.4	1	<1	<1	1	1	2	3	6
20-34	132	1.6	1	<1	<1	1	2	3	4	6
35-49	110	1.5	2	<1	<1	1	2	2	4	8
50-64	104	1.5	2	<1	<1	1	1	2	3	10
65+	87	1.7	3	1	1	1	2	3	5	10
B. *Operated*										
0-19 YRS	201	1.8	2	<1	<1	1	2	4	5	8
20-34	38	3.9	14	<1	<1	2	6	10	11	16
35-49	28	2.7	5	<1	<1	2	4	7	8	9
50-64	19	3.1	50	<1	1	1	2	3	19	32
65+	17	2.9	11	<1	1	1	3	9	11	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	252	2.2	4	<1	1	1	3	5	7	11
20-34	69	3.0	11	<1	1	2	3	6	12	17
35-49	104	3.0	6	<1	<1	2	4	8	8	9
50-64	151	3.2	15	<1	1	2	4	8	11	20
65+	336	4.2	20	1	1	3	5	9	13	22
B. *Operated*										
0-19 YRS	100	4.1	41	<1	1	2	5	8	12	39
20-34	48	5.3	20	<1	1	4	7	12	13	20
35-49	54	8.3	93	1	1	5	11	16	27	56
50-64	105	6.0	67	<1	1	4	8	13	16	49
65+	211	6.7	67	1	1	4	8	15	21	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1154	1.5	1	<1	<1	1	1	2	3	7
B. *Operated*	303	2.3	8	<1	<1	1	2	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	912	3.3	13	<1	1	2	4	7	10	18
B. *Operated*	518	6.1	62	1	1	4	8	13	18	35
1. SINGLE DX	1457	1.6	3	<1	<1	1	2	3	4	9
2. MULTIPLE DX	1430	4.3	32	1	1	2	5	10	13	26
A. NOT OPERATED	2066	2.3	7	<1	<1	1	2	5	7	14
B. OPERATED	821	4.7	45	<1	1	2	6	11	15	31
TOTAL 0-19 YRS	1274	1.8	5	<1	<1	1	2	4	5	10
20-34	287	2.8	10	<1	<1	1	3	7	11	16
35-49	296	3.4	26	<1	<1	2	4	8	11	24
50-64	379	3.5	30	<1	1	2	4	9	12	24
65+	651	4.6	35	1	1	3	5	10	14	27
GRAND TOTAL	**2887**	**3.0**	**19**	**<1**	**<1**	**1**	**3**	**7**	**10**	**20**

380: Third degree burns (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	6.8	26	1	1	6	9	15	18	22
20-34	24	6.7	28	1	2	5	10	13	18	22
35-49	22	5.0	15	<1	1	3	9	11	11	12
50-64	10	8.1	50	<1	<1	7	12	18	23	23
65+	3	7.7	16	4	4	7	11	12	12	12
B. *Operated*										
0-19 YRS	82	8.7	90	1	2	6	10	24	31	45
20-34	105	8.7	71	1	2	7	10	16	21	54
35-49	41	8.8	104	1	1	5	10	19	28	55
50-64	22	11.2	56	2	3	9	17	23	24	24
65+	14	11.8	81	3	4	7	20	24	29	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	115	8.5	61	1	2	6	11	22	26	35
20-34	107	5.5	25	1	1	4	8	10	14	27
35-49	64	7.7	76	1	1	5	9	16	26	48
50-64	53	8.8	42	2	3	7	13	17	20	34
65+	40	13.4	96	3	5	10	16	26	35	46
B. *Operated*										
0-19 YRS	215	18.6	265	3	4	14	24	36	55	93
20-34	211	19.7	335	3	4	14	25	46	56	91
35-49	132	21.8	269	3	4	19	31	43	59	99+
50-64	96	20.0	257	2	3	16	28	42	53	72
65+	108	27.1	354	5	6	21	39	55	64	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	107	6.6	26	1	1	5	9	13	17	23
B. *Operated*	264	9.1	81	1	2	7	11	20	26	51
2. MULTIPLE DX										
A. *Not Operated*	379	8.1	59	1	2	6	10	16	25	38
B. *Operated*	762	20.8	303	3	4	16	28	45	57	91
1. SINGLE DX	371	8.4	66	1	2	6	10	18	23	46
2. MULTIPLE DX	1141	16.6	258	2	3	12	22	38	50	84
A. NOT OPERATED	486	7.7	52	1	2	6	10	15	23	37
B. OPERATED	1026	17.8	272	2	3	13	24	40	54	86
TOTAL 0-19 YRS	460	13.1	184	1	2	9	16	28	38	82
20-34	447	13.0	223	1	2	8	16	31	47	77
35-49	259	14.8	224	1	2	9	23	36	46	85
50-64	181	15.0	186	1	3	11	20	34	42	59
65+	165	22.1	308	4	5	17	29	48	58	74
GRAND TOTAL	**1512**	**14.6**	**223**	**1**	**2**	**9**	**19**	**35**	**46**	**77**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	472	4.4	18	1	1	3	6	9	13	20
20-34	273	4.1	19	1	1	3	5	9	12	21
35-49	102	4.0	17	1	1	2	6	10	15	17
50-64	47	4.6	24	1	1	3	5	13	16	20
65+	19	5.6	19	1	1	4	8	13	16	16
B. *Operated*										
0-19 YRS	104	7.3	59	1	1	5	10	16	21	44
20-34	59	7.4	59	1	1	5	10	16	19	46
35-49	36	9.4	60	1	1	7	15	22	24	25
50-64	13	8.1	78	1	2	4	11	19	30	33
65+	6	10.2	68	2	2	8	13	24	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1181	5.7	33	1	1	4	8	11	15	24
20-34	609	4.6	19	1	1	3	6	10	13	25
35-49	344	5.2	30	1	1	3	7	12	15	23
50-64	209	6.7	40	1	1	5	10	15	18	31
65+	162	9.2	93	2	3	7	12	16	19	48
B. *Operated*										
0-19 YRS	208	11.1	99	1	2	8	15	24	29	54
20-34	163	10.7	129	1	2	7	14	24	37	50
35-49	84	12.7	110	1	2	10	17	27	33	50
50-64	71	12.7	155	1	3	10	15	24	43	68
65+	63	18.7	206	3	5	14	25	45	51	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	913	4.3	18	1	1	3	6	9	13	19
B. *Operated*	218	7.8	60	1	1	5	11	16	22	43
2. MULTIPLE DX										
A. *Not Operated*	2505	5.7	35	1	1	4	8	12	15	26
B. *Operated*	589	12.2	132	1	2	9	16	26	37	55
1. SINGLE DX	1131	5.0	28	1	1	3	7	11	15	24
2. MULTIPLE DX	3094	6.9	60	1	1	5	9	15	20	42
A. NOT OPERATED	3418	5.3	31	1	1	4	7	11	15	23
B. OPERATED	807	11.0	116	1	2	8	15	24	33	54
TOTAL 0-19 YRS	1965	6.0	41	1	1	4	8	13	18	29
20-34	1104	5.5	43	1	1	4	7	12	17	37
35-49	566	6.4	50	1	1	4	9	15	19	33
50-64	340	7.7	70	1	1	5	10	16	20	47
65+	250	11.4	133	2	3	8	14	22	40	63
GRAND TOTAL	**4225**	**6.4**	**52**	**1**	**1**	**4**	**8**	**14**	**19**	**38**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	2.5	4	<1	1	2	3	5	6	11
20-34	52	3.9	10	<1	1	3	6	7	10	14
35-49	29	3.9	10	<1	1	3	5	10	11	11
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	4	3.8	5	2	2	3	5	7	7	7
B. *Operated*										
0-19 YRS	49	2.0	4	<1	1	2	2	3	4	13
20-34	109	2.5	7	<1	1	2	3	6	7	16
35-49	51	2.7	10	<1	1	2	2	7	13	14
50-64	32	3.5	11	<1	1	2	5	8	12	14
65+	5	4.6	9	1	1	4	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	3.5	13	1	1	3	4	8	9	22
20-34	69	6.7	101	1	1	4	8	12	17	69
35-49	72	5.6	19	1	1	4	8	10	13	24
50-64	54	6.4	22	1	1	6	9	11	16	22
65+	73	9.8	52	2	4	8	12	17	24	39
B. *Operated*										
0-19 YRS	111	2.4	5	<1	<1	2	3	5	9	45
20-34	219	4.9	112	<1	1	2	4	11	24	98
35-49	119	6.4	211	<1	1	2	5	11	26	95
50-64	64	6.0	64	1	1	3	7	15	25	37
65+	41	15.4	472	1	1	7	17	63	77	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	126	3.4	8	<1	1	3	5	7	10	13
B. *Operated*	246	2.6	8	<1	1	2	3	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	316	6.6	48	1	1	5	9	13	17	33
B. *Operated*	554	5.7	141	<1	1	2	4	12	25	97
1. SINGLE DX	372	2.9	8	<1	1	2	3	6	9	14
2. MULTIPLE DX	870	6.0	107	1	1	3	7	13	22	90
A. NOT OPERATED	442	5.7	38	1	1	4	8	11	15	27
B. OPERATED	800	4.7	102	<1	1	2	4	10	19	92
TOTAL 0-19 YRS	247	2.6	6	<1	1	2	3	5	9	13
20-34	449	4.5	74	<1	1	2	4	9	15	73
35-49	271	5.2	102	1	1	2	6	10	14	90
50-64	152	5.6	38	1	1	3	7	12	17	37
65+	123	11.3	196	1	2	8	13	23	44	96
GRAND TOTAL	**1242**	**5.1**	**79**	**1**	**1**	**2**	**5**	**11**	**16**	**65**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	387	2.2	4	<1	1	2	2	4	6	10
20-34	304	2.7	13	<1	1	2	3	6	7	13
35-49	135	3.0	7	1	1	2	3	6	8	15
50-64	51	3.8	12	1	1	3	5	8	12	17
65+	32	4.0	23	<1	1	2	4	8	15	24
B. *Operated*										
0-19 YRS	94	3.9	22	<1	1	3	5	8	14	26
20-34	126	4.0	16	1	1	2	5	9	12	19
35-49	44	3.9	19	1	1	2	4	9	15	20
50-64	22	4.9	11	1	1	4	8	9	10	12
65+	9	6.4	24	2	2	4	10	14	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	422	2.9	6	1	1	2	4	6	8	14
20-34	624	3.6	9	1	1	3	5	7	9	14
35-49	374	4.8	18	1	1	4	6	10	12	22
50-64	293	5.6	26	1	1	4	7	11	13	29
65+	504	6.6	26	1	2	5	8	12	16	26
B. *Operated*										
0-19 YRS	133	7.3	92	1	1	4	8	16	25	51
20-34	284	7.4	98	1	1	5	8	20	25	80
35-49	139	10.0	142	1	1	6	12	25	35	58
50-64	107	10.1	82	1	2	8	13	21	31	70
65+	120	12.5	109	2	3	10	16	24	35	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	909	2.6	9	<1	1	2	3	5	7	14
B. *Operated*	295	4.1	18	1	1	3	5	9	13	20
2. MULTIPLE DX										
A. *Not Operated*	2217	4.6	18	1	1	3	6	9	12	21
B. *Operated*	783	9.0	107	1	1	6	11	20	28	61
1. SINGLE DX	1204	3.0	11	<1	1	2	3	6	9	16
2. MULTIPLE DX	3000	5.8	45	1	1	4	7	12	17	36
A. NOT OPERATED	3126	4.0	16	1	1	3	5	8	11	20
B. OPERATED	1078	7.7	88	1	1	5	9	19	25	55
TOTAL 0-19 YRS	1036	3.3	20	1	1	2	4	7	9	23
20-34	1338	4.3	32	<1	1	3	5	8	12	26
35-49	692	5.4	46	1	1	3	6	11	16	35
50-64	473	6.4	41	1	1	4	8	13	18	37
65+	665	7.5	47	1	2	6	9	15	20	39
GRAND TOTAL	**4204**	**5.0**	**37**	**1**	**1**	**3**	**6**	**10**	**15**	**32**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2356	1.7	2	<1	<1	1	2	3	4	7
20-34	994	1.9	5	<1	<1	1	2	3	4	10
35-49	370	2.5	26	<1	1	2	3	4	7	11
50-64	99	2.8	14	1	1	2	3	6	8	23
65+	69	3.0	4	1	1	2	4	6	7	11
B. *Operated*										
0-19 YRS	3	3.7	14	<1	<1	2	6	8	8	8
20-34	10	2.4	4	1	1	2	4	6	7	7
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	1	3.0		3	3	3	3	3	3	3
65+	3	7.0	31	2	2	6	11	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2976	3.9	47	<1	1	2	4	7	12	37
20-34	4171	3.8	34	<1	1	2	4	7	12	31
35-49	2253	4.5	35	<1	1	3	5	10	16	32
50-64	1212	5.7	35	1	1	4	7	12	16	30
65+	1791	6.3	28	1	2	5	8	12	15	27
B. *Operated*										
0-19 YRS	36	13.3	193	1	1	8	19	43	51	99+
20-34	150	9.6	132	1	1	6	13	23	32	70
35-49	88	10.3	113	1	2	6	13	27	35	45
50-64	82	14.2	146	3	3	11	17	33	37	60
65+	140	11.7	70	2	3	10	15	23	28	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3888	1.9	5	<1	<1	1	2	3	4	9
B. *Operated*	19	3.3	10	<1	1	2	4	8	11	13
2. MULTIPLE DX										
A. *Not Operated*	12403	4.5	37	<1	1	3	5	9	14	32
B. *Operated*	496	11.3	120	1	2	8	14	27	36	66
1. SINGLE DX	3907	1.9	5	<1	<1	1	2	3	4	9
2. MULTIPLE DX	12899	4.8	42	1	1	3	5	10	16	35
A. NOT OPERATED	16291	3.9	31	<1	1	2	4	8	12	29
B. OPERATED	515	11.1	118	1	2	8	14	27	35	64
TOTAL 0-19 YRS	5371	3.0	30	<1	1	2	3	5	8	30
20-34	5325	3.6	33	<1	1	2	4	7	12	31
35-49	2713	4.4	38	<1	1	3	5	9	15	33
50-64	1394	6.0	44	1	1	4	7	13	18	35
65+	2003	6.6	33	1	2	5	8	13	17	29
GRAND TOTAL	**16806**	**4.1**	**35**	**<1**	**1**	**2**	**4**	**9**	**13**	**32**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1144	1.7	2	<1	1	1	2	4	5	7
20-34	478	1.5	1	<1	<1	1	2	3	4	6
35-49	256	1.5	1	<1	1	1	2	3	3	5
50-64	119	1.6	1	<1	1	1	2	3	4	6
65+	50	1.8	2	1	1	1	2	3	4	8
B. *Operated*										
0-19 YRS	10	2.4	8	<1	<1	2	2	6	10	10
20-34	7	6.3	78	2	2	3	5	22	26	26
35-49	2	6.0	8	4	4	6	8	8	8	8
50-64										
65+	3	11.3	146	2	2	7	20	25	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	700	3.1	23	<1	1	2	4	6	8	20
20-34	578	2.9	17	<1	1	2	3	6	10	20
35-49	410	3.2	18	1	1	2	4	6	10	27
50-64	310	4.2	42	1	1	2	4	9	14	39
65+	258	4.5	21	1	1	3	6	9	12	27
B. *Operated*										
0-19 YRS	21	8.7	116	<1	1	7	11	17	33	50
20-34	46	9.4	113	1	1	6	13	23	42	99+
35-49	22	7.6	31	2	3	6	12	14	19	25
50-64	19	13.3	209	1	1	8	20	47	74	99+
65+	27	13.6	177	1	2	8	20	35	42	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2047	1.6	2	<1	1	1	2	3	5	7
B. *Operated*	22	5.2	49	<1	1	2	6	14	25	26
2. MULTIPLE DX										
A. *Not Operated*	2256	3.4	23	<1	1	2	4	7	10	25
B. *Operated*	135	10.4	128	1	1	7	14	25	43	99+
1. SINGLE DX	2069	1.7	2	<1	1	1	2	3	5	7
2. MULTIPLE DX	2391	3.8	32	1	1	2	4	8	12	32
A. NOT OPERATED	4303	2.6	14	<1	1	1	3	5	7	16
B. OPERATED	157	9.7	120	1	1	6	13	24	40	96
TOTAL 0-19 YRS	1875	2.3	12	<1	1	1	2	5	6	13
20-34	1109	2.6	17	<1	1	1	3	4	8	22
35-49	690	2.7	13	<1	1	2	3	5	8	20
50-64	448	3.9	43	1	1	2	4	8	15	49
65+	338	4.9	39	1	1	3	6	10	15	36
GRAND TOTAL	**4460**	**2.8**	**19**	**<1**	**1**	**2**	**3**	**6**	**8**	**22**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	536	2.4	7	1	1	2	3	4	6	13
20-34	341	2.4	7	<1	1	2	3	5	8	15
35-49	250	2.4	5	<1	1	2	3	5	6	14
50-64	177	3.1	12	1	1	2	3	6	9	21
65+	141	3.4	9	1	1	3	4	7	10	14
B. *Operated*										
0-19 YRS	15	5.7	22	<1	<1	5	9	11	15	17
20-34	15	4.9	10	1	2	5	6	10	11	12
35-49	7	14.9	247	1	1	11	22	41	45	45
50-64	10	11.1	131	2	2	5	21	30	32	32
65+	5	6.4	23	2	2	4	11	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	777	3.8	34	1	1	2	4	7	10	33
20-34	684	3.5	23	<1	1	2	4	7	10	18
35-49	656	4.2	17	1	1	3	5	8	12	22
50-64	949	5.1	18	1	1	4	7	10	13	20
65+	2029	6.4	29	1	2	5	8	12	16	27
B. *Operated*										
0-19 YRS	49	14.5	338	1	1	4	25	49	54	56
20-34	71	10.0	265	1	1	4	11	22	51	80
35-49	107	12.7	263	1	1	8	13	34	54	73
50-64	137	14.3	283	1	2	9	17	38	65	99+
65+	241	14.3	161	2	3	11	19	28	41	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1445	2.6	7	1	1	2	3	5	7	14
B. *Operated*	52	7.8	76	1	1	5	10	18	28	45
2. MULTIPLE DX										
A. *Not Operated*	5095	5.1	27	1	1	4	6	10	14	24
B. *Operated*	605	13.5	234	1	1	9	17	33	52	84
1. SINGLE DX	1497	2.8	11	1	1	2	3	5	9	17
2. MULTIPLE DX	5700	6.0	55	1	1	4	7	12	17	42
A. NOT OPERATED	6540	4.5	23	1	1	3	6	9	13	23
B. OPERATED	657	13.1	223	1	1	9	16	31	52	81
TOTAL 0-19 YRS	1377	3.6	39	1	1	2	4	7	10	37
20-34	1111	3.6	36	<1	1	2	4	7	11	24
35-49	1020	4.7	50	1	1	3	5	10	14	38
50-64	1273	5.9	55	1	1	4	7	12	16	45
65+	2416	7.0	47	1	2	5	9	14	19	37
GRAND TOTAL	**7197**	**5.3**	**48**	**1**	**1**	**3**	**6**	**11**	**16**	**37**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	76	3.3	9	<1	1	2	4	8	10	14
20-34	64	4.2	14	<1	1	3	5	9	11	21
35-49	46	4.6	12	1	1	3	7	10	11	14
50-64	69	4.6	12	1	1	4	6	9	11	17
65+	93	7.1	89	1	1	4	7	18	28	52
B. *Operated*										
0-19 YRS	479	4.4	17	1	1	3	5	8	14	23
20-34	464	4.7	29	1	1	3	6	10	14	27
35-49	457	5.5	32	1	1	4	7	13	17	26
50-64	692	7.4	41	1	2	5	11	15	20	30
65+	1202	7.9	58	1	2	5	12	17	21	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	263	5.3	30	1	1	3	7	12	17	25
20-34	237	5.9	30	1	1	5	8	12	16	27
35-49	225	6.8	71	1	1	4	8	13	17	43
50-64	362	6.8	37	1	1	5	9	14	18	29
65+	735	7.3	55	1	2	5	9	15	20	40
B. *Operated*										
0-19 YRS	991	8.0	74	1	2	5	10	20	26	44
20-34	941	8.3	83	1	2	5	11	18	24	49
35-49	1412	8.3	72	1	1	6	11	18	27	52
50-64	2694	9.7	95	1	2	7	13	21	28	51
65+	4895	11.3	121	2	2	8	15	24	32	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	348	4.9	34	1	1	3	6	10	13	29
B. *Operated*	3294	6.5	43	1	1	4	9	15	19	31
2. MULTIPLE DX										
A. *Not Operated*	1822	6.6	47	1	1	5	9	14	18	36
B. *Operated*	10933	10.0	103	1	2	7	13	22	29	53
1. SINGLE DX	3642	6.3	42	1	1	4	9	15	18	31
2. MULTIPLE DX	12755	9.5	96	1	2	6	13	21	28	51
A. NOT OPERATED	2170	6.4	45	1	1	4	8	13	18	35
B. OPERATED	14227	9.2	91	1	2	6	12	20	27	50
TOTAL 0-19 YRS	1809	6.5	53	1	1	4	8	15	22	35
20-34	1706	6.8	61	1	1	4	9	15	20	44
35-49	2140	7.5	64	1	1	5	10	16	23	43
50-64	3817	8.9	80	1	2	6	12	19	26	46
65+	6925	10.3	106	1	2	7	14	22	30	53
GRAND TOTAL	**16397**	**8.8**	**86**	**1**	**2**	**6**	**12**	**19**	**26**	**48**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	365	1.6	1	<1	<1	1	2	3	3	7
20-34	335	2.2	3	<1	1	2	3	4	5	9
35-49	163	2.9	24	<1	1	2	3	5	6	8
50-64	166	3.3	4	1	1	3	4	6	7	11
65+	256	3.5	6	1	1	3	4	6	7	16
B. *Operated*										
0-19 YRS	314	1.7	2	<1	<1	1	2	3	4	7
20-34	328	2.8	5	<1	1	2	3	6	7	11
35-49	156	2.8	5	1	1	2	4	6	7	10
50-64	124	4.2	10	1	1	3	5	8	11	14
65+	93	4.3	10	1	1	4	6	9	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	78	2.3	3	<1	1	2	3	4	6	8
20-34	169	3.4	9	1	1	3	4	6	8	18
35-49	141	3.6	8	1	1	3	5	7	9	14
50-64	284	3.8	7	1	1	3	5	7	10	14
65+	546	4.5	13	1	1	4	6	9	11	19
B. *Operated*										
0-19 YRS	112	2.3	7	1	1	1	3	4	6	16
20-34	200	4.4	23	1	1	3	6	9	13	29
35-49	146	5.6	56	1	1	3	7	11	15	38
50-64	194	6.4	39	1	1	4	8	14	20	32
65+	342	6.8	44	1	1	5	9	14	19	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1285	2.5	6	<1	1	2	3	5	6	9
B. *Operated*	1015	2.8	6	<1	1	2	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	1218	4.0	10	1	1	3	5	8	10	16
B. *Operated*	994	5.5	38	1	1	4	7	12	17	31
1. SINGLE DX	2300	2.6	6	<1	1	2	3	5	7	11
2. MULTIPLE DX	2212	4.7	23	1	1	3	6	9	13	24
A. NOT OPERATED	2503	3.2	9	1	1	2	4	6	8	14
B. OPERATED	2009	4.1	24	1	1	3	5	9	12	24
TOTAL 0-19 YRS	869	1.8	2	<1	<1	1	2	3	4	8
20-34	1032	3.0	9	1	1	2	4	6	8	15
35-49	606	3.7	24	1	1	3	4	7	9	19
50-64	768	4.4	16	1	1	3	5	8	12	22
65+	1237	4.9	21	1	1	4	6	10	13	23
GRAND TOTAL	**4512**	**3.6**	**16**	**1**	**1**	**3**	**4**	**7**	**10**	**19**

Appendix

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2

290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	110	4.7	10	1	2	4	6	9	12	16
20-34	225	5.1	12	2	2	4	6	9	11	17
35-49	142	5.5	14	1	2	5	6	9	11	22
50-64	112	7.0	23	2	3	6	9	13	16	27
65+	68	6.7	18	2	3	6	8	13	14	23
B. *Operated*										
0-19 YRS	101	7.1	29	1	3	6	9	14	17	30
20-34	143	7.6	38	1	2	6	9	16	19	32
35-49	111	7.2	65	2	2	5	9	12	19	47
50-64	128	9.3	45	2	2	8	12	18	21	33
65+	67	8.8	57	2	2	7	11	14	20	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	122	6.4	21	1	2	5	9	12	16	22
20-34	248	5.7	13	2	2	5	7	10	12	21
35-49	291	7.1	32	2	3	6	8	12	17	30
50-64	415	8.1	27	2	3	7	10	15	19	27
65+	487	9.4	48	2	3	8	12	17	22	36
B. *Operated*										
0-19 YRS	119	10.3	64	1	2	8	14	23	25	40
20-34	263	12.9	153	2	3	8	16	28	40	77
35-49	272	11.9	125	2	3	9	15	25	42	79
50-64	456	14.0	149	2	3	10	18	30	42	54
65+	529	14.9	147	3	4	11	19	31	41	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	657	5.6	15	2	2	5	7	10	13	22
B. *Operated*	550	8.0	46	2	2	6	10	16	19	36
2. MULTIPLE DX										
A. *Not Operated*	1563	7.8	34	2	3	6	10	14	19	30
B. *Operated*	1639	13.5	140	2	3	10	17	29	41	63
1. SINGLE DX	1207	6.7	31	2	2	5	8	13	16	28
2. MULTIPLE DX	3202	10.7	96	2	3	8	13	22	30	53
A. NOT OPERATED	2220	7.2	29	2	2	6	9	13	17	28
B. OPERATED	2189	12.1	122	2	3	9	15	26	36	58
TOTAL 0-19 YRS	452	7.2	35	1	2	5	9	15	19	28
20-34	879	8.0	70	2	2	6	9	16	23	46
35-49	816	8.4	70	2	3	6	10	16	23	49
50-64	1111	10.6	87	2	3	8	13	22	30	45
65+	1151	11.7	101	3	3	9	14	24	32	59
GRAND TOTAL	**4409**	**9.6**	**82**	**2**	**3**	**7**	**12**	**19**	**28**	**49**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	84	3.0	9	<1	1	2	4	6	11	14
20-34	182	2.9	6	1	1	2	3	6	8	14
35-49	152	4.5	16	1	1	3	6	9	14	20
50-64	138	5.6	51	1	1	4	7	10	15	34
65+	104	4.8	12	1	1	4	7	10	11	15
B. *Operated*										
0-19 YRS	104	5.4	31	<1	1	4	7	12	17	29
20-34	200	5.8	32	1	1	4	8	12	15	27
35-49	203	6.0	33	1	1	4	8	14	19	24
50-64	187	6.6	55	1	1	4	8	13	24	36
65+	193	5.9	33	1	1	4	8	12	15	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	166	3.5	15	1	1	2	4	7	11	23
20-34	327	4.5	20	1	1	3	6	10	12	21
35-49	353	5.1	19	1	1	4	7	11	14	22
50-64	464	6.0	28	1	1	5	8	12	16	28
65+	658	6.6	28	1	1	5	9	13	16	25
B. *Operated*										
0-19 YRS	193	5.2	39	1	1	3	6	14	19	34
20-34	501	7.8	112	1	1	5	9	16	25	63
35-49	576	9.3	91	1	1	7	12	21	27	47
50-64	775	11.2	126	1	2	8	15	25	36	60
65+	1130	12.1	161	1	2	8	15	28	38	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	660	4.1	20	1	1	3	5	9	11	19
B. *Operated*	887	6.0	37	1	1	4	8	13	18	30
2. MULTIPLE DX										
A. *Not Operated*	1968	5.6	25	1	1	4	7	11	15	25
B. *Operated*	3175	10.3	128	1	1	7	13	23	33	64
1. SINGLE DX	1547	5.2	31	1	1	3	7	11	15	27
2. MULTIPLE DX	5143	8.5	94	1	1	6	11	19	27	53
A. NOT OPERATED	2628	5.2	24	1	1	4	7	11	14	24
B. OPERATED	4062	9.3	112	1	1	6	12	21	30	61
TOTAL 0-19 YRS	547	4.4	27	1	1	2	5	10	15	27
20-34	1210	5.8	61	1	1	4	7	12	17	39
35-49	1284	7.0	57	1	1	5	9	15	21	37
50-64	1564	8.6	88	1	1	6	11	19	27	53
65+	2085	9.4	108	1	2	6	12	20	29	62
GRAND TOTAL	**6690**	**7.7**	**81**	**1**	**1**	**5**	**10**	**17**	**24**	**48**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	2.6	3	1	1	2	3	6	6	7
20-34	18	1.8	1	<1	<1	2	2	4	4	4
35-49	11	3.5	6	1	1	4	5	7	8	8
50-64	7	6.3	17	1	1	6	8	13	14	14
65+	7	2.4	4	1	1	2	4	6	6	6
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	4.0	9	1	1	4	6	7	7	7
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	3.7	52	1	1	2	4	6	8	51
20-34	35	5.5	31	1	1	4	7	11	20	24
35-49	47	5.4	34	1	1	4	6	9	23	29
50-64	48	4.3	12	1	1	3	6	10	11	15
65+	83	5.2	31	1	1	3	7	15	19	23
B. *Operated*										
0-19 YRS	7	30.4	544	2	3	42	45	59	62	62
20-34	22	16.1	393	1	1	9	22	49	65	70
35-49	7	10.7	67	2	2	7	19	22	22	22
50-64	23	10.7	129	1	2	7	13	22	39	50
65+	31	10.9	99	1	2	9	13	27	31	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	91	2.8	5	1	1	2	4	6	7	12
B. *Operated*	6	2.7	6	<1	<1	2	4	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	273	4.8	33	1	1	3	6	10	17	24
B. *Operated*	90	13.6	228	1	2	8	18	38	45	67
1. SINGLE DX	97	2.8	5	1	1	2	4	6	7	11
2. MULTIPLE DX	363	7.0	96	1	1	4	8	17	24	54
A. NOT OPERATED	364	4.3	27	1	1	3	5	9	14	24
B. OPERATED	96	12.9	221	1	1	8	16	35	45	66
TOTAL 0-19 YRS	116	4.8	99	1	1	2	4	6	15	57
20-34	78	7.6	152	1	1	3	8	19	32	68
35-49	66	5.6	35	1	1	4	6	13	22	28
50-64	79	6.3	54	1	1	4	8	13	18	45
65+	121	6.5	54	1	1	4	9	17	21	34
GRAND TOTAL	**460**	**6.1**	**79**	**1**	**1**	**3**	**7**	**14**	**22**	**49**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	11	1.4		<1	<1	1	2	3	3	3
35-49	3	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	12	2.6	3	<1	<1	2	4	5	6	6
20-34	1963	1.7	1	<1	<1	1	2	3	4	5
35-49	669	1.6	1	<1	<1	1	2	3	4	5
50-64	4	1.0		<1	<1	<1	1	1	1	1
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	47	1.3	1	<1	<1	1	1	2	3	5
35-49	11	1.3		<1	<1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	21	2.1	2	<1	1	2	2	4	5	5
20-34	2013	2.2	3	<1	<1	2	3	4	5	8
35-49	828	2.2	3	<1	<1	2	3	4	5	8
50-64	4	2.3	4	<1	<1	1	3	5	5	5
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	1.3		<1	<1	1	1	2	3	3
B. *Operated*	2649	1.7	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	59	1.3	1	<1	<1	1	1	2	3	5
B. *Operated*	2866	2.2	3	<1	<1	2	3	4	5	8
1. SINGLE DX	2663	1.7	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX	2925	2.2	3	<1	<1	2	3	4	5	8
A. NOT OPERATED	73	1.3		<1	<1	1	1	2	3	5
B. OPERATED	5515	2.0	2	<1	<1	1	2	4	5	7
TOTAL 0-19 YRS	34	2.2	2	<1	1	2	3	4	5	6
20-34	4034	2.0	2	<1	<1	1	2	4	5	7
35-49	1511	1.9	2	<1	<1	1	2	4	5	7
50-64	8	1.6	2	<1	<1	1	2	4	5	5
65+	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	**5588**	**1.9**	**2**	**<1**	**<1**	**1**	**2**	**4**	**5**	**7**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749	2	21.0	2	20	20	21	22	22	22	22
1750-2499	1920	3.3	3	2	2	3	4	5	6	10
2500+	154270	3.0	2	1	2	3	3	5	5	7
B. *Operated*										
1-999 G										
1000-1499	1	37.0		37	37	37	37	37	37	37
1500-1749										
1750-2499	3	6.7	30	3	3	4	11	13	13	13
2500+	81	3.4	3	1	2	3	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	75	65.5	488	17	37	70	88	99+	99+	99+
1000-1499	375	43.8	239	21	25	42	53	65	72	95
1500-1749	503	26.1	90	12	15	25	32	38	43	54
1750-2499	7467	7.7	41	2	2	5	10	16	20	31
2500+	95553	3.8	4	2	2	3	5	6	7	10
B. *Operated*										
1-999 G	102	71.2	529	20	54	89	99+	99+	99+	99+
1000-1499	329	52.9	305	25	33	52	67	84	99+	99+
1500-1749	213	33.8	141	15	20	33	40	48	55	71
1750-2499	622	18.8	163	4	6	17	24	33	43	79
2500+	1877	8.0	64	2	3	6	10	15	21	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	156192	3.0	2	1	2	3	3	5	5	7
B. *Operated*	85	3.9	17	1	2	3	4	6	7	29
2. MULTIPLE DX										
A. *Not Operated*	103973	4.3	20	2	2	3	5	6	8	22
B. *Operated*	3143	18.6	425	2	3	10	27	55	78	99+
1. SINGLE DX	156277	3.0	2	1	2	3	3	5	5	7
2. MULTIPLE DX	107116	4.8	37	2	2	3	5	7	10	36
A. NOT OPERATED	260165	3.5	9	2	2	3	4	5	6	13
B. OPERATED	3228	18.2	420	2	3	10	26	54	77	99+
TOTAL 1-999 G	177	68.8	517	20	46	82	99+	99+	99+	99+
1000-1499	705	48.0	290	22	27	48	58	75	89	99+
1500-1749	718	28.4	117	13	16	27	35	42	48	59
1750-2499	10012	7.5	53	2	2	5	10	17	22	34
2500+	251781	3.3	3	1	2	3	4	5	6	9
GRAND TOTAL	**263393**	**3.7**	**17**	**2**	**2**	**3**	**4**	**5**	**6**	**18**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749	2	23.0	162	14	14	23	32	32	32	32
1750-2499	284	4.8	5	2	3	4	5	7	9	14
2500+	1440	4.4	2	2	3	4	5	6	7	9
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	7	70.1	754	23	30	85	94	99+	99+	99+
1000-1499	55	44.6	257	15	23	43	54	60	76	87
1500-1749	134	25.2	105	12	13	25	30	37	41	85
1750-2499	1209	10.0	54	3	3	7	13	19	25	37
2500+	1258	5.6	10	3	3	5	6	8	10	21
B. *Operated*										
1-999 G	25	59.2	811	12	19	71	99+	99+	99+	99+
1000-1499	75	51.8	352	26	31	50	66	83	90	99+
1500-1749	42	32.2	110	18	20	33	36	49	54	55
1750-2499	97	18.5	86	6	7	18	24	31	37	76
2500+	33	11.3	194	2	5	7	10	20	29	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1726	4.4	3	2	3	4	5	6	7	10
B. *Operated*	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	2663	9.6	96	3	3	6	11	20	28	51
B. *Operated*	272	32.6	531	6	7	29	51	81	96	99+
1. SINGLE DX	1727	4.4	3	2	3	4	5	6	7	10
2. MULTIPLE DX	2935	11.7	181	3	3	6	13	27	41	85
A. NOT OPERATED	4389	7.6	66	3	3	5	7	15	23	44
B. OPERATED	273	32.5	532	6	7	29	50	81	96	99+
TOTAL 1-999 G	32	61.6	795	13	20	77	99	99+	99+	99+
1000-1499	130	48.7	322	19	29	48	57	79	86	99+
1500-1749	178	26.8	115	13	14	26	32	39	49	74
1750-2499	1590	9.6	56	3	3	7	13	19	26	37
2500+	2732	5.0	9	2	3	5	6	7	8	17
GRAND TOTAL	**4662**	**9.0**	**127**	**3**	**3**	**5**	**8**	**20**	**31**	**70**

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	13	2.9	1	2	2	3	3	5	5	5
2500+	375	2.5	2	1	1	2	3	4	4	7
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	4	49.5	950	25	25	59	92	99+	99+	99+
1000-1499	9	44.0	70	32	33	42	50	56	56	56
1500-1749	7	30.6	76	22	23	29	31	45	49	49
1750-2499	82	8.1	70	2	2	5	10	18	25	48
2500+	253	3.9	9	1	2	3	4	7	9	14
B. *Operated*										
1-999 G	1	23.0		23	23	23	23	23	23	23
1000-1499	2	55.5	545	39	39	55	72	72	72	72
1500-1749	3	27.3	69	18	18	30	33	34	34	34
1750-2499	8	17.6	142	2	3	15	28	34	35	35
2500+	13	6.5	59	1	2	4	6	18	27	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	388	2.5	2	1	1	2	3	4	4	7
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	355	7.0	106	1	2	4	6	14	29	57
B. *Operated*	27	16.4	274	2	2	12	28	35	44	72
1. SINGLE DX	388	2.5	2	1	1	2	3	4	4	7
2. MULTIPLE DX	382	7.6	123	1	2	4	7	19	31	58
A. NOT OPERATED	743	4.6	57	1	1	3	4	8	14	49
B. OPERATED	27	16.4	274	2	2	12	28	35	44	72
TOTAL 1-999 G	5	44.2	853	23	23	42	89	99	99+	99+
1000-1499	11	46.1	132	32	34	42	53	62	71	72
1500-1749	10	29.6	68	18	20	29	31	41	49	49
1750-2499	103	8.2	76	2	2	5	10	19	26	45
2500+	641	3.1	6	1	1	3	3	5	7	14
GRAND TOTAL	**770**	**5.0**	**69**	**1**	**1**	**3**	**4**	**9**	**19**	**49**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	2.1	1	<1	<1	2	3	4	4	4
20-34	9	3.0	7	<1	<1	1	5	7	8	8
35-49	1	4.0		4	4	4	4	4	4	4
50-64	5	4.0	26	<1	<1	2	5	13	13	13
65+	4	3.5	4	1	1	3	5	6	6	6
B. *Operated*										
0-19 YRS	711	2.2	2	<1	<1	2	3	4	5	8
20-34	849	2.4	4	<1	1	2	3	4	6	9
35-49	403	2.9	8	1	1	2	3	5	7	12
50-64	324	2.7	9	1	1	2	3	4	6	8
65+	199	3.6	8	1	1	3	4	7	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	3.3	28	<1	<1	1	3	7	17	23
20-34	7	2.0	3	<1	<1	1	2	5	6	6
35-49	12	1.8	2	<1	<1	1	2	4	5	5
50-64	6	8.8	157	1	1	3	12	31	33	33
65+	10	2.2	6	<1	<1	1	3	6	9	9
B. *Operated*										
0-19 YRS	266	2.9	7	<1	1	2	3	5	7	10
20-34	268	3.5	13	1	1	3	4	7	10	17
35-49	177	4.2	58	1	1	3	4	7	10	24
50-64	198	4.5	27	1	1	3	5	8	12	28
65+	227	5.7	28	2	2	4	7	11	15	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	3.0	7	<1	<1	2	4	6	8	13
B. *Operated*	2486	2.6	5	<1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	53	3.2	31	<1	<1	1	3	7	12	33
B. *Operated*	1136	4.1	25	1	1	3	5	8	11	23
1. SINGLE DX	2515	2.6	5	<1	1	2	3	5	6	10
2. MULTIPLE DX	1189	4.0	25	1	1	3	4	8	11	23
A. NOT OPERATED	82	3.1	22	<1	<1	1	3	6	10	30
B. OPERATED	3622	3.0	12	<1	1	2	3	5	7	15
TOTAL 0-19 YRS	1005	2.4	4	<1	<1	2	3	4	5	8
20-34	1133	2.7	6	<1	1	2	3	5	6	11
35-49	593	3.2	23	1	1	2	4	5	7	20
50-64	533	3.5	18	1	1	2	4	6	8	20
65+	440	4.7	19	1	1	3	6	9	12	22
GRAND TOTAL	**3704**	**3.0**	**12**	**<1**	**1**	**2**	**3**	**5**	**8**	**15**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	5	1.0		<1	<1	1	1	1	1	1
50-64										
65+	2	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	6.0	7	4	4	5	8	9	9	9
20-34	24	2.0	2	<1	1	2	2	3	5	7
35-49	78	2.4	1	1	2	2	2	4	5	8
50-64	87	1.6	1	<1	<1	1	2	2	2	5
65+	226	1.6	1	<1	<1	1	2	2	2	6
B. *Operated*										
0-19 YRS										
20-34	69	2.5	14	<1	<1	<1	2	5	7	25
35-49	91	2.5	11	<1	<1	<1	3	6	10	17
50-64	113	4.5	46	<1	<1	<1	5	13	19	37
65+	60	5.0	65	<1	<1	3	6	10	15	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	1.3		<1	<1	1	2	2	2	2
B. *Operated*	3	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
A. *Not Operated*	418	1.8	1	<1	<1	2	2	2	4	7
B. *Operated*	333	3.6	34	<1	<1	<1	4	9	14	29
1. SINGLE DX	10	1.2		<1	<1	1	1	2	2	2
2. MULTIPLE DX	751	2.6	17	<1	<1	1	2	5	9	23
A. NOT OPERATED	425	1.8	1	<1	<1	2	2	2	4	7
B. OPERATED	336	3.6	34	<1	<1	<1	4	9	14	29
TOTAL 0-19 YRS	3	6.0	7	4	4	5	8	9	9	9
20-34	93	2.4	11	<1	<1	1	2	4	7	21
35-49	175	2.4	6	<1	<1	2	2	5	8	16
50-64	201	3.2	28	<1	<1	1	2	8	13	29
65+	289	2.3	16	<1	<1	1	2	4	7	16
GRAND TOTAL	**761**	**2.6**	**16**	**<1**	**<1**	**1**	**2**	**5**	**8**	**22**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1168	2.5	21	<1	<1	1	3	4	7	22
20-34	1802	1.7	7	<1	<1	1	2	3	4	10
35-49	375	2.7	19	<1	<1	1	3	5	8	29
50-64	382	2.2	4	<1	1	1	3	5	6	11
65+	358	8.0	224	<1	1	2	8	26	65	99+
B. *Operated*										
0-19 YRS	496	2.8	8	<1	<1	2	3	8	9	13
20-34	1586	2.8	15	<1	<1	2	4	6	8	12
35-49	720	3.7	10	<1	1	2	5	8	10	16
50-64	484	4.5	16	1	1	3	7	10	13	16
65+	345	5.3	21	1	1	3	9	11	13	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2867	3.9	42	<1	1	2	4	6	10	40
20-34	2681	4.0	46	<1	1	2	4	6	12	44
35-49	4694	3.7	33	1	1	2	4	6	9	29
50-64	12640	3.9	32	1	1	2	4	6	10	31
65+	12365	5.7	74	1	1	3	5	13	23	48
B. *Operated*										
0-19 YRS	1031	3.9	39	<1	1	2	4	9	12	35
20-34	1925	4.2	46	<1	<1	2	5	8	11	37
35-49	1965	5.3	43	1	1	3	6	10	15	35
50-64	3186	6.3	66	1	1	4	8	12	19	47
65+	3920	7.3	92	1	1	4	9	16	24	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4085	2.7	34	<1	<1	1	2	4	8	34
B. *Operated*	3631	3.5	14	<1	<1	2	5	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	35247	4.5	49	1	1	3	5	8	15	41
B. *Operated*	12027	5.9	67	1	1	3	7	12	19	46
1. SINGLE DX	7716	3.0	25	<1	<1	1	3	7	10	21
2. MULTIPLE DX	47274	4.9	54	1	1	3	5	9	16	42
A. NOT OPERATED	39332	4.3	48	<1	1	2	4	7	14	40
B. OPERATED	15658	5.3	56	<1	1	3	6	11	16	42
TOTAL 0-19 YRS	5562	3.5	34	<1	<1	2	4	7	10	36
20-34	7994	3.3	32	<1	<1	2	4	6	9	28
35-49	7754	4.1	33	1	1	2	5	8	11	31
50-64	16692	4.3	38	1	1	3	5	8	12	34
65+	16988	6.1	81	1	1	3	6	14	23	50
GRAND TOTAL	**54990**	**4.6**	**50**	**<1**	**1**	**2**	**5**	**9**	**15**	**41**

Index to the Length of Stay Tables

If a diagnosis does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 2, Diseases: Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The diagnosis group containing the *ICD-9-CM* code can then be located in the length of stay tables.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	**Title**
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis – *see Appendicitis, acute*
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction – *see Dependence*
	Adenocarcinoma – *see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

DIAGNOSIS INDEX (continued)

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

DIAGNOSIS INDEX (continued)

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease – *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis – *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)

DIAGNOSIS INDEX (continued)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer – *see Neoplasm, malignant*
	Carcinoma – *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

DIAGNOSIS INDEX (continued)

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs – *see Effect, adverse*
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

DIAGNOSIS INDEX (continued)

Group Number	Title
161	CVA, without paralysis
162	CVA, with paralysis
128	Cyclitis
311	Cyst, Baker's
188	Cyst, mouth
243	Cyst, ovarian
293	Cyst, pilonidal
121	Cyst, retinal
294	Cyst, sebaceous
311	Cyst, synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	Cystitis of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
112	Deficiency, mental
76	Deficiency, nutritional
	Deformity, congenital – *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Delirium, acute or subacute
270	Delivery, NOS
	Delivery complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation

DIAGNOSIS INDEX (continued)

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
105	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

DIAGNOSIS INDEX (continued)

Group Number	Title
73	Diabetes mellitus, uncontrolled
72	Diabetic acidosis
73	Diabetic cataract
72	Diabetic coma
73	Diabetic gangrene
73	Diabetic nephropathy
73	Diabetic neuropathy
73	Diabetic retinopathy
73	Diabetic ulcer
397	Dialysis, peritoneal
397	Dialysis, renal
204	Diaphragmatic hernia
208	Diarrhea, except infectious and functional
211	Diarrhea, functional
1	Diarrhea, infectious
6	Diphtheria
	Disease
199	Appendix, except acute appendicitis
151	Arteriosclerotic cardiovascular
168	Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	Arthropod-borne
79	Autoimmune
6	Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
218	Biliary ducts
234	Bladder, except calculus and cystitis
313	Bone, except osteomyelitis and osteoarthritis
242	Breast, except fibrocystic
241	Breast, fibrocystic
221	Celiac
	Central nervous system
7	Enteroviral
113	Inflammatory, except enteroviral
117	Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	Cerebrovascular – *see Cerebrovascular accident*
136	Chronic rheumatic heart
296	Connective tissue, diffuse
143	Coronary artery
211	Crohn's
75	Cushing's
187	Dental
209	Diverticular

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer — *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

DIAGNOSIS INDEX (continued)

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Failure, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

DIAGNOSIS INDEX (continued)

Group Number	Title
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer – *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

DIAGNOSIS INDEX (continued)

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

DIAGNOSIS INDEX (continued)

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

DIAGNOSIS INDEX (continued)

Group Number	Title
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
252	Infertility, female
240	Infertility, male
113	Inflammation, central nervous system
129	Inflammation, eye, except lacrimal tract
127	Inflammation, lacrimal tract
180	Influenza
180	Influenzal pneumonia
200	Inguinal hernia, without complication
201	Inguinal hernia, with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Crush, abdomen
366	Crush, chest
365	Head, except concussion
367	Internal, except chest
366	Internal, chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Musculoskeletal, back
361	Musculoskeletal, sacroiliac region
382	Nerve
386	Radiation
374	Radiation, late effect

DIAGNOSIS INDEX (continued)

Group Number	Title
	Injury (continued)
382	Spinal cord
376	Superficial
	Insufficiency, heart valve – *see Valvular disease*
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	Internal derangement of knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Ischemic heart disease, acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	Jaundice of newborn
125	Juvenile cataract
	Juvenile diabetes – *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb

DIAGNOSIS INDEX (continued)

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

DIAGNOSIS INDEX (continued)

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease – *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
268	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, benign (continued)
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

DIAGNOSIS INDEX (continued)

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
218	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

DIAGNOSIS INDEX (continued)

Group Number	Title
131	Otitis media, acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease — *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer — *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	Placenta previa, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

DIAGNOSIS INDEX (continued)

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
98	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease — *see Valvular disease*

DIAGNOSIS INDEX (continued)

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
288	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma — *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

DIAGNOSIS INDEX (continued)

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

DIAGNOSIS INDEX (continued)

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain — *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease — *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus

Group Number	Title
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic or senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

DIAGNOSIS INDEX (continued)

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
383	Wound infection, posttraumatic
	Wound, open — *see Laceration*
12	Yellow fever